

Douglas C Woodhams

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9364117/douglas-c-woodhams-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

64
papers

4,858
citations

39
h-index

67
g-index

67
ext. papers

6,198
ext. citations

5.3
avg, IF

5.37
L-index

#	Paper	IF	Citations
64	Inhibitory Bacterial Diversity and Mucosome Function Differentiate Susceptibility of Appalachian Salamanders to Chytrid Fungal Infection.. <i>Applied and Environmental Microbiology</i> , 2022 , e0181821	4.8	3
63	Winter is coming-Temperature affects immune defenses and susceptibility to Batrachochytrium salamandrivorans. <i>PLoS Pathogens</i> , 2021 , 17, e1009234	7.6	8
62	Host-associated microbiomes are predicted by immune system complexity and climate. <i>Genome Biology</i> , 2020 , 21, 23	18.3	24
61	ELICITS ACUTE STRESS RESPONSE IN SPOTTED SALAMANDERS BUT NOT INFECTION OR MORTALITY. <i>Animal Conservation</i> , 2020 , 23, 533-546	3.2	7
60	Probiotics Modulate a Novel Amphibian Skin Defense Peptide That Is Antifungal and Facilitates Growth of Antifungal Bacteria. <i>Microbial Ecology</i> , 2020 , 79, 192-202	4.4	14
59	Community richness of amphibian skin bacteria correlates with bioclimate at the global scale. <i>Nature Ecology and Evolution</i> , 2019 , 3, 381-389	12.3	37
58	Shifts in disease dynamics in a tropical amphibian assemblage are not due to pathogen attenuation. <i>Science</i> , 2018 , 359, 1517-1519	33.3	80
57	Prodigiosin, Violacein, and Volatile Organic Compounds Produced by Widespread Cutaneous Bacteria of Amphibians Can Inhibit Two Batrachochytrium Fungal Pathogens. <i>Microbial Ecology</i> , 2018 , 75, 1049-1062	4.4	48
56	Greater Species Richness of Bacterial Skin Symbionts Better Suppresses the Amphibian Fungal Pathogen Batrachochytrium Dendrobatidis. <i>Microbial Ecology</i> , 2017 , 74, 217-226	4.4	42
55	Developmental trajectories of amphibian microbiota: response to bacterial therapy depends on initial community structure. <i>Environmental Microbiology</i> , 2017 , 19, 1502-1517	5.2	19
54	Using decision analysis to support proactive management of emerging infectious wildlife diseases. <i>Frontiers in Ecology and the Environment</i> , 2017 , 15, 214-221	5.5	43
53	Identification of Bufadienolides from the Boreal Toad, <i>Anaxyrus boreas</i> , Active Against a Fungal Pathogen. <i>Microbial Ecology</i> , 2017 , 74, 990-1000	4.4	17
52	Natural history and conservation of the rediscovered Hula painted frog, <i>Latonia nigriventer</i> . <i>Contributions To Zoology</i> , 2017 , 86, 11-37	1.6	12
51	Mosquito Microbiome Dynamics, a Background for Prevalence and Seasonality of West Nile Virus. <i>Frontiers in Microbiology</i> , 2017 , 8, 526	5.7	60
50	Prevalence and pathogen load estimates for the fungus <i>Batrachochytrium dendrobatidis</i> are impacted by ITS DNA copy number variation. <i>Diseases of Aquatic Organisms</i> , 2017 , 123, 213-226	1.7	11
49	Inhibitory bacteria reduce fungi on early life stages of endangered Colorado boreal toads (<i>Anaxyrus boreas</i>). <i>ISME Journal</i> , 2016 , 10, 934-44	11.9	66
48	Managing Amphibian Disease with Skin Microbiota. <i>Trends in Microbiology</i> , 2016 , 24, 161-4	12.4	51

47	Using "Omics" and Integrated Multi-Omics Approaches to Guide Probiotic Selection to Mitigate Chytridiomycosis and Other Emerging Infectious Diseases. <i>Frontiers in Microbiology</i> , 2016 , 7, 68	5.7	84
46	Vertebrate Hosts as Islands: Dynamics of Selection, Immigration, Loss, Persistence, and Potential Function of Bacteria on Salamander Skin. <i>Frontiers in Microbiology</i> , 2016 , 7, 333	5.7	48
45	Evaluating the probability of avoiding disease-related extinctions of Panamanian amphibians through captive breeding programs. <i>Animal Conservation</i> , 2016 , 19, 324-336	3.2	12
44	Role of Antimicrobial Peptides in Amphibian Defense Against Trematode Infection. <i>EcoHealth</i> , 2016 , 13, 383-91	3.1	14
43	Life history linked to immune investment in developing amphibians 2016 , 4, cow025		20
42	Probiotic treatment restores protection against lethal fungal infection lost during amphibian captivity. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	81
41	Variation in the Presence of Anti-Batrachochytrium dendrobatidis Bacteria of Amphibians Across Life Stages and Elevations in Ecuador. <i>EcoHealth</i> , 2015 , 12, 310-9	3.1	25
40	Antifungal isolates database of amphibian skin-associated bacteria and function against emerging fungal pathogens. <i>Ecology</i> , 2015 , 96, 595-595	4.6	107
39	Topographical Mapping of the Rainbow Trout (<i>Oncorhynchus mykiss</i>) Microbiome Reveals a Diverse Bacterial Community with Antifungal Properties in the Skin. <i>Applied and Environmental Microbiology</i> , 2015 , 81, 6915-25	4.8	128
38	Phylogenetic distribution of symbiotic bacteria from Panamanian amphibians that inhibit growth of the lethal fungal pathogen <i>Batrachochytrium dendrobatidis</i> . <i>Molecular Ecology</i> , 2015 , 24, 1628-41	5.7	64
37	Skin bacteria provide early protection for newly metamorphosed southern leopard frogs (<i>Rana sphenoccephala</i>) against the frog-killing fungus, <i>Batrachochytrium dendrobatidis</i> . <i>Biological Conservation</i> , 2015 , 187, 91-102	6.2	36
36	Microbial community dynamics and effect of environmental microbial reservoirs on red-backed salamanders (<i>Plethodon cinereus</i>). <i>ISME Journal</i> , 2014 , 8, 830-40	11.9	196
35	Stability of microbiota facilitated by host immune regulation: informing probiotic strategies to manage amphibian disease. <i>PLoS ONE</i> , 2014 , 9, e87101	3.7	52
34	The amphibian skin-associated microbiome across species, space and life history stages. <i>Molecular Ecology</i> , 2014 , 23, 1238-50	5.7	220
33	Interacting symbionts and immunity in the amphibian skin mucosome predict disease risk and probiotic effectiveness. <i>PLoS ONE</i> , 2014 , 9, e96375	3.7	128
32	Disease defence through generations: leaf-cutter ants and their symbiotic bacteria. <i>Molecular Ecology</i> , 2013 , 22, 4141-4143	5.7	2
31	Mitigating amphibian chytridiomycosis with bioaugmentation: characteristics of effective probiotics and strategies for their selection and use. <i>Ecology Letters</i> , 2013 , 16, 807-20	10	181
30	Chromosomal copy number variation, selection and uneven rates of recombination reveal cryptic genome diversity linked to pathogenicity. <i>PLoS Genetics</i> , 2013 , 9, e1003703	6	86

29	Treatment of amphibians infected with chytrid fungus: learning from failed trials with itraconazole, antimicrobial peptides, bacteria, and heat therapy. <i>Diseases of Aquatic Organisms</i> , 2012 , 98, 11-25	1.7	72
28	Sink or swim: a test of tadpole behavioral responses to predator cues and potential alarm pheromones from skin secretions. <i>Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology</i> , 2012 , 198, 841-6	2.3	15
27	Tolerance of fungal infection in European water frogs exposed to <i>Batrachochytrium dendrobatidis</i> after experimental reduction of innate immune defenses. <i>BMC Veterinary Research</i> , 2012 , 8, 197	2.7	23
26	The ebb and flow of antimicrobial skin peptides defends northern leopard frogs (<i>Rana pipiens</i>) against chytridiomycosis. <i>Global Change Biology</i> , 2012 , 18, 1231-1238	11.4	36
25	Immune evasion or avoidance: fungal skin infection linked to reduced defence peptides in Australian green-eyed treefrogs, <i>Litoria serrata</i> . <i>Fungal Biology</i> , 2012 , 116, 1203-11	2.8	20
24	Hybrid advantage in skin peptide immune defenses of water frogs (<i>Pelophylax esculentus</i>) at risk from emerging pathogens. <i>Infection, Genetics and Evolution</i> , 2012 , 12, 1854-64	4.5	25
23	Amphibian immune defenses against chytridiomycosis: impacts of changing environments. <i>Integrative and Comparative Biology</i> , 2011 , 51, 552-62	2.8	158
22	Social Immunity in Amphibians: Evidence for Vertical Transmission of Innate Defenses. <i>Biotropica</i> , 2011 , 43, 396-400	2.3	85
21	Mitigating amphibian disease: strategies to maintain wild populations and control chytridiomycosis. <i>Frontiers in Zoology</i> , 2011 , 8, 8	2.8	166
20	Adaptations of skin peptide defences and possible response to the amphibian chytrid fungus in populations of Australian green-eyed treefrogs, <i>Litoria genimaculata</i> . <i>Diversity and Distributions</i> , 2010 , 16, 703-712	5	20
19	Immune defenses against <i>Batrachochytrium dendrobatidis</i> , a fungus linked to global amphibian declines, in the South African clawed frog, <i>Xenopus laevis</i> . <i>Infection and Immunity</i> , 2010 , 78, 3981-92	3.7	170
18	Skin microbes on frogs prevent morbidity and mortality caused by a lethal skin fungus. <i>ISME Journal</i> , 2009 , 3, 818-24	11.9	340
17	Variations in the expressed antimicrobial peptide repertoire of northern leopard frog (<i>Rana pipiens</i>) populations suggest intraspecies differences in resistance to pathogens. <i>Developmental and Comparative Immunology</i> , 2009 , 33, 1247-57	3.2	70
16	The alyteserins: two families of antimicrobial peptides from the skin secretions of the midwife toad <i>Alytes obstetricans</i> (Alytidae). <i>Peptides</i> , 2009 , 30, 1069-73	3.8	50
15	Converting the Religious: Putting Amphibian Conservation in Context. <i>BioScience</i> , 2009 , 59, 463-464	5.7	5
14	Life-history trade-offs influence disease in changing climates: strategies of an amphibian pathogen. <i>Ecology</i> , 2008 , 89, 1627-39	4.6	181
13	A peptide of the phylloseptin family from the skin of the frog <i>Hylomantis lemur</i> (Phyllomedusinae) with potent in vitro and in vivo insulin-releasing activity. <i>Peptides</i> , 2008 , 29, 2136-43	3.8	33
12	Chytridiomycosis and amphibian population declines continue to spread eastward in Panama. <i>EcoHealth</i> , 2008 , 5, 268-74	3.1	45

11	Resistance to chytridiomycosis varies among amphibian species and is correlated with skin peptide defenses. <i>Animal Conservation</i> , 2007 , 10, 409-417	3.2	215
10	Innate immune defenses of amphibian skin: antimicrobial peptides and more. <i>Animal Conservation</i> , 2007 , 10, 425-428	3.2	52
9	Peptides with differential cytolytic activity from skin secretions of the lemur leaf frog <i>Hylomantis lemur</i> (Hylidae: Phyllomedusinae). <i>Toxicon</i> , 2007 , 50, 498-506	2.8	51
8	Symbiotic bacteria contribute to innate immune defenses of the threatened mountain yellow-legged frog, <i>Rana muscosa</i> . <i>Biological Conservation</i> , 2007 , 138, 390-398	6.2	176
7	Predicted disease susceptibility in a Panamanian amphibian assemblage based on skin peptide defenses. <i>Journal of Wildlife Diseases</i> , 2006 , 42, 207-18	1.3	108
6	Antimicrobial peptide defenses of the mountain yellow-legged frog (<i>Rana muscosa</i>). <i>Developmental and Comparative Immunology</i> , 2006 , 30, 831-42	3.2	93
5	Population trends associated with skin peptide defenses against chytridiomycosis in Australian frogs. <i>Oecologia</i> , 2006 , 146, 531-40	2.9	106
4	Antimicrobial Peptide defenses in amphibian skin. <i>Integrative and Comparative Biology</i> , 2005 , 45, 137-42	2.8	94
3	Ecology of Chytridiomycosis in Rainforest Stream Frog Assemblages of Tropical Queensland. <i>Conservation Biology</i> , 2005 , 19, 1449-1459	6	182
2	Emerging disease of amphibians cured by elevated body temperature. <i>Diseases of Aquatic Organisms</i> , 2003 , 55, 65-7	1.7	234
1	Cold hardiness in two helminth parasites of the freeze-tolerant wood frog, <i>Rana sylvatica</i> . <i>Canadian Journal of Zoology</i> , 2000 , 78, 1085-1091	1.5	3