

# Susumu Kitagawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/936491/publications.pdf>

Version: 2024-02-01

743  
papers

85,525  
citations

369

135  
h-index

494

269  
g-index

805  
all docs

805  
docs citations

805  
times ranked

34652  
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional Porous Coordination Polymers. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2334-2375.	7.2	10,106
2	Metal-Organic Frameworks (MOFs). <i>Chemical Society Reviews</i> , 2014, 43, 5415-5418.	18.7	2,973
3	Soft porous crystals. <i>Nature Chemistry</i> , 2009, 1, 695-704.	6.6	2,099
4	Highly controlled acetylene accommodation in a metal-organic microporous material. <i>Nature</i> , 2005, 436, 238-241.	13.7	1,386
5	Dynamic porous properties of coordination polymers inspired by hydrogen bonds. <i>Chemical Society Reviews</i> , 2005, 34, 109.	18.7	1,363
6	Three-Dimensional Framework with Channeling Cavities for Small Molecules: $[M_2(4,4'$ -bipyridine) $](ClO_4)_2$ . <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2081-2084.	4.4	1,082
7	Porous Coordination-Polymer Crystals with Gated Channels Specific for Supercritical Gases. <i>Angewandte Chemie - International Edition</i> , 2003, 42, 428-431.	7.2	994
8	Terminology of metal-organic frameworks and coordination polymers (IUPAC Recommendations). <i>Chemical Society Reviews</i> , 2014, 43, 5700-5734.	8.9	984
9	A New, Methane Adsorbent, Porous Coordination Polymer $[CuSiF_6(4,4'$ -bipyridine) $](ClO_4)_2$ . <i>Angewandte Chemie - International Edition</i> , 2000, 39, 2081-2084.	7.2	981
10	Three-Dimensional Porous Coordination Polymer Functionalized with Amide Groups Based on Tridentate Ligand: Selective Sorption and Catalysis. <i>Journal of the American Chemical Society</i> , 2007, 129, 2607-2614.	6.6	921
11	Chemistry of coordination space of porous coordination polymers. <i>Coordination Chemistry Reviews</i> , 2007, 251, 2490-2509.	9.5	880
12	Functional Micropore Chemistry of Crystalline Metal Complex-Assembled Compounds. <i>Bulletin of the Chemical Society of Japan</i> , 1998, 71, 1739-1753.	2.0	771
13	Structuring of metal-organic frameworks at the mesoscopic/macrosopic scale. <i>Chemical Society Reviews</i> , 2014, 43, 5700-5734.	18.7	760
14	A flexible interpenetrating coordination framework with a bimodal porous functionality. <i>Nature Materials</i> , 2007, 6, 142-148.	13.3	734
15	Ion Conductivity and Transport by Porous Coordination Polymers and Metal-Organic Frameworks. <i>Accounts of Chemical Research</i> , 2013, 46, 2376-2384.	7.6	728
16	Molecular decoding using luminescence from an entangled porous framework. <i>Nature Communications</i> , 2011, 2, 168.	5.8	715
17	One-dimensional imidazole aggregate in aluminium porous coordination polymers with high proton conductivity. <i>Nature Materials</i> , 2009, 8, 831-836.	13.3	709
18	Hybridization of MOFs and polymers. <i>Chemical Society Reviews</i> , 2017, 46, 3108-3133.	18.7	708

#	ARTICLE	IF	CITATIONS
19	Framework Engineering by Anions and Porous Functionalities of Cu(II)/4,4'-bpy Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2002, 124, 2568-2583.	6.6	669
20	Nanoporous Nanorods Fabricated by Coordination Modulation and Oriented Attachment Growth. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4739-4743.	7.2	611
21	Polymerization reactions in porous coordination polymers. <i>Chemical Society Reviews</i> , 2009, 38, 1228.	18.7	611
22	Formation of a One-Dimensional Array of Oxygen in a Microporous Metal-Organic Solid. <i>Science</i> , 2002, 298, 2358-2361.	6.0	599
23	Direct Carbonization of Al-Based Porous Coordination Polymer for Synthesis of Nanoporous Carbon. <i>Journal of the American Chemical Society</i> , 2012, 134, 2864-2867.	6.6	588
24	A Neutral 3D Copper Coordination Polymer Showing 1D Open Channels and the First Interpenetrating NbO-Type Network. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 192-195.	7.2	558
25	Rational Synthesis of Stable Channel-Like Cavities with Methane Gas Adsorption Properties: $[\{Cu_2(pzdc)_2(L)\}_n]$ (pzdc=pyrazine-2,3-dicarboxylate; L=a Pillar Ligand). <i>Angewandte Chemie - International Edition</i> , 1999, 38, 140-143.	7.2	544
26	A Pillared-Layer Coordination Polymer Network Displaying Hysteretic Sorption: $[Cu_2(pzdc)_2(dpyg)]_n$ (pzdc= Pyrazine-2,3-dicarboxylate; dpyg=1,2-Di(4-pyridyl)glycol). <i>Angewandte Chemie - International Edition</i> , 2002, 41, 133-135.	7.2	514
27	Shape-Memory Nanopores Induced in Coordination Frameworks by Crystal Downsizing. <i>Science</i> , 2013, 339, 193-196.	6.0	483
28	Bidirectional Chemo-switching of Spin State in a Microporous Framework. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4767-4771.	7.2	474
29	Coordination polymers, metal-organic frameworks and the need for terminology guidelines. <i>CrystEngComm</i> , 2012, 14, 3001.	1.3	464
30	Controlled Multiscale Synthesis of Porous Coordination Polymer in Nano/Micro Regimes. <i>Chemistry of Materials</i> , 2010, 22, 4531-4538.	3.2	459
31	Self-Accelerating CO Sorption in a Soft Nanoporous Crystal. <i>Science</i> , 2014, 343, 167-170.	6.0	434
32	Enhanced selectivity in mixed matrix membranes for CO <sub>2</sub> capture through efficient dispersion of amine-functionalized MOF nanoparticles. <i>Nature Energy</i> , 2017, 2, .	19.8	428
33	Synthesis of Prussian Blue Nanoparticles with a Hollow Interior by Controlled Chemical Etching. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 984-988.	7.2	424
34	Pore surface engineering of microporous coordination polymers. <i>Chemical Communications</i> , 2006, , 701-707.	2.2	423
35	Prussian Blue Nanoparticles Protected by Poly(vinylpyrrolidone). <i>Journal of the American Chemical Society</i> , 2003, 125, 7814-7815.	6.6	414
36	Gas detection by structural variations of fluorescent guest molecules in a flexible porous coordination polymer. <i>Nature Materials</i> , 2011, 10, 787-793.	13.3	395

#	ARTICLE	IF	CITATIONS
37	Novel Flexible Frameworks of Porous Cobalt(II) Coordination Polymers That Show Selective Guest Adsorption Based on the Switching of Hydrogen-Bond Pairs of Amide Groups. <i>Chemistry - A European Journal</i> , 2002, 8, 3586.	1.7	391
38	Morphology Design of Porous Coordination Polymer Crystals by Coordination Modulation. <i>Journal of the American Chemical Society</i> , 2011, 133, 15506-15513.	6.6	383
39	Expanding and Shrinking Porous Modulation Based on Pillared-Layer Coordination Polymers Showing Selective Guest Adsorption. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3269-3272.	7.2	379
40	Exceptional Thermal Stability in a Supramolecular Organic Framework: Porosity and Gas Storage. <i>Journal of the American Chemical Society</i> , 2010, 132, 14457-14469.	6.6	369
41	Selective Gas Adsorption and Unique Structural Topology of a Highly Stable Guest-Free Zeolite-Type MOF Material with N-rich Chiral Open Channels. <i>Chemistry - A European Journal</i> , 2008, 14, 2771-2776.	1.7	361
42	An Adsorbate Discriminatory Gate Effect in a Flexible Porous Coordination Polymer for Selective Adsorption of CO <sub>2</sub> over C <sub>2</sub> H <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 2016, 138, 3022-3030.	6.6	359
43	Flexible microporous coordination polymers. <i>Journal of Solid State Chemistry</i> , 2005, 178, 2420-2429.	1.4	358
44	Functional Hybrid Porous Coordination Polymers. <i>Chemistry of Materials</i> , 2014, 26, 310-322.	3.2	358
45	Mesoscopic architectures of porous coordination polymers fabricated by pseudomorphic replication. <i>Nature Materials</i> , 2012, 11, 717-723.	13.3	352
46	Immobilization of a Metallo Schiff Base into a Microporous Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2684-2687.	7.2	336
47	Design and control of gas diffusion process in a nanoporous soft crystal. <i>Science</i> , 2019, 363, 387-391.	6.0	332
48	Water-resistant porous coordination polymers for gas separation. <i>Coordination Chemistry Reviews</i> , 2017, 332, 48-74.	9.5	331
49	Supramolecular Isomerism, Framework Flexibility, Unsaturated Metal Center, and Porous Property of Ag(I)/Cu(I) 3,3',5,5'-Tetramethyl-4,4'-Bipyrazolate. <i>Journal of the American Chemical Society</i> , 2008, 130, 907-917.	6.6	326
50	Guest-to-Host Transmission of Structural Changes for Stimuli-Responsive Adsorption Property. <i>Journal of the American Chemical Society</i> , 2012, 134, 4501-4504.	6.6	326
51	Rapid preparation of flexible porous coordination polymer nanocrystals with accelerated guest adsorption kinetics. <i>Nature Chemistry</i> , 2010, 2, 410-416.	6.6	324
52	Guest-Induced Asymmetry in a Metal-Organic Porous Solid with Reversible Single-Crystal-to-Single-Crystal Structural Transformation. <i>Journal of the American Chemical Society</i> , 2005, 127, 17152-17153.	6.6	320
53	Selective sorption of oxygen and nitric oxide by an electron-donating flexible porous coordination polymer. <i>Nature Chemistry</i> , 2010, 2, 633-637.	6.6	306
54	Cellulose Hydrolysis by a New Porous Coordination Polymer Decorated with Sulfonic Acid Functional Groups. <i>Advanced Materials</i> , 2011, 23, 3294-3297.	11.1	299

#	ARTICLE	IF	CITATIONS
55	A Pillared-Layer Coordination Polymer with a Rotatable Pillar Acting as a Molecular Gate for Guest Molecules. <i>Journal of the American Chemical Society</i> , 2009, 131, 12792-12800.	6.6	298
56	A Contrivance for a Dynamic Porous Framework: A Cooperative Guest Adsorption Based on Square Grids Connected by Amide–Amide Hydrogen Bonds. <i>Journal of the American Chemical Society</i> , 2004, 126, 3817-3828.	6.6	291
57	Solid Solutions of Soft Porous Coordination Polymers: Fine Tuning of Gas Adsorption Properties. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 4820-4824.	7.2	291
58	Kinetic Gate-Opening Process in a Flexible Porous Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 3914-3918.	7.2	288
59	Heterogeneously Hybridized Porous Coordination Polymer Crystals: Fabrication of Heterometallic Core–Shell Single Crystals with an In-Plane Rotational Epitaxial Relationship. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 1766-1770.	7.2	287
60	Guest Shape-Responsive Fitting of Porous Coordination Polymer with Shrinkable Framework. <i>Journal of the American Chemical Society</i> , 2004, 126, 14063-14070.	6.6	286
61	Microporous Materials Constructed from the Interpenetrated Coordination Networks. <i>Structures and Methane Adsorption Properties. Chemistry of Materials</i> , 2000, 12, 1288-1299.	3.2	284
62	Nanochannels of Two Distinct Cross-Sections in a Porous Al-Based Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2008, 130, 13664-13672.	6.6	280
63	Coordination compounds of 1,4-dihydroxybenzoquinone and its homologues. <i>Structures and properties. Coordination Chemistry Reviews</i> , 2002, 224, 11-34.	9.5	279
64	Effect of functional groups in MIL-101 on water sorption behavior. <i>Microporous and Mesoporous Materials</i> , 2012, 157, 89-93.	2.2	271
65	Using Functional Nano- and Microparticles for the Preparation of Metal–Organic Framework Composites with Novel Properties. <i>Accounts of Chemical Research</i> , 2014, 47, 396-405.	7.6	264
66	Inherent Proton Conduction in a 2D Coordination Framework. <i>Journal of the American Chemical Society</i> , 2012, 134, 12780-12785.	6.6	261
67	Controllable Modular Growth of Hierarchical MOF-in-MOF Architectures. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15658-15662.	7.2	246
68	Confinement of Mobile Histamine in Coordination Nanochannels for Fast Proton Transfer. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 11706-11709.	7.2	245
69	Coordination-Network-Based Ionic Plastic Crystal for Anhydrous Proton Conductivity. <i>Journal of the American Chemical Society</i> , 2012, 134, 7612-7615.	6.6	237
70	Chemistry of Soft Porous Crystals: Structural Dynamics and Gas Adsorption Properties. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15325-15341.	7.2	236
71	Nanochannel-Promoted Polymerization of Substituted Acetylenes in Porous Coordination Polymers. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4112-4116.	7.2	233
72	Dynamic Motion of Building Blocks in Porous Coordination Polymers. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 7226-7230.	7.2	233

#	ARTICLE	IF	CITATIONS
73	Accumulation of Glassy Poly(ethylene oxide) Anchored in a Covalent Organic Framework as a Solid-State Li <sup>+</sup> Electrolyte. <i>Journal of the American Chemical Society</i> , 2019, 141, 1227-1234.	6.6	232
74	Preparation of Microporous Carbon Fibers through Carbonization of Al-Based Porous Coordination Polymer (Al-PCP) with Furfuryl Alcohol. <i>Chemistry of Materials</i> , 2011, 23, 1225-1231.	3.2	231
75	Inorganic nanoparticles in porous coordination polymers. <i>Chemical Society Reviews</i> , 2016, 45, 3828-3845.	18.7	220
76	Temperature-controlled hydrothermal synthesis of a 2D ferromagnetic coordination bilayered polymer and a novel 3D network with inorganic Co <sub>3</sub> (OH) <sub>2</sub> ferrimagnetic chains. <i>Chemical Communications</i> , 2004, , 418-419.	2.2	218
77	Reaction-Temperature-Dependent Supramolecular Isomerism of Coordination Networks Based on the Organometallic Building Block [Cu <sub>2</sub> (1/4 <sup>-</sup> BQ)(1/4 <sup>-</sup> OAc) <sub>2</sub> ]. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 2530-2534.	7.2	217
78	Direct Observation of Hydrogen Molecules Adsorbed onto a Microporous Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 920-923.	7.2	211
79	Unveiling thermal transitions of polymers in subnanometre pores. <i>Nature Communications</i> , 2010, 1, 83.	5.8	210
80	A Flexible Coordination Polymer Crystal Providing Reversible Structural and Magnetic Conversions. <i>Journal of the American Chemical Society</i> , 2007, 129, 13706-13712.	6.6	208
81	Photochemical Reduction of Low Concentrations of CO <sub>2</sub> in a Porous Coordination Polymer with a Ruthenium(II) CO Complex. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 2697-2700.	7.2	206
82	Rational Design and Crystal Structure Determination of a 3-D Metal-Organic Jungle-Gym-like Open Framework. <i>Inorganic Chemistry</i> , 2004, 43, 6522-6524.	1.9	202
83	Reversible Topochemical Transformation of a Soft Crystal of a Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 7965-7968.	7.2	202
84	Radical Polymerization of Vinyl Monomers in Porous Coordination Polymers: Nanochannel Size Effects on Reactivity, Molecular Weight, and Stereostructure. <i>Macromolecules</i> , 2008, 41, 87-94.	2.2	200
85	Autonomous motors of a metal-organic framework powered by reorganization of self-assembled peptides at interfaces. <i>Nature Materials</i> , 2012, 11, 1081-1085.	13.3	200
86	Pseudo-Polyrotaxane and 2-Sheet Layer-Based Three-Dimensional Coordination Polymers Constructed with Silver Salts and Flexible Pyridyl-Type Ligands. <i>Inorganic Chemistry</i> , 2002, 41, 4846-4848.	1.9	193
87	Nanostructuration of PEDOT in Porous Coordination Polymers for Tunable Porosity and Conductivity. <i>Journal of the American Chemical Society</i> , 2016, 138, 10088-10091.	6.6	193
88	Precise Control and Consecutive Modulation of Spin Transition Temperature Using Chemical Migration in Porous Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2011, 133, 8600-8605.	6.6	191
89	Size and Surface Effects of Prussian Blue Nanoparticles Protected by Organic Polymers. <i>Inorganic Chemistry</i> , 2004, 43, 7339-7345.	1.9	190
90	Chemistry and application of flexible porous coordination polymers. <i>Science and Technology of Advanced Materials</i> , 2008, 9, 014108.	2.8	187

#	ARTICLE	IF	CITATIONS
91	Recent progress in hybrid materials science. <i>Chemical Society Reviews</i> , 2011, 40, 471.	18.7	187
92	Reversible Water-Induced Magnetic and Structural Conversion of a Flexible Microporous Ni(II)Fe(III) Ferromagnet. <i>Journal of the American Chemical Society</i> , 2007, 129, 3496-3497.	6.6	186
93	Control of Interpenetration for Tuning Structural Flexibility Influences Sorption Properties. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7660-7664.	7.2	184
94	Soft Secondary Building Unit: Dynamic Bond Rearrangement on Multinuclear Core of Porous Coordination Polymers in Gas Media. <i>Journal of the American Chemical Society</i> , 2011, 133, 9005-9013.	6.6	184
95	Amine-Responsive Adaptable Nanospaces: Fluorescent Porous Coordination Polymer for Molecular Recognition. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11772-11777.	7.2	184
96	Template Effects in Porous Coordination Polymers. <i>Chemistry of Materials</i> , 2008, 20, 922-931.	3.2	183
97	Photoactivation of a nanoporous crystal for on-demand guest trapping and conversion. <i>Nature Materials</i> , 2010, 9, 661-666.	13.3	183
98	A Bistable Porous Coordination Polymer with a Bond-Switching Mechanism Showing Reversible Structural and Functional Transformations. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 8843-8847.	7.2	182
99	High CO <sub>2</sub> /CH <sub>4</sub> and C <sub>2</sub> Hydrocarbons/CH <sub>4</sub> Selectivity in a Chemically Robust Porous Coordination Polymer. <i>Advanced Functional Materials</i> , 2013, 23, 3525-3530.	7.8	182
100	High CO <sub>2</sub> /N <sub>2</sub> /O <sub>2</sub> /CO separation in a chemically robust porous coordination polymer with low binding energy. <i>Chemical Science</i> , 2014, 5, 660-666.	3.7	181
101	Porous lanthanide-organic framework with zeolite-like topology. <i>Chemical Communications</i> , 2005, , 2436.	2.2	179
102	Selective guest sorption in an interdigitated porous framework with hydrophobic pore surfaces. <i>Chemical Communications</i> , 2007, , 3395.	2.2	179
103	Reversible Solid-to-Liquid Phase Transition of Coordination Polymer Crystals. <i>Journal of the American Chemical Society</i> , 2015, 137, 864-870.	6.6	178
104	Sequential Functionalization of Porous Coordination Polymer Crystals. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 8057-8061.	7.2	175
105	Highly ordered alignment of a vinyl polymer by host-guest cross-polymerization. <i>Nature Chemistry</i> , 2013, 5, 335-341.	6.6	172
106	Integration of Porous Coordination Polymers and Gold Nanorods into Core-Shell Mesoscopic Composites toward Light-Induced Molecular Release. <i>Journal of the American Chemical Society</i> , 2013, 135, 10998-11005.	6.6	171
107	Guest-Specific Function of a Flexible Undulating Channel in a 7,7,8,8-Tetracyano- <i>p</i> -quinodimethane Dimer-Based Porous Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2007, 129, 10990-10991.	6.6	170
108	Ligand-based solid solution approach to stabilisation of sulphonic acid groups in porous coordination polymer Zr <sub>6</sub> O <sub>4</sub> (OH) <sub>4</sub> (BDC) <sub>6</sub> (UiO-66). <i>Dalton Transactions</i> , 2012, 41, 13791.	1.6	170

#	ARTICLE	IF	CITATIONS
109	Perfluoroalkyl-Functionalized Covalent Organic Frameworks with Superhydrophobicity for Anhydrous Proton Conduction. <i>Journal of the American Chemical Society</i> , 2020, 142, 14357-14364.	6.6	167
110	Oxidative Addition of Halogens on Open Metal Sites in a Microporous Spinâ€Crossover Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 8944-8947.	7.2	164
111	A Flexible Porous Coordination Polymer Functionalized by Unsaturated Metal Clusters. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 889-892.	7.2	161
112	Reversible Switching between Highly Porous and Nonporous Phases of an Interpenetrated Diamondoid Coordination Network That Exhibits Gateâ€Opening at Methane Storage Pressures. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 5684-5689.	7.2	161
113	Out-of-plane dimers of Mn(III) quadridentate Schiff-base complexes with salen <sup>2-</sup> and naphthalen <sup>2-</sup> ligands: structure analysis and ferromagnetic exchange. <i>Dalton Transactions RSC</i> , 2002, , 1528-1534.	2.3	160
114	Preparation of Acentric Porous Coordination Frameworks from an Interpenetrated Diamondoid Array through Anion-Exchange Procedures: A Crystal Structures and Properties. <i>Inorganic Chemistry</i> , 2004, 43, 1287-1293.	1.9	154
115	A Dynamic, Isocyanurateâ€Functionalized Porous Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 3403-3406.	7.2	154
116	Self-assembly of metalâ€organic polyhedra into supramolecular polymers with intrinsic microporosity. <i>Nature Communications</i> , 2018, 9, 2506.	5.8	152
117	A novel three-dimensional coordination polymer constructed with mixed-valence dimeric copper(I,II) units. Electronic supplementary information (ESI) available: synthesis and data for 1. See <a href="http://www.rsc.org/suppdata/cc/b2/b210914j/">http://www.rsc.org/suppdata/cc/b2/b210914j/</a> . <i>Chemical Communications</i> , 2003, , 428-429.	2.2	151
118	Porous Coordination-Polymer Crystals with Gated Channels Specific for Supercritical Gases. <i>Angewandte Chemie</i> , 2003, 115, 444-447.	1.6	150
119	Anthracene array-type porous coordination polymer with hostâ€guest charge transfer interactions in excited states. <i>Chemical Communications</i> , 2007, , 3142.	2.2	150
120	Two-Dimensional Sheets of Tetragonal Copper(II) Lattices: X-Ray Crystal Structure and Magnetic Properties of [Cu(C <sub>6</sub> O <sub>4</sub> Cl <sub>2</sub> )(C <sub>4</sub> H <sub>4</sub> N <sub>2</sub> )] <sub>n</sub> . <i>Angewandte Chemie International Edition in English</i> , 1994, 33, 1759-1761.	4.4	149
121	Radical polymerisation of styrene in porous coordination polymers. <i>Chemical Communications</i> , 2005, , 5968.	2.2	148
122	Coordination polymers constructed from transition metal ions and organic N-containing heterocyclic ligands: Crystal structures and microporous properties. <i>Progress in Polymer Science</i> , 2009, 34, 240-279.	11.8	148
123	A solid solution approach to 2D coordination polymers for CH <sub>4</sub> /CO <sub>2</sub> and CH <sub>4</sub> /C <sub>2</sub> H <sub>6</sub> gas separation: equilibrium and kinetic studies. <i>Chemical Science</i> , 2012, 3, 116-120.	3.7	148
124	A block PCP crystal: anisotropic hybridization of porous coordination polymers by face-selective epitaxial growth. <i>Chemical Communications</i> , 2009, , 5097.	2.2	147
125	Porous Materials and the Age of Gas. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10686-10687.	7.2	147
126	Encapsulating Mobile Proton Carriers into Structural Defects in Coordination Polymer Crystals: High Anhydrous Proton Conduction and Fuel Cell Application. <i>Journal of the American Chemical Society</i> , 2016, 138, 8505-8511.	6.6	146



#	ARTICLE	IF	CITATIONS
127	A New Dimension for Coordination Polymers and Metal-Organic Frameworks: Towards Functional Classes and Liquids. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6652-6664.	7.2	146
128	Chiral Cyanide-Bridged MnII/MnIII Ferrimagnets, $[Mn^{II}(HL)(H_2O)][Mn^{III}(CN)_6] \cdot 2H_2O$ (L = S-)-Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T Chemical Society, 2007, 129, 248-249.	6.6	145
129	Supramolecular Isomerism in Cadmium Hydroxide Phases. Temperature-Dependent Synthesis and Structure of Photoluminescent Coordination Polymers of $[1\pm-$ and $1^2-$ -Cd <sub>2</sub> (OH) <sub>2</sub> (2,4-pyda). <i>Crystal Growth and Design</i> , 2005, 5, 837-839.	1.4	144
130	Future Porous Materials. <i>Accounts of Chemical Research</i> , 2017, 50, 514-516.	7.6	141
131	Direct synthesis of nanoporous carbon nitride fibers using Al-based porous coordination polymers (Al-PCPs). <i>Chemical Communications</i> , 2011, 47, 8124.	2.2	140
132	TCNQ Dianion-Based Coordination Polymer Whose Open Framework Shows Charge-Transfer Type Guest Inclusion. <i>Journal of the American Chemical Society</i> , 2006, 128, 16416-16417.	6.6	138
133	Immobilization of Sodium Ions on the Pore Surface of a Porous Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2006, 128, 4222-4223.	6.6	136
134	Stepwise Synthesis and Magnetic Control of Trimetallic Magnets $[Co_2Ln(L)_2(H_2O)_4][Cr(CN)_6] \cdot nH_2O$ (Ln = La, Gd; H <sub>2</sub> L = 2,6-Di(acetoacetyl)pyridine) with 3-D Pillared-Layer Structure. <i>Journal of the American Chemical Society</i> , 2006, 128, 16426-16427.	6.6	136
135	Chemistry of porous coordination polymers. <i>Pure and Applied Chemistry</i> , 2007, 79, 2155-2177.	0.9	135
136	Framework Control by a Metalloligand Having Multicoordination Ability: A New Synthetic Approach for Crystal Structures and Magnetic Properties. <i>Inorganic Chemistry</i> , 2005, 44, 133-146.	1.9	134
137	Conformation and Molecular Dynamics of Single Polystyrene Chain Confined in Coordination Nanospace. <i>Journal of the American Chemical Society</i> , 2008, 130, 6781-6788.	6.6	133
138	Coordinatively Immobilized Monolayers on Porous Coordination Polymer Crystals. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 5327-5330.	7.2	133
139	Modular Design of Porous Soft Materials via Self-Organization of Metal-Organic Cages. <i>Accounts of Chemical Research</i> , 2018, 51, 2437-2446.	7.6	133
140	A phase transformable ultrastable titanium-carboxylate framework for photoconduction. <i>Nature Communications</i> , 2018, 9, 1660.	5.8	128
141	New microporous coordination polymer affording guest-coordination sites at channel walls Electronic supplementary information (ESI) available: Fig. S1: XRPD patterns of (a) simulation, (b) 2 and (c) 3. See <a href="http://www.rsc.org/suppdata/cc/b1/b108695b/">http://www.rsc.org/suppdata/cc/b1/b108695b/</a> . <i>Chemical Communications</i> , 2002, , 222-223.	2.2	127
142	Polymerization in Coordination Nanospaces. <i>Chemistry - an Asian Journal</i> , 2006, 1, 36-44.	1.7	127
143	Integration of Intrinsic Proton Conduction and Guest-Accessible Nanospace into a Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2013, 135, 11345-11350.	6.6	127
144	An oxalate-linked copper(II) coordination polymer, $[Cu_2(oxalate)_2(pyrazine)_3]_n$ , constructed with two different copper units: x-ray crystallographic and electronic structures. <i>Inorganic Chemistry</i> , 1995, 34, 4790-4796.	1.9	126

#	ARTICLE	IF	CITATIONS
145	Fabrication of Two-Dimensional Polymer Arrays: Template Synthesis of Polypyrrole between Redox-Active Coordination Nanoslits. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 9883-9886.	7.2	126
146	Highly proton conductive nanoporous coordination polymers with sulfonic acid groups on the pore surface. <i>Chemical Communications</i> , 2014, 50, 1144-1146.	2.2	126
147	Binary Janus Porous Coordination Polymer Coatings for Sensor Devices with Tunable Analyte Affinity. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 341-345.	7.2	125
148	Building of 2D Sheet of Tetrakis(methylthio)tetrathiafulvalenes Coordinating to Copper(I) Halides with Zigzag and Helical Frames and the 3D Network through the S.cntdot. .cntdot. .cntdot.S Contacts. <i>Inorganic Chemistry</i> , 1995, 34, 2705-2710.	1.9	124
149	Topotactic Linear Radical Polymerization of Divinylbenzenes in Porous Coordination Polymers. <i>Angewandte Chemie - International Edition</i> , 2007, 46, 4987-4990.	7.2	124
150	A Dual-Ligand Porous Coordination Polymer Chemiresistor with Modulated Conductivity and Porosity. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 172-176.	7.2	124
151	Localized cell stimulation by nitric oxide using a photoactive porous coordination polymer platform. <i>Nature Communications</i> , 2013, 4, 2684.	5.8	122
152	Two Types of New Polymeric Copper(I) Complexes of Pyrazinecarboxamide Having Channel and Helical Structures. <i>Inorganic Chemistry</i> , 1997, 36, 5416-5418.	1.9	119
153	Dreidimensionale Gerüststrukturen mit kanalartigen Hohlräumen für kleine Moleküle: $\{[M_2(4,4\text{-bpy})_3(\text{NO}_3)_4]\cdot x\text{H}_2\text{O}\}_n$ (M = Co, Ni, Zn). <i>Angewandte Chemie</i> , 1997, 109, 1844-1846.		
154	Rational Design of a Novel Intercalation System. Layer-Gap Control of Crystalline Coordination Polymers, $\{[\text{Cu}(\text{CA})(\text{H}_2\text{O})_m(\text{G})]_n\}$ (m = 2, G = 2,5-Dimethylpyrazine and Phenazine; m = 1, G =) <i>Journal of the American Chemical Society</i> , 2017, 139, 11570-11577.	11.5	377
155	A Switchable Molecular Rotator: Neutron Spectroscopy Study on a Polymeric Spin-Crossover Compound. <i>Journal of the American Chemical Society</i> , 2012, 134, 5083-5089.	6.6	118
156	Density Gradation of Open Metal Sites in the Mesospace of Porous Coordination Polymers. <i>Journal of the American Chemical Society</i> , 2017, 139, 11576-11583.	6.6	118
157	Selective CO <sub>2</sub> uptake and inverse CO <sub>2</sub> /C <sub>2</sub> H <sub>2</sub> selectivity in a dynamic bifunctional metal-organic framework. <i>Chemical Science</i> , 2012, 3, 2993.	3.7	117
158	Construction of a Hierarchical Architecture of Covalent Organic Frameworks via a Postsynthetic Approach. <i>Journal of the American Chemical Society</i> , 2018, 140, 2602-2609.	6.6	117
159	Highly Porous and Stable Coordination Polymers as Water Sorption Materials. <i>Chemistry Letters</i> , 2010, 39, 360-361.	0.7	115
160	Host-Guest Interaction Modulation in Porous Coordination Polymers for Inverse Selective CO <sub>2</sub> /C <sub>2</sub> H <sub>2</sub> Separation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11688-11694.	7.2	115
161	Class Formation of a Coordination Polymer Crystal for Enhanced Proton Conductivity and Material Flexibility. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 5195-5200.	7.2	113
162	Porous Coordination Polymer with Pyridinium Cationic Surface, $[\text{Zn}_2(\text{tpa})_2(\text{cpb})]$ . <i>Journal of the American Chemical Society</i> , 2009, 131, 10336-10337.	6.6	112

#	ARTICLE	IF	CITATIONS
163	Design of Superhydrophobic Porous Coordination Polymers through the Introduction of External Surface Corrugation by the Use of an Aromatic Hydrocarbon Building Unit. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 8225-8230.	7.2	110
164	Functionalization of Coordination Nanochannels for Controlling Tacticity in Radical Vinyl Polymerization. <i>Journal of the American Chemical Society</i> , 2010, 132, 4917-4924.	6.6	108
165	Metastable Sorption State of a Metal-Organic Porous Material Determined by In Situ Synchrotron Powder Diffraction. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4932-4936.	7.2	107
166	Enhanced bistability by guest inclusion in Fe(II) spin crossover porous coordination polymers. <i>Chemical Communications</i> , 2012, 48, 4686.	2.2	107
167	Enhanced selectivity of CO <sub>2</sub> from a ternary gas mixture in an interdigitated porous framework. <i>Chemical Communications</i> , 2010, 46, 4258.	2.2	106
168	Modular Design of Domain Assembly in Porous Coordination Polymer Crystals via Reactivity-Directed Crystallization Process. <i>Journal of the American Chemical Society</i> , 2012, 134, 13341-13347.	6.6	105
169	A Crystalline Porous Coordination Polymer Decorated with Nitroxyl Radicals Catalyzes Aerobic Oxidation of Alcohols. <i>Journal of the American Chemical Society</i> , 2014, 136, 7543-7546.	6.6	105
170	Studies of copper(I) olefin complexes. Formation constants of copper olefin complexes with 2,2'-bipyridine, 1,10-phenanthroline, and their derivatives. <i>Inorganic Chemistry</i> , 1986, 25, 2622-2627.	1.9	104
171	Metal complexes of hexaazatriphenylene (hat) and its derivatives from oligonuclear complexes to coordination polymers. <i>Coordination Chemistry Reviews</i> , 2003, 246, 73-88.	9.5	104
172	Hydrogen-Bonded Porous Coordination Polymers: Structural Transformation, Sorption Properties, and Particle Size from Kinetic Studies. <i>Journal of the American Chemical Society</i> , 2006, 128, 16122-16130.	6.6	104
173	Peroxidase Activity of Myoglobin Is Enhanced by Chemical Mutation of Heme-Propionates. <i>Journal of the American Chemical Society</i> , 1999, 121, 7747-7750.	6.6	103
174	Flexible interlocked porous frameworks allow quantitative photoisomerization in a crystalline solid. <i>Nature Communications</i> , 2017, 8, 100.	5.8	100
175	A Molecular Cavity for Tetrahedral and Y-Shaped Anions. Synthetic and Structural Studies of Macrocyclic Dicopper(I) and Disilver(I) Compounds of 1,6-Bis(diphenylphosphino)hexane. <i>Inorganic Chemistry</i> , 1995, 34, 1455-1465.	1.9	99
176	Series of Trinuclear NiII <sub>2</sub> LnIII <sub>1</sub> NiII Complexes Derived from 2,6-Di(acetoacetyl)pyridine: Synthesis, Structure, and Magnetism. <i>Inorganic Chemistry</i> , 2007, 46, 3492-3501.	1.9	99
177	Synthesis and crystal structure of hexanuclear copper(I) complexes of $\mu_3$ -pyridine-2-thionate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1990, , 2105-2109.	1.1	98
178	Porous Coordination Polymer Hybrid Device with Quartz Oscillator: Effect of Crystal Size on Sorption Kinetics. <i>Journal of the American Chemical Society</i> , 2011, 133, 11932-11935.	6.6	98
179	Combining UV Lithography and an Imprinting Technique for Patterning Metal-Organic Frameworks. <i>Advanced Materials</i> , 2013, 25, 4701-4705.	11.1	98
180	Highly Photoconducting $\pi$ -Stacked Polymer Accommodated in Coordination Nanochannels. <i>Journal of the American Chemical Society</i> , 2012, 134, 8360-8363.	6.6	97

#	ARTICLE	IF	CITATIONS
181	Rhodium-Organic Cuboctahedra as Porous Solids with Strong Binding Sites. <i>Inorganic Chemistry</i> , 2016, 55, 10843-10846.	1.9	97
182	Architecture of 2D Sheets with Six-Membered Rings of Coppers Interconnected by 2,1,3-Benzothiadiazoles and a Layered Structure Composed of the 2D Sheets. <i>Inorganic Chemistry</i> , 1994, 33, 1284-1291.	1.9	96
183	A pillared-bilayer porous coordination polymer with a 1D channel and a 2D interlayer space, showing unique gas and vapor sorption. <i>Chemical Communications</i> , 2011, 47, 8106.	2.2	96
184	Light responsive metal-organic frameworks as controllable CO-releasing cell culture substrates. <i>Chemical Science</i> , 2017, 8, 2381-2386.	3.7	96
185	Transformation from a 2D Stacked Layer to 3D Interpenetrated Framework by Changing the Spacer Functionality: A Synthesis, Structure, Adsorption, and Magnetic Properties. <i>Inorganic Chemistry</i> , 2005, 44, 9225-9231.	1.9	95
186	Synthesis of the novel infinite-sheet and -chain copper(I) complex polymers x-ray crystal structures. <i>Inorganic Chemistry</i> , 1992, 31, 1714-1717.	1.9	94
187	Coordination pillared-layer type compounds having pore surface functionalization by anionic sulfonate groups. <i>Chemical Communications</i> , 2008, , 471-473.	2.2	94
188	Upscale synthesis of a binary pillared layered MOF for hydrocarbon gas storage and separation. <i>Green Chemistry</i> , 2020, 22, 718-724.	4.6	94
189	Porphyrin Receptors for Amines, Amino Acids, and Oligopeptides in Water. <i>Journal of the American Chemical Society</i> , 1999, 121, 11425-11431.	6.6	93
190	Temperature responsive channel uniformity impacts on highly guest-selective adsorption in a porous coordination polymer. <i>Chemical Science</i> , 2010, 1, 315.	3.7	93
191	Metal-Organic Polyhedral Core as a Versatile Scaffold for Divergent and Convergent Star Polymer Synthesis. <i>Journal of the American Chemical Society</i> , 2016, 138, 6525-6531.	6.6	93
192	Metal-Complex Assemblies Constructed from the Flexible Hinge-Like Ligand H <sub>2</sub> bhnq: Structural Versatility and Dynamic Behavior in the Solid State. <i>Chemistry - A European Journal</i> , 2004, 10, 2647-2660.	1.7	92
193	New Interpenetrated Copper Coordination Polymer Frameworks having Porous Properties. <i>Chemistry of Materials</i> , 2009, 21, 5860-5866.	3.2	92
194	Porous coordination polymers with ubiquitous and biocompatible metals and a neutral bridging ligand. <i>Nature Communications</i> , 2015, 6, 5851.	5.8	92
195	Synthesis, Structures, and Magnetic Properties of the Copper(II), Cobalt(II), and Manganese(II) Complexes with 9-Acridinecarboxylate and 4-Quinolinecarboxylate Ligands. <i>Inorganic Chemistry</i> , 2005, 44, 9837-9846.	1.9	91
196	Template Synthesis of Porous Polypyrrole in 3D Coordination Nanochannels. <i>Chemistry of Materials</i> , 2009, 21, 4096-4098.	3.2	91
197	Carbon dioxide capture and efficient fixation in a dynamic porous coordination polymer. <i>Nature Communications</i> , 2019, 10, 4362.	5.8	91
198	Pore Design of Two-Dimensional Coordination Polymers toward Selective Adsorption. <i>Inorganic Chemistry</i> , 2013, 52, 3634-3642.	1.9	89

#	ARTICLE	IF	CITATIONS
199	Metal-Organic Cuboctahedra for Synthetic Ion Channels with Multiple Conductance States. <i>CheM</i> , 2017, 2, 393-403.	5.8	89
200	Rational Tuning of Zirconium Metal-Organic Framework Membranes for Hydrogen Purification. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 19034-19040.	7.2	89
201	Pressure Response of Three-Dimensional Cyanide-Bridged Bimetallic Magnets. <i>Journal of the American Chemical Society</i> , 2008, 130, 4475-4484.	6.6	88
202	Order-to-disorder structural transformation of a coordination polymer and its influence on proton conduction. <i>Chemical Communications</i> , 2014, 50, 10241-10243.	2.2	88
203	An Alkaline Earth $\text{Ln}^3\text{O}$ Porous Coordination Polymer: $[\text{Ba}_2\text{TMA}(\text{NO}_3)_3](\text{DMF})$ . <i>Angewandte Chemie - International Edition</i> , 2012, 51, 6107-6111.	7.2	87
204	A novel high-spin heterometallic $\text{Ni}_{12}\text{K}_4$ cluster incorporating large $\text{Ni}^{\text{II}}$ azide circles and an in situ cyanomethylated di-2-pyridyl ketone. <i>Chemical Communications</i> , 2005, , 233-235.	2.2	86
205	Modification of flexible part in $\text{Cu}^{2+}$ interdigitated framework for $\text{CH}_4/\text{CO}_2$ separation. <i>Chemical Communications</i> , 2010, 46, 9229.	2.2	86
206	Crystalline and Stable Benzofuran-Linked Covalent Organic Frameworks from Irreversible Cascade Reactions. <i>Journal of the American Chemical Society</i> , 2020, 142, 13316-13321.	6.6	85
207	Effect of Organic Polymer Additive on Crystallization of Porous Coordination Polymer. <i>Chemistry of Materials</i> , 2006, 18, 992-995.	3.2	83
208	Enhanced and Optically Switchable Proton Conductivity in a Melting Coordination Polymer Crystal. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 4976-4981.	7.2	83
209	Storage and Sorption Properties of Acetylene in Jungle-Gym-Like Open Frameworks. <i>Chemistry - an Asian Journal</i> , 2008, 3, 1343-1349.	1.7	82
210	Dense Coordination Network Capable of Selective $\text{CO}_2$ Capture from $\text{C}_1$ and $\text{C}_2$ Hydrocarbons. <i>Journal of the American Chemical Society</i> , 2012, 134, 9852-9855.	6.6	82
211	How Reproducible are Surface Areas Calculated from the BET Equation?. <i>Advanced Materials</i> , 2022, 34, .	11.1	82
212	Novel Intercalation Host System Based on Transition Metal ( $\text{Fe}^{2+}$ , $\text{Co}^{2+}$ , $\text{Mn}^{2+}$ ) Chloranilate Coordination Polymers. Single Crystal Structures and Properties. <i>Chemistry of Materials</i> , 1998, 10, 3902-3912.	3.2	81
213	Synthesis, properties and crystal structures of dicopper(I) and disilver(I) complexes with 1,8-naphthyridine (napy): $[\text{Cu}_2(\text{napy})_2](\text{ClO}_4)_2$ and $[\text{Ag}_2(\text{napy})_2](\text{ClO}_4)_2$ . <i>Inorganica Chimica Acta</i> , 1990, 167, 181-188.	1.2	80
214	Molecule-Based Valence Tautomeric Bistability Synchronized with a Macroscopic Crystal-Melt Phase Transition. <i>Journal of the American Chemical Society</i> , 2008, 130, 5515-5522.	6.6	78
215	Control of Molecular Rotor Rotational Frequencies in Porous Coordination Polymers Using a Solid-Solution Approach. <i>Journal of the American Chemical Society</i> , 2015, 137, 12183-12186.	6.6	78
216	Two- and Three-fold Interpenetrated Metal-Organic Frameworks from One-Pot Crystallization. <i>Inorganic Chemistry</i> , 2008, 47, 7728-7733.	1.9	77

#	ARTICLE	IF	CITATIONS
217	Binuclear copper(I) complexes which reversibly react with carbon monoxide. 1. Di- $\mu$ -halogeno-bis(2,2'-bipyridine)dicopper(I) and its derivatives. <i>Inorganic Chemistry</i> , 1981, 20, 2261-2267.	1.9	76
218	Molecular Recognition of Amines and Amino Esters by Zinc Porphyrin Receptors: Binding Mechanisms and Solvent Effects. <i>Journal of Organic Chemistry</i> , 2000, 65, 6097-6106.	1.7	76
219	Relationship between Channel and Sorption Properties in Coordination Polymers with Interdigitated Structures. <i>Chemistry - A European Journal</i> , 2011, 17, 5138-5144.	1.7	76
220	Nanocrystals of Coordination Polymers. <i>Chemistry Letters</i> , 2005, 34, 132-137.	0.7	75
221	Polynuclear Core-Based Nickel 1,4-Cyclohexanedicarboxylate Coordination Polymers as Temperature-Dependent Hydrothermal Reaction Products. <i>Crystal Growth and Design</i> , 2006, 6, 664-668.	1.4	75
222	The RIKEN Materials Science Beamline at SPring-8: Towards Visualization of Electrostatic Interaction. <i>AIP Conference Proceedings</i> , 2010, , .	0.3	75
223	Systematic mechanochemical preparation of a series of coordination pillared layer frameworks. <i>Dalton Transactions</i> , 2012, 41, 3956.	1.6	75
224	Postsynthesis Modification of a Porous Coordination Polymer by LiCl To Enhance H <sup>+</sup> Transport. <i>Journal of the American Chemical Society</i> , 2013, 135, 4612-4615.	6.6	75
225	Mapping Out Catalytic Processes in a Metal-Organic Framework with Single-Crystal X-ray Crystallography. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 8412-8416.	7.2	75
226	Highly responsive nature of porous coordination polymer surfaces imaged by in situ atomic force microscopy. <i>Nature Chemistry</i> , 2019, 11, 109-116.	6.6	75
227	Crystal morphology-directed framework orientation in porous coordination polymer films and freestanding membranes via Langmuir-Blodgett. <i>Journal of Materials Chemistry</i> , 2012, 22, 10159.	6.7	74
228	Design of Flexible Lewis Acidic Sites in Porous Coordination Polymers by using the Viologen Moiety. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 8369-8372.	7.2	74
229	Sequestering Aromatic Molecules with a Spin-Crossover Fe <sup>II</sup> Microporous Coordination Polymer. <i>Chemistry - A European Journal</i> , 2012, 18, 8013-8018.	1.7	74
230	Peptide-Metal Organic Framework Swimmers that Direct the Motion toward Chemical Targets. <i>Nano Letters</i> , 2015, 15, 4019-4023.	4.5	73
231	Photochemical cycloaddition on the pore surface of a porous coordination polymer impacts the sorption behavior. <i>Chemical Communications</i> , 2012, 48, 7919.	2.2	72
232	Absorption of CO <sub>2</sub> and CS <sub>2</sub> into the Hofmann-Type Porous Coordination Polymer: Electrostatic versus Dispersion Interactions. <i>Journal of the American Chemical Society</i> , 2013, 135, 4840-4849.	6.6	72
233	Reversible Chemisorption of Sulfur Dioxide in a Spin Crossover Porous Coordination Polymer. <i>Inorganic Chemistry</i> , 2013, 52, 12777-12783.	1.9	72
234	Preparation of a Cross-Linked Porous Protein Crystal Containing Ru Carbonyl Complexes as a CO-Releasing Extracellular Scaffold. <i>Inorganic Chemistry</i> , 2015, 54, 215-220.	1.9	72

#	ARTICLE	IF	CITATIONS
235	Cooperative Bond Scission in a Soft Porous Crystal Enables Discriminatory Gate Opening for Ethylene over Ethane. <i>Journal of the American Chemical Society</i> , 2017, 139, 18313-18321.	6.6	72
236	Crystal Structure of Bis(2,2'-bipyridine)copper(I) Perchlorate. <i>Bulletin of the Chemical Society of Japan</i> , 1987, 60, 1927-1929.	2.0	71
237	Synthesis, structures, and properties of the molecular assemblies of copper(I) and silver(I) complexes with phenazine. Novel donor-acceptor and huge polynuclear complexes. <i>Inorganic Chemistry</i> , 1993, 32, 826-832.	1.9	71
238	Formation and Characterization of Crystalline Molecular Arrays of Gas Molecules in a 1-Dimensional Ultramicropore of a Porous Copper Coordination Polymer. <i>Journal of Physical Chemistry B</i> , 2005, 109, 23378-23385.	1.2	71
239	Observation of gas molecules adsorbed in the nanochannels of porous coordination polymers by the in situ synchrotron powder diffraction experiment and the MEM/Rietveld charge density analysis. <i>Coordination Chemistry Reviews</i> , 2007, 251, 2510-2521.	9.5	71
240	Confinement of Single Polysilane Chains in Coordination Nanospaces. <i>Journal of the American Chemical Society</i> , 2015, 137, 5231-5238.	6.6	70
241	Selective Gas Adsorption in One-Dimensional, Flexible Cu <sup>II</sup> Coordination Polymers with Polar Units. <i>Chemistry of Materials</i> , 2009, 21, 3346-3355.	3.2	69
242	A Soft Copper(II) Porous Coordination Polymer with Unprecedented Aqua Bridge and Selective Adsorption Properties. <i>Chemistry - A European Journal</i> , 2012, 18, 13117-13125.	1.7	69
243	Solvent as structure directing agent for the synthesis of novel coordination frameworks using a tripodal flexible ligand. <i>CrystEngComm</i> , 2008, 10, 1739.	1.3	68
244	Highly Selective CO <sub>2</sub> Adsorption Accompanied with Low-Energy Regeneration in a Two-Dimensional Cu(II) Porous Coordination Polymer with Inorganic Fluorinated PF <sub>6</sub> <sup>-</sup> Anions. <i>Inorganic Chemistry</i> , 2013, 52, 280-285.	1.9	67
245	A Family of Rare Earth Porous Coordination Polymers with Different Flexibility for CO <sub>2</sub> /C <sub>2</sub> H <sub>4</sub> and CO <sub>2</sub> /C <sub>2</sub> H <sub>6</sub> Separation. <i>Inorganic Chemistry</i> , 2013, 52, 8244-8249.	1.9	67
246	Mechanically stable, hierarchically porous Cu <sub>3</sub> (btc) <sub>2</sub> (HKUST-1) monoliths via direct conversion of copper(II) hydroxide-based monoliths. <i>Chemical Communications</i> , 2015, 51, 3511-3514.	2.2	67
247	Syntheses and crystal structures of iron co-ordination polymers with 4,4'-bipyridine (4,4'-bpy) and 4,4'-azopyridine (azpy). Two-dimensional networks supported by hydrogen bonding, {[Fe(azpy)(NCS) <sub>2</sub> (MeOH) <sub>2</sub> ]-azpy} <sub>n</sub> and {[Fe(4,4'-bpy)(NCS) <sub>2</sub> (H <sub>2</sub> O) <sub>2</sub> ]-4,4'-bpy} <sub>n</sub> . <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, 1569-1574.	1.1	66
248	Crystal engineering of a family of hybrid ultramicroporous materials based upon interpenetration and dichromate linkers. <i>Chemical Science</i> , 2016, 7, 5470-5476.	3.7	66
249	The chemistry and applications of flexible porous coordination polymers. <i>EnergyChem</i> , 2021, 3, 100067.	10.1	66
250	Synthesis and crystal structures of novel copper(I) co-ordination polymers and a hexacopper(I) cluster of quinoline-2-thione. <i>Journal of the Chemical Society Dalton Transactions</i> , 1993, 1399.	1.1	65
251	Opening of an Accessible Microporosity in an Otherwise Nonporous Metal-Organic Framework by Polymeric Guests. <i>Journal of the American Chemical Society</i> , 2017, 139, 7886-7892.	6.6	65
252	Chiral recognition and chiral sensing using zinc porphyrin dimers. <i>Tetrahedron</i> , 2002, 58, 2803-2811.	1.0	64

#	ARTICLE	IF	CITATIONS
253	Controllable Modular Growth of Hierarchical MOF-on-MOF Architectures. <i>Angewandte Chemie</i> , 2017, 129, 15864-15868.	1.6	64
254	Storage of CO <sub>2</sub> into Porous Coordination Polymer Controlled by Molecular Rotor Dynamics. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 8687-8690.	7.2	64
255	Building a two-dimensional co-ordination polymer having a multilayered arrangement. A molecular assembly comprising hanging phenazine molecules between polymeric stair frameworks of copper(I) halides. <i>Journal of the Chemical Society Dalton Transactions</i> , 1994, , 2771.	1.1	63
256	Helical Chirality Induction by Point Chirality at Helix Terminal. <i>Journal of the American Chemical Society</i> , 1999, 121, 754-759.	6.6	63
257	Transport properties in porous coordination polymers. <i>Coordination Chemistry Reviews</i> , 2020, 421, 213447.	9.5	63
258	Structural studies of copper(I) complexes with ethylene. Crystal structures of [Cu(2,2'-bipyridine)(ethylene)]ClO <sub>4</sub> and [Cu(1,10-phenanthroline)(ethylene)]ClO <sub>4</sub> . <i>Journal of Organometallic Chemistry</i> , 1987, 322, 121-129.	0.8	62
259	A New Class of Cyclic Hexamer: [Co <sub>6</sub> L <sub>6</sub> ] <sub>24</sub> (H <sub>6</sub> L=hexaazatriphenylene hexacarboxylic acid). <i>Angewandte Chemie - International Edition</i> , 2001, 40, 3817-3819.	7.2	62
260	New Hydrogen Bond-Supported 3-D Molecular Assembly from Polyoxovanadate and Tetramethylbiimidazole. <i>Inorganic Chemistry</i> , 2002, 41, 1989-1992.	1.9	62
261	pH-Dependent Interpenetrated, Polymorphic, Cd <sup>2+</sup> - and BTB-based Porous Coordination Polymers with Open Metal Sites. <i>Crystal Growth and Design</i> , 2013, 13, 981-985.	1.4	62
262	Catalytic Glucose Isomerization by Porous Coordination Polymers with Open Metal Sites. <i>Chemistry - an Asian Journal</i> , 2014, 9, 2772-2777.	1.7	62
263	Tunable acetylene sorption by flexible catenated metal-organic frameworks. <i>Nature Chemistry</i> , 2022, 14, 816-822.	6.6	62
264	The Valence-Detrapping Phase Transition in a Crystal of the Mixed-Valence Trinuclear Iron Cyanoacetate Complex [Fe <sub>3</sub> O(O <sub>2</sub> CCH <sub>2</sub> CN) <sub>6</sub> (H <sub>2</sub> O) <sub>3</sub> ]. <i>Inorganic Chemistry</i> , 1997, 36, 4347-4359.	1.9	61
265	Cation-templated construction of three-dimensional $\hat{\pm}$ -Po cubic-type [M(dca) <sub>3</sub> ] <sup>n</sup> networks. Syntheses, structures and magnetic properties of A[M(dca) <sub>3</sub> ] (dca = dicyanamide; for A = benzyltributylammonium, Tj, ETQq1) 1,4 61 779-782.	1.4	61
266	Readily accessible shape-memory effect in a porous interpenetrated coordination network. <i>Science Advances</i> , 2018, 4, eaaq1636.	4.7	61
267	Allosteric Chirality Amplification in Zinc Bilinone Dimer. <i>Journal of the American Chemical Society</i> , 2000, 122, 748-749.	6.6	60
268	Differences of crystal structure and dynamics between a soft porous nanocrystal and a bulk crystal. <i>Chemical Communications</i> , 2011, 47, 7632.	2.2	60
269	Charge Transfer and Exciplex Emissions from a Naphthalenediimide-Entangled Coordination Framework Accommodating Various Aromatic Guests. <i>Journal of Physical Chemistry C</i> , 2012, 116, 26084-26090.	1.5	60
270	Peptide Assembly-Driven Metal-Organic Framework (MOF) Motors for Micro Electric Generators. <i>Advanced Materials</i> , 2015, 27, 288-291.	11.1	60



#	ARTICLE	IF	CITATIONS
271	Sequence-regulated copolymerization based on periodic covalent positioning of monomers along one-dimensional nanochannels. <i>Nature Communications</i> , 2018, 9, 329.	5.8	60
272	Incorporation of organometallic Ru complexes into apo-ferritin cage. <i>Dalton Transactions</i> , 2011, 40, 2190-2195.	1.6	59
273	Selective Generation of Formamides through Photocatalytic CO <sub>2</sub> Reduction Catalyzed by Ruthenium Carbonyl Compounds. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11813-11817.	7.2	59
274	Nuclear magnetic resonance studies of dicopper(II) complexes with binucleating ligands containing imidazoles. <i>Inorganic Chemistry</i> , 1989, 28, 1904-1909.	1.9	58
275	Synthesis and Structures of Coordination Polymers with 4,4'-Dipyridyldisulfide. <i>Journal of Solid State Chemistry</i> , 2000, 152, 113-119.	1.4	58
276	Post-Crystal Engineering of Zinc-Substituted Myoglobin to Construct a Long-Lived Photoinduced Charge-Separation System. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 4849-4852.	7.2	58
277	Mixing of immiscible polymers using nanoporous coordination templates. <i>Nature Communications</i> , 2015, 6, 7473.	5.8	58
278	Gas-responsive porous magnet distinguishes the electron spin of molecular oxygen. <i>Nature Communications</i> , 2018, 9, 5420.	5.8	58
279	Does functionalisation enhance CO <sub>2</sub> uptake in interpenetrated MOFs? An examination of the IRMOF-9 series. <i>Chemical Communications</i> , 2014, 50, 3238-3241.	2.2	57
280	Dependence of crystal size on the catalytic performance of a porous coordination polymer. <i>Chemical Communications</i> , 2015, 51, 2728-2730.	2.2	57
281	Crystal melting and glass formation in copper thiocyanate based coordination polymers. <i>Chemical Communications</i> , 2019, 55, 5455-5458.	2.2	57
282	Diversity in magnetic properties of 3D isomorphous networks of Co(ii) and Mn(ii) constructed by naphthalene-1,4-dicarboxylate. <i>Chemical Communications</i> , 2005, , 4613.	2.2	56
283	Controlled Synthesis of Anisotropic Polymer Particles Templated by Porous Coordination Polymers. <i>Chemistry of Materials</i> , 2013, 25, 3772-3776.	3.2	56
284	Hierarchical structuring of metal-organic framework thin-films on quartz crystal microbalance (QCM) substrates for selective adsorption applications. <i>Journal of Materials Chemistry A</i> , 2015, 3, 23385-23394.	5.2	56
285	Benchmark Acetylene Binding Affinity and Separation through Induced Fit in a Flexible Hybrid Ultramicroporous Material. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 20383-20390.	7.2	56
286	Control over the nucleation process determines the framework topology of porous coordination polymers. <i>CrystEngComm</i> , 2010, 12, 2350.	1.3	55
287	Guest Modulation of Spin-Crossover Transition Temperature in a Porous Iron(II) Metal-Organic Framework: Experimental and Periodic DFT Studies. <i>Chemistry - A European Journal</i> , 2014, 20, 12864-12873.	1.7	55
288	Recognition of 1,3-Butadiene by a Porous Coordination Polymer. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 13784-13788.	7.2	55

#	ARTICLE	IF	CITATIONS
289	A Dynamic Microporous Metal-Organic Framework with BCT Zeolite Topology: Construction, Structure, and Adsorption Behavior. <i>Crystal Growth and Design</i> , 2007, 7, 2286-2289.	1.4	54
290	Soft porous crystal meets TCNQ: charge transfer-type porous coordination polymers. <i>Journal of Materials Chemistry</i> , 2011, 21, 5537.	6.7	54
291	Dynamic Transformation between Covalent Organic Frameworks and Discrete Organic Cages. <i>Journal of the American Chemical Society</i> , 2020, 142, 21279-21284.	6.6	54
292	A New Anion-Trapping Radical Host, [(Cu-dppe) <sub>3</sub> {(CN) <sub>6</sub> } <sub>2</sub> ] <sup>+</sup> . <i>Angewandte Chemie - International Edition</i> , 1999, 38, 931-933.	7.2	53
293	A Porous Coordination Polymer with Accessible Metal Sites and its Complementary Coordination Action. <i>Chemistry - A European Journal</i> , 2009, 15, 4985-4989.	1.7	53
294	Crystal Engineering of Self-Assembled Porous Protein Materials in Living Cells. <i>ACS Nano</i> , 2017, 11, 2410-2419.	7.3	53
295	Mechanical Alloying of Metal-Organic Frameworks. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 2413-2417.	7.2	53
296	Impact of Metal-Ion Dependence on the Porous and Electronic Properties of TCNQ-Dianion-Based Porous Coordination Polymers. <i>Inorganic Chemistry</i> , 2011, 50, 172-177.	1.9	52
297	Unraveling Inter- and Intrachain Electronics in Polythiophene Assemblies Mediated by Coordination Nanospaces. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 708-713.	7.2	52
298	Efficient CO <sub>2</sub> Removal for Ultra-Pure CO Production by Two Hybrid Ultramicroporous Materials. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 3332-3336.	7.2	52
299	Synthesis and structures of (2,9-dimethyl-1,10-phenanthroline)(acetonitrile)copper(I) perchlorate and hexafluorophosphate. A correlation between bond angles and bond distances in T- and Y-shaped three-coordinate copper(I) complexes. <i>Inorganic Chemistry</i> , 1989, 28, 4300-4302.	1.9	51
300	Metal-Organic Thin-Film Transistor (MOTFT) Based on a Bis(o-diiminobenzosemiquinonate) Nickel(II) Complex. <i>Journal of the American Chemical Society</i> , 2005, 127, 10012-10013.	6.6	51
301	Shape- and Size-Dependent Kinetic Ethylene Sieving from a Ternary Mixture by a Trap-and-Flow Channel Crystal. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	51
302	New Molecular Assemblies of Redox Isomers, [CrIII(X <sub>4</sub> SO) <sub>3</sub> -n(X <sub>4</sub> Cat) <sub>n</sub> ]-n(X = Cl and Br;n= 0, 1, and 2), with Metallocenium Cations, [MIII(Cp) <sub>2</sub> ] <sup>+</sup> (M = Co and Fe): X-ray Crystal Structures and Physical Properties. <i>Inorganic Chemistry</i> , 2001, 40, 146-156.	1.9	50
303	Design of Novel Inorganic-Organic Hybrid Materials Based on Iron-Chloranilate Mononuclear Complexes: Characteristics of Hydrogen-Bond-Supported Layers toward the Intercalation of Guests. <i>Journal of the American Chemical Society</i> , 2003, 125, 221-232.	6.6	50
304	Effect of the Metal-Assisted Assembling Mode on the Redox States of Hexaazatriphenylene Hexacarbonitrile. <i>Angewandte Chemie - International Edition</i> , 2005, 44, 2700-2704.	7.2	50
305	Synthesis and Crystallographic Characterization of Low-Dimensional and Porous Coordination Compounds Capable of Supramolecular Aromatic Interaction Using the 4,4'-Azobis(pyridine) Ligand. <i>Inorganic Chemistry</i> , 2005, 44, 3960-3971.	1.9	50
306	Porous Protein Crystals as Reaction Vessels for Controlling Magnetic Properties of Nanoparticles. <i>Small</i> , 2012, 8, 1314-1319.	5.2	50

#	ARTICLE	IF	CITATIONS
307	Diffusion-Coupled Molecular Assembly: Structuring of Coordination Polymers Across Multiple Length Scales. <i>Journal of the American Chemical Society</i> , 2014, 136, 14966-14973.	6.6	50
308	Cadmium-113 NMR of cadmium(II) complexes with ligands containing N-donor atoms. Dependence of the chemical shift upon the ligand basicity, chelate ring size, counteranion, and cadmium concentration. <i>Inorganic Chemistry</i> , 1986, 25, 964-970.	1.9	49
309	Co-ordinative versatility of 3,5-bis(2-pyridyl)pyrazole in silver and copper compounds. <i>Journal of the Chemical Society Dalton Transactions</i> , 1995, , 4099.	1.1	49
310	Redox reaction in two-dimensional porous coordination polymers based on ferrocenedicarboxylates. <i>Dalton Transactions</i> , 2012, 41, 3924.	1.6	49
311	Guest-responsive porous magnetic frameworks using polycyanometallates. <i>CrystEngComm</i> , 2010, 12, 159-165.	1.3	48
312	Targeted functionalisation of a hierarchically-structured porous coordination polymer crystal enhances its entire function. <i>Chemical Communications</i> , 2012, 48, 6472.	2.2	48
313	Control over Flexibility of Entangled Porous Coordination Frameworks by Molecular and Mesoscopic Chemistries. <i>Chemistry Letters</i> , 2013, 42, 570-576.	0.7	48
314	Theoretical Insight into Gate-Opening Adsorption Mechanism and Sigmoidal Adsorption Isotherm into Porous Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2018, 140, 13958-13969.	6.6	48
315	Inclusion and dynamics of a polymer-Li salt complex in coordination nanochannels. <i>Chemical Communications</i> , 2011, 47, 1722.	2.2	47
316	Selective NO Trapping in the Pores of Chain-Type Complex Assemblies Based on Electronically Activated Paddlewheel-Type [Ru <sub>2</sub> ]/[Rh <sub>2</sub> ] Dimers. <i>Journal of the American Chemical Society</i> , 2013, 135, 18469-18480.	6.6	47
317	Porous Protein Crystals as Catalytic Vessels for Organometallic Complexes. <i>Chemistry - an Asian Journal</i> , 2014, 9, 1373-1378.	1.7	47
318	Pillared layer compounds based on metal complexes. Synthesis and properties towards porous materials. <i>Comments on Inorganic Chemistry</i> , 2002, 23, 101-126.	3.0	46
319	Syntheses and crystal structures of three one-dimensional copper(II) complexes constructed by salicylate and 4,4'-bipyridine: ladder, zig-zag, and linear polymeric assembly. <i>Inorganica Chimica Acta</i> , 2003, 355, 121-126.	1.2	46
320	Control of the charge-transfer interaction between a flexible porous coordination host and aromatic guests by framework isomerism. <i>CrystEngComm</i> , 2011, 13, 3360.	1.3	46
321	Tuning the Dimensionality of Inorganic Connectivity in Barium Coordination Polymers via Biphenyl Carboxylic Acid Ligands. <i>Crystal Growth and Design</i> , 2013, 13, 2965-2972.	1.4	46
322	Template-directed proton conduction pathways in a coordination framework. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10404-10409.	5.2	46
323	Crystal Dynamics in Multi-stimuli-Responsive Entangled Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2016, 22, 15864-15873.	1.7	46
324	Photoelectron spectroscopic study on metalloctaethylporphyrins. <i>Inorganic Chemistry</i> , 1979, 18, 1345-1349.	1.9	45

#	ARTICLE	IF	CITATIONS
325	Autoreduction of copper(II) complexes of 6,6'-diakyl-2,2'-bipyridine and characterization of their copper(I) complexes. <i>Inorganica Chimica Acta</i> , 1984, 84, 79-84.	1.2	45
326	Syntheses, crystal structures and autoreduction behavior of antiferromagnetically coupled dicopper(II) oximate complexes. <i>Inorganica Chimica Acta</i> , 1999, 293, 20-29.	1.2	45
327	Rational Design of a Ferromagnetic Trinuclear Copper(II) Complex with a Novel in-situ Synthesised Metalloligand. <i>European Journal of Inorganic Chemistry</i> , 2003, 2003, 2385-2388.	1.0	45
328	Classification of solvents based on their coordination power to nickel(II) ion. A new measure for solvent donor ability. <i>Inorganic Chemistry</i> , 1985, 24, 1638-1643.	1.9	44
329	Synthesis and crystal structures of novel one-dimensional polymers, $[M(bpen)X]_n$ [ $M = Cu$ , $X = PF_6^-$ ; $M = Ag$ , $X = ClO_4^-$ ; $bpen = trans-1,2-bis(2-pyridyl)ethylene$ ] and $[Cu(bpen)(CO)(CH_3CN)(PF_6)]_n$ . <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 2869-2874.	1.1	44
330	Zipped-Up Chain-Type Coordination Polymers: Unsymmetrical Amide-Containing Ligands Inducing 2D Sheet or Helical Structures. <i>Chemistry - A European Journal</i> , 2008, 14, 9565-9576.	1.7	44
331	Sol-Gel Synthesis of Low-Dimensional Silica within Coordination Nanochannels. <i>Journal of the American Chemical Society</i> , 2008, 130, 9216-9217.	6.6	44
332	Highly Processable Covalent Organic Framework Gel Electrolyte Enabled by Side-Chain Engineering for Lithium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202110695.	7.2	44
333	Novel layered structures constructed from metal(II)-chloranilate monomer compounds. <i>Dalton Transactions RSC</i> , 2000, , 2409-2417.	2.3	43
334	Rational synthesis of a two-dimensional honeycomb structure based on a paramagnetic paddlewheel diruthenium complex. <i>Chemical Communications</i> , 2005, , 865.	2.2	43
335	Porous Coordination Polymer with Lewis Acidic Pore Surfaces, $[Cu_3(CN)_3\{CN_3(OEt)_3\}]_n \cdot 3THF$ . <i>Angewandte Chemie - International Edition</i> , 2006, 45, 4628-4631.	7.2	43
336	A redox-active columnar metallomesogen and its cyclic voltammetric responses. <i>Journal of Materials Chemistry</i> , 2007, 17, 4136.	6.7	43
337	Bowl-shaped Cu(I) metallamacrocyclic ethylene and carbonyl adducts as structural analogues of organic calixarenes. <i>Chemical Communications</i> , 2007, , 5179.	2.2	43
338	Systematic Construction of Porous Coordination Pillared-layer Structures and Their Sorption Properties. <i>Chemistry Letters</i> , 2010, 39, 218-219.	0.7	43
339	Mechanism of Accumulation and Incorporation of Organometallic Pd Complexes into the Protein Nanocage of apo-Ferritin. <i>Inorganic Chemistry</i> , 2010, 49, 6967-6973.	1.9	43
340	Photochemical Reduction of Low Concentrations of $CO_2$ in a Porous Coordination Polymer with a Ruthenium(II)-CO Complex. <i>Angewandte Chemie</i> , 2016, 128, 2747-2750.	1.6	43
341	In Situ Generation of Functionality in a Reactive Haloalkane-Based Ligand for the Design of New Porous Coordination Polymers. <i>Inorganic Chemistry</i> , 2013, 52, 10735-10737.	1.9	42
342	Formation of coordination polymer glass by mechanical milling: dependence on metal ions and molecular doping for $H^+$ conductivity. <i>Chemical Communications</i> , 2018, 54, 6859-6862.	2.2	42

#	ARTICLE	IF	CITATIONS
343	A highly oriented conductive MOF thin film-based Schottky diode for self-powered light and gas detection. <i>Journal of Materials Chemistry A</i> , 2020, 8, 9085-9090.	5.2	42
344	Flexible and Shape-Selective Guest Binding at Cull Axial Sites in 1-Dimensional Cull <sup>1,2</sup> -Bis(4-pyridyl)ethane Coordination Polymers. <i>Inorganic Chemistry</i> , 2006, 45, 9290-9300.	1.9	41
345	Stepwise Guest Adsorption with Large Hysteresis in a Coordination Polymer {[Cu(bhnq)(THF) <sub>2</sub> ](THF)} <sub>n</sub> Constructed from a Flexible Hingelike Ligand. <i>Inorganic Chemistry</i> , 2006, 45, 4322-4324.	1.9	41
346	Gas in a straitjacket. <i>Nature</i> , 2006, 441, 584-585.	13.7	41
347	Construction of Robust Bio-nanotubes using the Controlled Self-Assembly of Component Proteins of Bacteriophage T4. <i>Small</i> , 2010, 6, 1873-1879.	5.2	41
348	Synthesis and Characterization of a 1-D Porous Barium Carboxylate Coordination Polymer, [Ba(HBTB)] (H <sub>3</sub> BTB = Benzene-1,3,5-trisbenzoic Acid). <i>Inorganic Chemistry</i> , 2011, 50, 11853-11855.	1.9	41
349	Topological Difference in 2D Layers Steers the Formation of Rigid and Flexible 3D Supramolecular Isomers: Impact on the Adsorption Properties. <i>Inorganic Chemistry</i> , 2012, 51, 9141-9143.	1.9	41
350	Hybridization of Emerging Crystalline Porous Materials: Synthesis Dimensionality and Electrochemical Energy Storage Application. <i>Advanced Energy Materials</i> , 2022, 12, 2100321.	10.2	41
351	Interpenetrated Three-Dimensional Mn <sup>II</sup> M <sup>III</sup> Ferrimagnets, [Mn(4dmap) <sub>4</sub> ] <sub>3</sub> [M(CN) <sub>6</sub> ] <sub>2</sub> · 10H <sub>2</sub> O (M=Cr, Tj) <i>ETOC</i> 1 1 0.78 European Journal. 2008. 14. 3481-3489.	1.7	40
352	Flexibility of Porous Coordination Polymers Strongly Linked to Selective Sorption Mechanism. <i>Chemistry of Materials</i> , 2010, 22, 4129-4131.	3.2	40
353	Effects of Unsaturated Metal Sites on Radical Vinyl Polymerization in Coordination Nanochannels. <i>Macromolecules</i> , 2011, 44, 2693-2697.	2.2	40
354	Modulation of the Interlayer Structures and Magnetic Behavior of 2D Spin-Crossover Coordination Polymers [Fe <sup>II</sup> (L) <sub>2</sub> Pt <sup>II</sup> (CN) <sub>4</sub> ]. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 738-744.	1.0	40
355	Synthesis of Manganese ZIF-8 from [Mn(BH <sub>4</sub> ) <sub>2</sub> · 3THF] · NaBH <sub>4</sub> . <i>Inorganic Chemistry</i> , 2017, 56, 8744-8747.	1.9	40
356	Switchable gate-opening effect in metal-organic polyhedra assemblies through solution processing. <i>Chemical Science</i> , 2018, 9, 6463-6469.	3.7	40
357	Grafting Free Carboxylic Acid Groups onto the Pore Surface of 3D Porous Coordination Polymers for High Proton Conductivity. <i>Chemistry of Materials</i> , 2019, 31, 8494-8503.	3.2	40
358	Hypercrosslinked Polymer Gels as a Synthetic Hybridization Platform for Designing Versatile Molecular Separators. <i>Journal of the American Chemical Society</i> , 2022, 144, 6861-6870.	6.6	40
359	Solid and solution structures of ternary gold(I) complexes with triphenylphosphine and nitrogen-containing ligands. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 4257-4262.	1.1	39
360	Neutral Paddlewheel Diruthenium Complexes with Tetracarboxylates of Large $\pi$ -Conjugated Substituents: A Facile One-Pot Synthesis, Crystal Structures, and Electrochemical Studies. <i>Inorganic Chemistry</i> , 2004, 43, 6464-6472.	1.9	39

#	ARTICLE	IF	CITATIONS
361	One-dimensional alignment of strong Lewis acid sites in a porous coordination polymer. <i>Chemical Communications</i> , 2013, 49, 10459.	2.2	39
362	Mesoscopic superstructures of flexible porous coordination polymers synthesized <i>via</i> coordination replication. <i>Chemical Science</i> , 2015, 6, 5938-5946.	3.7	39
363	Structuralization of Ca <sup>2+</sup> -Based Metal-Organic Frameworks Prepared via Coordination Replication of Calcium Carbonate. <i>Inorganic Chemistry</i> , 2016, 55, 3700-3705.	1.9	39
364	Impact of crystal orientation on the adsorption kinetics of a porous coordination polymer- <i>quartz</i> crystal microbalance hybrid sensor. <i>Journal of Materials Chemistry C</i> , 2014, 2, 3336.	2.7	38
365	Structural-Deformation-Energy-Modulation Strategy in a Soft Porous Coordination Polymer with an Interpenetrated Framework. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 15517-15521.	7.2	38
366	Synthesis, X-ray crystal structures and properties of chromium complexes with semiquinonate and catecholate. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 2467-2476.	1.1	37
367	Molecular Recognition of DNA Intercalators at Nanomolar Concentration in Water. <i>Journal of the American Chemical Society</i> , 2001, 123, 6459-6460.	6.6	37
368	An Unprecedented Mixed-Charged State in a Supramolecular Assembly of Ligand-Based Mixed-Valence Redox Isomers (ET.+) <sub>3</sub> [Cr <sup>III</sup> (Cl <sub>4</sub> SO) <sub>2</sub> (Cl <sub>4</sub> Cat)] <sup>3+</sup> [Cr <sup>III</sup> (Cl <sub>4</sub> SO)(Cl <sub>4</sub> Cat) <sub>2</sub> ] <sub>2</sub> <sup>6-</sup> . <i>Angewandte Chemie - International Edition</i> , 2002, 41, 130-133.	7.2	37
369	Dual modification of a triple-stranded $\beta$ -helix nanotube with Ru and Re metal complexes to promote photocatalytic reduction of CO <sub>2</sub> . <i>Chemical Communications</i> , 2011, 47, 2074.	2.2	37
370	A Convenient Strategy for Designing a Soft Nanospace: An Atomic Exchange in a Ligand with Isostructural Frameworks. <i>Journal of the American Chemical Society</i> , 2015, 137, 15825-15832.	6.6	37
371	Synthesis of Functionalized Porphyrins as Oxygen Ligand Receptors. <i>Journal of Organic Chemistry</i> , 2003, 68, 5123-5131.	1.7	36
372	Control of Structure Dimensionality and Functional Studies of Flexible Cu <sup>II</sup> Coordination Polymers. <i>Chemistry - an Asian Journal</i> , 2009, 4, 870-875.	1.7	36
373	Confined synthesis of CdSe quantum dots in the pores of metal-organic frameworks. <i>Journal of Materials Chemistry C</i> , 2014, 2, 7173-7175.	2.7	36
374	Partially fluorinated MIL-101(Cr): from a miniscule structure modification to a huge chemical environment transformation inspected by <sup>129</sup> Xe NMR. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15101-15112.	5.2	36
375	Synthesis and Structure of Novel Vanadium(III) Compounds Having a Cyclic Core. <i>Chemistry Letters</i> , 1996, 25, 471-472.	0.7	35
376	Synthesis, structure, and magnetic properties of one-dimensional copper(II) coordination polymer, [Cu(pyrazine-2,3-dicarboxylate)(H <sub>2</sub> O) <sub>2</sub> ] $\cdot$ 2H <sub>2</sub> O. <i>Synthetic Metals</i> , 1997, 85, 1661-1662.	2.1	35
377	The rational syntheses of manganese-chloranilate compounds: crystal structures and magnetic properties. <i>Polyhedron</i> , 2001, 20, 1417-1422.	1.0	35
378	Kagom $\otimes$ type extra-large microporous solid based on a paddle-wheel Cu <sup>2+</sup> dimer. <i>Chemical Communications</i> , 2008, , 4436.	2.2	35

#	ARTICLE	IF	CITATIONS
379	Enhanced properties of metal-organic framework thin films fabricated via a coordination modulation-controlled layer-by-layer process. <i>Journal of Materials Chemistry A</i> , 2017, 5, 13665-13673.	5.2	35
380	Synthesis and Structures of Infinite Sheet Copper(I) Complex Polymers with 2,6-Dimethylpyrazine, $\{[\text{Cu}_2(\text{C}_6\text{H}_8\text{N}_2)_3](\text{ClO}_4)_2(\text{C}_3\text{H}_6\text{O})_2\}_n$ , and with 2-Chloropyrazine, $\{[\text{Cu}_2(\text{C}_4\text{H}_3\text{N}_2\text{Cl})_4.5](\text{ClO}_4)_2\}_n$ . <i>Bulletin of the Chemical Society of Japan</i> , 1993, 66, 3387-3392.	2.0	34
381	Module-Based Assembly of Copper(II) Chloranilate Compounds: Syntheses, Crystal Structures, and Magnetic Properties of $\{[\text{Cu}_2(\text{CA})(\text{terpy})_2][\text{Cu}(\text{CA})_2]\}_n$ and $\{[\text{Cu}_2(\text{CA})(\text{terpy})_2(\text{dmsO})_2][\text{Cu}(\text{CA})_2(\text{dmsO})_2](\text{EtOH})\}_n$ (H <sub>2</sub> CA = Chloranilic Acid, terpy = ) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 432 Td (PF &amp;lt;sup&gt;g&gt;</i>	1.9	34
382	Definite coordination arrangement of organometallic palladium complexes accumulated on the designed interior surface of apo-ferritin. <i>Chemical Communications</i> , 2011, 47, 170-172.	2.2	34
383	Synthesis and crystal structures of tetra- and hexanuclear copper(I) complexes of pyrimidine derivatives, $[\text{Cu}_4(\text{C}_4\text{H}_8\text{N}_2\text{S})_4](\text{ClO}_4)_4$ and $[\text{Cu}_6(\text{C}_5\text{H}_5\text{N}_2\text{S})_6]$ . <i>Inorganica Chimica Acta</i> , 1992, 197, 169-175.	1.2	33
384	Synthesis and Ligand-Based Mixed Valency of cis- and trans-Cr(III)(X <sub>4</sub> SQ)(X <sub>4</sub> Cat)(L) <sub>n</sub> (X = Cl and Br, n = 1) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 432 Td (PF &amp;lt;sup&gt;g&gt;</i>	1.9	33
	Dissociation of Cr(III)(X <sub>4</sub> SQ) <sub>3</sub> . <i>Inorganic Chemistry</i> , 2002, 41, 4444-4452.		
385	A facile and versatile preparation of bilindiones and biladienones from tetraarylporphyrins. <i>Chemical Communications</i> , 2005, , 1309.	2.2	33
386	Ambipolar, Single-Component, Metal-Organic Thin-Film Transistors with High and Balanced Hole and Electron Mobilities. <i>Advanced Materials</i> , 2008, 20, 3399-3403.	11.1	33
387	Binding Properties of Solvatochromic Indicators $[\text{Cu}(\text{X})(\text{acac})(\text{tmen})]$ (X = ) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 432 Td (PF &amp;lt;sup&gt;g&gt;</i>	1.9	33
	<i>Chemistry</i> , 2008, 47, 7360-7365.		
388	Modulation of Spin-Crossover Behavior in an Elongated and Flexible Hofmann-Type Porous Coordination Polymer. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 104-110.	1.9	33
389	Molecular-Level Studies on Dynamic Behavior of Oligomeric Chain Molecules in Porous Coordination Polymers. <i>Journal of Physical Chemistry C</i> , 2015, 119, 21504-21514.	1.5	33
390	Mixed ligand copper(II) coordination polymers constructed by Cu-bpm-Cu dimer unit (bpm = ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 312 Td (PF &amp;lt;sup&gt;g&gt;</i>	1.2	32
	$(\text{H}_2\text{O})_n$ , $[\text{Cu}_2(\text{bpm})(\text{suc})_0.5(\text{ClO}_4)_2(\text{OH})(\text{H}_2\text{O})_2]_n$ and $[\text{Cu}(\text{bpm})_1.5(\text{suc})_0.5](\text{ClO}_4)(\text{H}_2\text{O})_2$ (suc = ) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 312 Td (PF &amp;lt;sup&gt;g&gt;</i>		
391	A New Strategy for the Design of Water-Soluble Synthetic Receptors: Specific Recognition of DNA Intercalators and Diamines.. <i>Chemistry - A European Journal</i> , 2003, 9, 2368-2380.	1.7	32
392	Two New Coordination Polymers Based on Hexanuclear Metal Cluster Cores. <i>Chemistry Letters</i> , 2006, 35, 526-527.	0.7	32
393	Behavior of Binary Guests in a Porous Coordination Polymer. <i>Chemistry of Materials</i> , 2012, 24, 4744-4749.	3.2	32
394	Fe <sup>2+</sup> -based layered porous coordination polymers and soft encapsulation of guests via redox activity. <i>Journal of Materials Chemistry A</i> , 2013, 1, 3675.	5.2	32
395	The controlled synthesis of polyglucose in one-dimensional coordination nanochannels. <i>Chemical Communications</i> , 2016, 52, 5156-5159.	2.2	32
396	Development of a Porous Coordination Polymer with a High Gas Capacity Using a Thiophene-Based Bent Tetracarboxylate Ligand. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 33455-33460.	4.0	32

#	ARTICLE	IF	CITATIONS
397	Preparation of polythiophene microrods with ordered chain alignment using nanoporous coordination template. <i>Polymer Chemistry</i> , 2017, 8, 5077-5081.	1.9	32
398	Fine-tuning optimal porous coordination polymers using functional alkyl groups for CH <sub>4</sub> purification. <i>Journal of Materials Chemistry A</i> , 2017, 5, 17874-17880.	5.2	32
399	Temperature-Stable Compelled Composite Superhydrophobic Porous Coordination Polymers Achieved via an Unattainable <i>de Novo</i> Synthetic Method. <i>Journal of the American Chemical Society</i> , 2018, 140, 13786-13792.	6.6	32
400	Synthesis and crystal structure of two ternary dicopper(I) complexes having the unsymmetrical coordination arrangement bridged by 1,8-naphthyridine (napy). [Cu <sub>2</sub> (napy) <sub>2</sub> (Me <sub>2</sub> CO)](PF <sub>6</sub> ) <sub>2</sub> ·2Me <sub>2</sub> CO and [Cu <sub>2</sub> (napy) <sub>2</sub> (dppm)(CH <sub>3</sub> CN)](PF <sub>6</sub> ) <sub>2</sub> . <i>Inorganica Chimica Acta</i> , 1998, 271, 129-136.	1.2	31
401	Chromic Behaviors of Hexagonal Columnar Liquid Crystalline Platinum Complexes with Catecholato, 2-Thiophenolato, and Benzenedithiolato. <i>Inorganic Chemistry</i> , 2011, 50, 4279-4288.	1.9	31
402	<sup>113</sup> Cd Nuclear Magnetic Resonance as a Probe of Structural Dynamics in a Flexible Porous Framework Showing Selective O <sub>2</sub> /N <sub>2</sub> and CO <sub>2</sub> /N <sub>2</sub> Adsorption. <i>Inorganic Chemistry</i> , 2016, 55, 4166-4172.	1.9	31
403	Coordination Modulation Method To Prepare New Metal-Organic Framework-Based CO-Releasing Materials. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 31158-31167.	4.0	31
404	Synthesis, characterization, and molecular structures of binary and ternary copper(I) complexes with 1,5-cyclooctadiene (cod): [Cu(cod) <sub>2</sub> ](ClO <sub>4</sub> ) and [Cu(cod)(2,2'-bipyridine)]PF <sub>6</sub> . <i>Inorganic Chemistry</i> , 1991, 30, 2610-2614.	1.9	30
405	Crystal Structure of (2,2'-Bipyridine)dichloropalladium(II). <i>Analytical Sciences</i> , 1991, 7, 521-522.	0.8	30
406	Synthesis, formation constants and structures of ternary copper(I) complexes with 1,10-phenanthroline and alkynes. <i>Journal of the Chemical Society Dalton Transactions</i> , 1992, , 2225.	1.1	30
407	Crystal Structure of a Tris(dithiolene) Vanadium(IV) Complex Having Unprecedented D <sub>3h</sub> Symmetry. <i>Chemistry Letters</i> , 1996, 25, 489-490.	0.7	30
408	Reactions of di-2-pyridylketone oxime in the presence of vanadium(III): crystal structures of the coordination products. <i>Coordination Chemistry Reviews</i> , 2003, 237, 197-203.	9.5	30
409	Coordination nano-space as stage of hydrogen ortho-para conversion. <i>Royal Society Open Science</i> , 2015, 2, 150006.	1.1	30
410	Light-induced nitric oxide release from physiologically stable porous coordination polymers. <i>Dalton Transactions</i> , 2015, 44, 15324-15333.	1.6	30
411	Radical Polymerization of Vinyl Monomers in Porous Organic Cages. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 6443-6447.	7.2	30
412	Effect of substituents on the charge transfer band of copper(I) complexes with 4-monosubstituted pyridines. <i>Inorganica Chimica Acta</i> , 1982, 59, 219-223.	1.2	29
413	Solvent-Dependent Formation of Di- and Trinuclear Rhodium and Iridium Complexes Bridged by N,N'-Donor Ligands. <i>Bulletin of the Chemical Society of Japan</i> , 2002, 75, 267-275.	2.0	29
414	Motion of methanol adsorbed in porous coordination polymer with paramagnetic metal ions. <i>Chemical Communications</i> , 2004, , 2152.	2.2	29



#	ARTICLE	IF	CITATIONS
415	Chemical Reaction-Inspired Crystal Growth of a Coordination Polymer toward Morphology Design and Control. <i>Journal of the American Chemical Society</i> , 2006, 128, 15799-15808.	6.6	29
416	Spatial and Surface Design of Porous Coordination Polymers. <i>Supramolecular Chemistry</i> , 2007, 19, 75-78.	1.5	29
417	A unique chair-shaped hexanuclear Cu(I) metallamacrocyclic C <sub>2</sub> H <sub>4</sub> adduct encapsulating a BF <sub>4</sub> <sup>-</sup> anion. <i>Dalton Transactions</i> , 2009, , 415-417.	1.6	29
418	Investigation of post-grafted groups of a porous coordination polymer and its proton conduction behavior. <i>Dalton Transactions</i> , 2012, 41, 13261.	1.6	29
419	Homogenized Bimetallic Catalysts from Metal-Organic Framework Alloys. <i>Chemistry of Materials</i> , 2019, 31, 4205-4212.	3.2	29
420	Novel Cu(I) Dinuclear Complexes Containing 1,4,2,1,2-Type Benzoquinone Ligand. <i>Journal of the American Chemical Society</i> , 2003, 125, 1152-1153.	6.6	28
421	Radical Copolymerizations of Vinyl Monomers in a Porous Coordination Polymer. <i>Chemistry Letters</i> , 2008, 37, 616-617.	0.7	28
422	New Heterometallic Carboxylate Frameworks: Synthesis, Structure, Robustness, Flexibility, and Porosity. <i>Inorganic Chemistry</i> , 2009, 48, 7970-7976.	1.9	28
423	Incarceration of Nanosized Silica into Porous Coordination Polymers: Preparation, Characterization, and Adsorption Property. <i>Chemistry of Materials</i> , 2011, 23, 1736-1741.	3.2	28
424	Siloxane D4 capture by hydrophobic microporous materials. <i>Journal of Materials Chemistry A</i> , 2013, 1, 7885.	5.2	28
425	Impact of Molecular Clustering inside Nanopores on Desorption Processes. <i>Journal of the American Chemical Society</i> , 2013, 135, 4608-4611.	6.6	28
426	DRIFT and Theoretical Studies of Ethylene/Ethane Separation on Flexible and Microporous [Cu <sub>2</sub> (2,3-pyrazinedicarboxylate) <sub>2</sub> (pyrazine)] <sub>n</sub> . <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 2747-2752.	1.0	28
427	Photoactivatable CO release from engineered protein crystals to modulate NF- $\kappa$ B activation. <i>Chemical Communications</i> , 2016, 52, 4545-4548.	2.2	28
428	Die Chemie verformbarer poröser Kristalle – Strukturdynamik und Gasadsorptionseigenschaften. <i>Angewandte Chemie</i> , 2020, 132, 15438-15456.	1.6	28
429	Particle size effects in the kinetic trapping of a structurally-locked form of a flexible MOF. <i>CrystEngComm</i> , 2016, 18, 4172-4179.	1.3	28
430	Oxamide oxime-based copper(II) coordination polymers. Two- and three-dimensional structures controlled by dicarboxylates. <i>Inorganica Chimica Acta</i> , 1995, 229, 211-219.	1.2	27
431	Syntheses and Structures of Zn Coordination Polymers with 4,4'-Bipyridine and 4,4'-Azopyridine. Effect of Counter Anions on the Network System. <i>Chemistry Letters</i> , 1999, 28, 285-286.	0.7	27
432	Solvent Effect on Helicity Induction of Zinc Bilinone Bearing a Chiral Auxiliary at the Helix Terminal. <i>Journal of Organic Chemistry</i> , 2001, 66, 3848-3853.	1.7	27

#	ARTICLE	IF	CITATIONS
433	Polymorph-Dependent Molecular Valence Tautomerism Synchronized with Crystal-Melt Phase Transitions. <i>Chemistry of Materials</i> , 2009, 21, 1980-1988.	3.2	27
434	CO <sub>2</sub> superabsorption in a paddlewheel-type Ru dimer chain compound: gate-open performance dependent on inter-chain interactions. <i>Chemical Communications</i> , 2013, 49, 1594-1596.	2.2	27
435	Programmed crystallization via epitaxial growth and ligand replacement towards hybridizing porous coordination polymer crystals. <i>Dalton Transactions</i> , 2013, 42, 15868.	1.6	27
436	Reversible Switching between Highly Porous and Nonporous Phases of an Interpenetrated Diamondoid Coordination Network That Exhibits Gate-Opening at Methane Storage Pressures. <i>Angewandte Chemie</i> , 2018, 130, 5786-5791.	1.6	27
437	Modular Self-Assembly and Dynamics in Coordination Star Polymer Glasses: New Media for Ion Transport. <i>Chemistry of Materials</i> , 2018, 30, 8555-8561.	3.2	27
438	Direct evidence favouring an internal flip of dimetal units in cuboidal ligand cages. <i>Polyhedron</i> , 1988, 7, 463-470.	1.0	26
439	Syntheses, Structures, and Physicochemical Properties of Diruthenium Compounds of Tetrachlorocatecholate with Metal-Bonded Ru <sub>3</sub> ( $\frac{1}{4}$ -OR) <sub>2</sub> Ru <sub>3</sub> + and Ru <sub>3.5</sub> ( $\frac{1}{4}$ -OR) <sub>2</sub> Ru <sub>3.5</sub> +Cores (R = Tj Et. Q1 1 0 264314	1.0	26
440	Proton spin relaxation induced by quantum tunneling in Fe <sub>8</sub> molecular nanomagnet. <i>Physical Review B</i> , 2002, 66, .	1.1	26
441	The dimeric and two-dimensional copper(II) complexes constructed from salicylic acid and 4,4'-bipyridine. <i>Inorganic Chemistry Communication</i> , 2003, 6, 1051-1055.	1.8	26
442	Magnetic Properties of Molecular Oxygen Adsorbed in Micro-Porous Metal-Organic Solids. <i>Progress of Theoretical Physics Supplement</i> , 2005, 159, 271-279.	0.2	26
443	Functionalities of One-Dimensional Dynamic Ultramicropores in Nickel(II) Coordination Polymers. <i>Inorganic Chemistry</i> , 2006, 45, 8990-8997.	1.9	26
444	Sandwich-shaped silver(I) metallomacrocycles encapsulating a XF <sub>6</sub> <sup>2-</sup> (X = Si, Ge and Sn) anion. <i>Chemical Communications</i> , 2006, , 2161.	2.2	26
445	Chemistry of Porous Coordination Polymers Having Multimodal Nanospace and Their Multimodal Functionality. <i>Journal of Nanoscience and Nanotechnology</i> , 2010, 10, 3-20.	0.9	26
446	Periodic molecular boxes in entangled enantiomorphic lcy nets. <i>Chemical Communications</i> , 2010, 46, 4142.	2.2	26
447	Semi-synthesis of an artificial scandium(III) enzyme with a $\beta$ -helical bio-nanotube. <i>Dalton Transactions</i> , 2012, 41, 11424.	1.6	26
448	Controlled Cyclopolymerization of Difunctional Vinyl Monomers in Coordination Nanochannels. <i>Macromolecules</i> , 2014, 47, 7321-7326.	2.2	26
449	Photochemical Properties and Reactivity of a Ru Compound Containing an NAD/NADH-Functionalized 1,10-Phenanthroline Ligand. <i>Inorganic Chemistry</i> , 2016, 55, 2076-2084.	1.9	26
450	Localized Conversion of Metal-Organic Frameworks into Polymer Gels via Light-Induced Click Chemistry. <i>Chemistry of Materials</i> , 2017, 29, 5982-5989.	3.2	26

#	ARTICLE	IF	CITATIONS
451	Novel 2-dimensional coordination polymer constructed from a multi-functional metalloligand. <i>CrystEngComm</i> , 2002, 4, 162.	1.3	25
452	Framework dimensionality of copper(i) coordination polymers of 4,4'-bipyrimidine controlled by anions and solvents. <i>CrystEngComm</i> , 2012, 14, 1345-1353.	1.3	25
453	Structural diversity among copper(i) ethylene adducts of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine. <i>Dalton Transactions</i> , 2013, 42, 4258.	1.6	25
454	Reductive coordination replication of V <sub>2</sub> O <sub>5</sub> sacrificial macrostructures into vanadium-based porous coordination polymers. <i>CrystEngComm</i> , 2015, 17, 323-330.	1.3	25
455	Preparation of Porous Polysaccharides Templated by Coordination Polymer with Three-Dimensional Nanochannels. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 11373-11379.	4.0	25
456	Constant Volume Gate-Opening by Freezing Rotational Dynamics in Microporous Organically Pillared Layered Silicates. <i>Journal of the American Chemical Society</i> , 2017, 139, 904-909.	6.6	25
457	Unveiling liquid MOFs. <i>Nature Materials</i> , 2017, 16, 1054-1055.	13.3	25
458	A New Self-Assembled Porphyrin-Silver(I) Network. <i>Chemistry Letters</i> , 2000, 29, 818-819.	0.7	24
459	Novel layered structures constructed from iron(II) chloranilate compounds. <i>Coordination Chemistry Reviews</i> , 2000, 198, 157-169.	9.5	24
460	Incommensurate guest adsorption in bellows-shaped one-dimensional channels of porous coordination polymers. <i>Microporous and Mesoporous Materials</i> , 2010, 129, 296-303.	2.2	24
461	Theoretical study on high-spin to low-spin transition of {Fe(pyrazine)[Pt(CN) <sub>4</sub> ]}: Guest-induced entropy decrease. <i>Chemical Physics Letters</i> , 2011, 511, 399-404.	1.2	24
462	Trapping of a Spatial Transient State During the Framework Transformation of a Porous Coordination Polymer. <i>Journal of the American Chemical Society</i> , 2014, 136, 4938-4944.	6.6	24
463	Radical Copolymerization Mediated by Unsaturated Metal Sites in Coordination Nanochannels. <i>ACS Macro Letters</i> , 2015, 4, 788-791.	2.3	24
464	Radical polymerization of 2,3-dimethyl-1,3-butadiene in coordination nanochannels. <i>Chemical Communications</i> , 2015, 51, 9892-9895.	2.2	24
465	Fabrication of $\mu$ -Fe <sub>2</sub> N Catalytic Sites in Porous Carbons Derived from an Iron(II) Triazolate Crystal. <i>Chemistry of Materials</i> , 2018, 30, 1830-1834.	3.2	24
466	Glass-phase coordination polymer displaying proton conductivity and guest-accessible porosity. <i>Chemical Communications</i> , 2019, 55, 8528-8531.	2.2	24
467	Fabrication of infinite two-dimensional sheets of tetragonal metal(II) lattices. <i>Inorganica Chimica Acta</i> , 2002, 337, 387-392.	1.2	23
468	Crystal Engineering Using the Versatility of 2,5-Dichloro-3,6-dihydroxy-1,4-benzoquinone with Organic and Metal Complex Partners. <i>Crystal Growth and Design</i> , 2003, 3, 791-798.	1.4	23

#	ARTICLE	IF	CITATIONS
469	Synthesis and Porous Properties of Chromium Azolate Porous Coordination Polymers. <i>Inorganic Chemistry</i> , 2014, 53, 9870-9875.	1.9	23
470	Anisotropic coordination star polymers realized by self-sorting core modulation. <i>Chemical Communications</i> , 2017, 53, 8180-8183.	2.2	23
471	Crystal Flexibility Design through Local and Global Motility Cooperation. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 7030-7035.	7.2	23
472	New mixed-ligand copper(I) complexes with 2,2'-bipyridine and their NMR spectra. <i>Inorganic Chemistry</i> , 1982, 21, 3842-3843.	1.9	22
473	Tuning of the Spin States in Trinuclear Cobalt Compounds of Pyridazine by the Second Simple Bridging Ligand. <i>European Journal of Inorganic Chemistry</i> , 2006, 2006, 1381-1387.	1.0	22
474	Glass Formation of a Coordination Polymer Crystal for Enhanced Proton Conductivity and Material Flexibility. <i>Angewandte Chemie</i> , 2016, 128, 5281-5286.	1.6	22
475	Catalytic Hydride Transfer to CO <sub>2</sub> Using Ru-NAD-Type Complexes under Electrochemical Conditions. <i>Inorganic Chemistry</i> , 2017, 56, 11066-11073.	1.9	22
476	Bottom-up Synthesis of Defect-free Mixed-matrix Membranes by Using Polymer-grafted Metal-Organic Polyhedra. <i>Chemistry Letters</i> , 2019, 48, 597-600.	0.7	22
477	Preparation, spectroscopic properties, and characterization of anti- and syn- $\alpha$ -Mo <sub>2</sub> Cl <sub>4</sub> [(C <sub>6</sub> H <sub>5</sub> ) <sub>2</sub> PCH <sub>2</sub> CH <sub>2</sub> P(p-CH <sub>3</sub> C <sub>6</sub> H <sub>4</sub> ) <sub>2</sub> ] in solution and in the solid state. <i>Inorganic Chemistry</i> , 1987, 26, 3463-3468.	1.9	21
478	Synthesis and X-Ray Crystal Structure of the Dicopper(I) Complex of 2-(Diphenylphosphino)pyridine (Ph <sub>2</sub> Ppy). [Cu <sub>2</sub> ( $\frac{1}{4}$ -Ph <sub>2</sub> Ppy) <sub>2</sub> (CH <sub>3</sub> CN) <sub>2</sub> ](PF <sub>6</sub> ) <sub>2</sub> . <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 2286-2288.	2.0	21
479	Novel Extended Linear Structure of Decavanadate Anions Linked by Bis(4-Pyridinium) Disulfide (H <sub>2</sub> dpds), {(H <sub>2</sub> dpds) <sub>2</sub> [V <sub>10</sub> O <sub>26</sub> (OH) <sub>2</sub> ] $\cdot$ 10H <sub>2</sub> O} <sub>n</sub> . <i>Chemistry Letters</i> , 1999, 28, 291-292.	0.7	21
480	Preparation, crystal structures and spectroscopic properties of vanadium(III) complexes with [V <sup>III</sup> ] <sub>4</sub> cores. <i>Dalton Transactions RSC</i> , 2002, , 2390.	2.3	21
481	A porous coordination polymer with a reactive diiron paddlewheel unit. <i>Chemical Communications</i> , 2014, 50, 2292.	2.2	21
482	Design of a CO-releasing Extracellular Scaffold Using in Vivo Protein Crystals. <i>Chemistry Letters</i> , 2015, 44, 342-344.	0.7	21
483	Control of pore distribution of porous carbons derived from Mg <sup>2+</sup> porous coordination polymers. <i>Inorganic Chemistry Frontiers</i> , 2015, 2, 473-476.	3.0	21
484	Mechanical Alloying of Metal-Organic Frameworks. <i>Angewandte Chemie</i> , 2017, 129, 2453-2457.	1.6	21
485	Enhanced and Optically Switchable Proton Conductivity in a Melting Coordination Polymer Crystal. <i>Angewandte Chemie</i> , 2017, 129, 5058-5063.	1.6	21
486	Pseudo-Caged Adsorption with Negligible Volume Change Evoked by Halogen-Bond Interaction in the Nanospace of MOFs. <i>Chemistry - A European Journal</i> , 2020, 26, 2148-2153.	1.7	21

#	ARTICLE	IF	CITATIONS
487	UV photoelectron spectra of some transition metal(II) acetylacetonates. <i>Polyhedron</i> , 1983, 2, 43-46.	1.0	20
488	Ein zweidimensionales, tetragonales Kupfer( $\text{Cu}$ )-Schichtgitter: Struktur und magnetische Eigenschaften von $[\text{Cu}(\text{C}_6\text{O}_4\text{Cl}_2)_4\text{H}_4\text{N}_2]$ . <i>Angewandte Chemie</i> , 1994, 106, 1851-1854.	1.6	20
489	Novel Ligand-Unsupported Diruthenium Compounds, $[\text{Ru}_2(\text{Cl}_4\text{Cat})_4]_n$ . <i>Journal of the American Chemical Society</i> , 2010, 132, 10662-10666.	6.6	20
490	Dynamics of guests in microporous coordination polymers studied by solid state NMR and X-ray analysis. <i>Studies in Surface Science and Catalysis</i> , 2005, 156, 725-732.	1.5	20
491	Efficient axial chirality induction in biphenyldiol triggered by proton-transferred hydrogen bonding with chiral amine. <i>Organic and Biomolecular Chemistry</i> , 2005, 3, 2091.	1.5	20
492	A Stand-Alone Mesoporous Crystal Structure Model from in situ X-ray Diffraction: Nitrogen Adsorption on 3D Cagelike Mesoporous Silica SBA-16. <i>Chemistry - A European Journal</i> , 2012, 18, 10300-10311.	1.7	20
493	Enhanced Phosphorescence Emission by Incorporating Aromatic Halides into an Entangled Coordination Framework Based on Naphthalenediimide. <i>ChemPhysChem</i> , 2014, 15, 2517-2521.	1.0	20
494	Mapping Out Catalytic Processes in a Metal-Organic Framework with Single-Crystal X-ray Crystallography. <i>Angewandte Chemie</i> , 2017, 129, 8532-8536.	1.6	20
495	Nuclear magnetic resonance studies on new six-coordinate high-spin ferric porphyrin complexes as models for aquometmyoglobin. 1. Formation of alcohol-coordinated octaethylporphyrin complexes in solution. <i>Journal of the American Chemical Society</i> , 1980, 102, 2429-2437.	6.6	19
496	Structure of bis(2,6-dimethylpyridine)copper(I) perchlorate. The relationship between the Cu-N(pyridine) distance and Cu-CH <sub>3</sub> (methyl group) contacts. <i>Inorganica Chimica Acta</i> , 1989, 158, 217-220.	1.2	19
497	Novel Amido-Bridged Dinuclear Iridium(III) and Iridium(II) Complexes. Synthesis and Characterization of $[\text{Cp}^*\text{Ir}(\frac{1}{2}\text{-NHC}_6\text{H}_4\text{R-p})_3\text{IrCp}^*]\text{Cl}$ ( $\text{Cp}^* = \text{1-5-C}_5\text{Me}_5$ ; R = Me, H, Cl, CF <sub>3</sub> ), $[\text{Cp}^*\text{Ir}\{\frac{1}{2}\text{-NH}(\text{C}_6\text{H}_4\text{Me})_2\}(\frac{1}{2}\text{-X})\text{IrCp}^*]_2\text{X}$ (X = Cl, Br, I). <i>Journal of the American Chemical Society</i> , 1997, 119, 4514-4516.	1.1	19
498	Crystal structures of optically active diastereomeric telluronium and selenonium salts anion-cation interactions in the crystalline state. <i>Journal of Organometallic Chemistry</i> , 1997, 539, 171-175.	0.8	19
499	Triple hydrogen bond directed crystal engineering of metal assembled complexes: the effect of a bifunctional ligand on supramolecular structure. <i>CrystEngComm</i> , 2000, 2, 174.	1.3	19
500	Polytypic phase transition in alkyl chain-functionalized valence tautomeric complexes. <i>Dalton Transactions</i> , 2006, , 1377.	1.6	19
501	Liquid Phase Separation of Polyaromatics on $[\text{Cu}_2(\text{BDC})_2(\text{dabco})]$ . <i>Langmuir</i> , 2011, 27, 9083-9087.	1.6	19
502	Study of Argon Gas Adsorption in Ordered Mesoporous MFI Zeolite Framework. <i>Journal of Physical Chemistry C</i> , 2012, 116, 25300-25308.	1.5	19
503	Pressure-induced amorphization of a dense coordination polymer and its impact on proton conductivity. <i>APL Materials</i> , 2014, 2, .	2.2	19
504	High $\text{CO}_2/\text{CH}_4$ Selectivity of a Flexible Copper(II) Porous Coordination Polymer under Humid Conditions. <i>ChemPlusChem</i> , 2015, 80, 1517-1524.	1.3	19

#	ARTICLE	IF	CITATIONS
505	Pre-design and Systematic Synthesis of 11 Highly Porous Coordination Polymers with Unprecedented Topology. <i>Inorganic Chemistry</i> , 2015, 54, 1645-1649.	1.9	19
506	Fast Conduction of Organic Cations in Metal Sulfate Frameworks. <i>Chemistry of Materials</i> , 2016, 28, 3968-3975.	3.2	19
507	Paraffinic metal-organic polyhedrons: solution-processable porous modules exhibiting three-dimensional molecular order. <i>Chemical Communications</i> , 2018, 54, 7290-7293.	2.2	19
508	Host-Guest Assembly of H-Bonding Networks in Covalent Organic Frameworks for Ultrafast and Anhydrous Proton Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 37172-37178.	4.0	19
509	Crystal structure of an infinite stair-type chain compound $[Cu_2(tc)_2(ClO_4)_2]_n$ (tc = thiochrome). <i>Journal of the Chemical Society Dalton Transactions</i> , 1991, , 1717.	1.1	18
510	Preparation, Structure, and Reactivities of Amido-Bridged Dinuclear Rhodium(III) and Rhodium(II) Complexes. <i>Organometallics</i> , 2000, 19, 216-218.	1.1	18
511	Formation of 3D networks by H-bonding from novel trinuclear or 1D chain complexes of zinc(II) and cadmium(II) with isonicotinic acid analogues and the effects of $\pi$ - $\pi$ stacking. <i>CrystEngComm</i> , 2005, 7, 411.	1.3	18
512	A Three-Dimensional Ferromagnet, $[Ni(dipn)]_3[Cr(CN)_6]_2 \cdot 3H_2O$ (dipn = dipropylene triamine), Based on a Cubic $Cr_8Ni_{12}$ Unit. <i>Inorganic Chemistry</i> , 2006, 45, 7191-7196.	1.9	18
513	Preparations and structural diversity of copper(I) ethylene adducts with related 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine ligands. <i>Inorganica Chimica Acta</i> , 2014, 410, 46-53.	1.2	18
514	Storage of $CO_2$ into Porous Coordination Polymer Controlled by Molecular Rotor Dynamics. <i>Angewandte Chemie</i> , 2018, 130, 8823-8826.	1.6	18
515	Rational Tuning of Zirconium Metal-Organic Framework Membranes for Hydrogen Purification. <i>Angewandte Chemie</i> , 2019, 131, 19210-19216.	1.6	18
516	Host-Guest Interaction Modulation in Porous Coordination Polymers for Inverse Selective $CO_2/C_2H_2$ Separation. <i>Angewandte Chemie</i> , 2021, 133, 11794-11800.	1.6	18
517	Coordination power series of solvents. <i>Inorganica Chimica Acta</i> , 1990, 169, 225-234.	1.2	17
518	Synthesis, Structure, and NMR Spectra of $[Cu_2(phen)_2(\frac{1}{4}-(C_6H_5)_2PCH_2P(C_6H_5)_2)](PF_6)_2$ and Its Derivatives. <i>Bulletin of the Chemical Society of Japan</i> , 1991, 64, 2809-2813.	2.0	17
519	Synthesis, Structure, and Magnetic Properties of Crystalline Coordination Polymers of Copper(II), $\{[Cu(CA)(H_2O)_2]_n(H_2O)\}_n$ AND $[Cu(CA)(MeOH)_n]_n$ (CA; Chloranilic Acid). <i>Molecular Crystals and Liquid Crystals</i> , 1995, 274, 179-185.	0.3	17
520	Fabrication of infinite two- and three-dimensional copper coordination polymers of chloranilic acid and its derivatives. Crystal structures and magnetic properties. <i>Synthetic Metals</i> , 1995, 71, 1917-1918.	2.1	17
521	X-Ray crystal structure, magnetic and electric properties of TTF trimer-based salts of $FeCl_4^-$ , $[TTF_7(FeCl_4)_2]$ . <i>Journal of Materials Chemistry</i> , 1998, 8, 295-300.	6.7	17
522	Catalysis of Helix Inversion of Zinc Bilindiones by Amines and Amino Acid Esters. <i>Supramolecular Chemistry</i> , 1999, 10, 297-308.	1.5	17

#	ARTICLE	IF	CITATIONS
523	Hydrophobic environment of gable-type bisporphyrin receptors in water promotes binding of amines and oligopeptides. <i>Chemical Communications</i> , 2002, , 1626-1627.	2.2	17
524	Substituent-Directed Structural and Physicochemical Controls of Diruthenium Catecholate Complexes with Ligand-Unsupported Ru <sup>II</sup> -Ru Bonds. <i>Inorganic Chemistry</i> , 2005, 44, 3799-3809.	1.9	17
525	The densely fluorinated nanospace of a porous coordination polymer composed of perfluorobutyl-functionalized ligands. <i>Chemical Communications</i> , 2014, 50, 10861.	2.2	17
526	Remarkable Oxygen Intake/Release of BaYMn <sub>2</sub> O <sub>5</sub> Viewed from High-Temperature Crystal Structure. <i>Journal of Physical Chemistry C</i> , 2015, 119, 2356-2363.	1.5	17
527	Eine neue Dimension von Koordinationspolymeren und Metallorganischen Gerüsten: hin zu funktionellen Gläsern und Flüssigkeiten. <i>Angewandte Chemie</i> , 2020, 132, 6716-6729.	1.6	17
528	Concluding remarks: current and next generation MOFs. <i>Faraday Discussions</i> , 2021, 231, 397-417.	1.6	17
529	A comparative study of honeycomb-like 2D $\pi$ -conjugated metal-organic framework chemiresistors: conductivity and channels. <i>Dalton Transactions</i> , 2021, 50, 13236-13245.	1.6	17
530	Preconcentration of some phosphorus-containing anions by adsorption on hydrated iron(III) oxide. <i>Analytica Chimica Acta</i> , 1985, 173, 299-303.	2.6	16
531	<sup>51</sup> V NMR studies of vanadium(I) complexes. Equilibria and crystal structure of Na[V(NO)(N(CH <sub>2</sub> CH <sub>2</sub> O) <sub>3</sub> )] and its derivatives. <i>Inorganica Chimica Acta</i> , 1989, 164, 49-53.	1.2	16
532	Helical chirality control in zinc bilinone dimers. <i>Chemical Communications</i> , 1999, , 911-912.	2.2	16
533	H <sub>2</sub> Generation by Cycling Dark Adsorption and Successive Photoinduced Desorption of 2-Mercaptopyridine on/from Ag-Core/Pt-Shell Nanoparticles Loaded on TiO <sub>2</sub> . <i>Langmuir</i> , 2000, 16, 6077-6080.	1.6	16
534	Crystal structures and magnetic properties of novel coordination polymers with rectangular lattice constructed from pyrazine derivative. <i>Polyhedron</i> , 2001, 20, 1411-1415.	1.0	16
535	Modulable cooperativity in a valence tautomeric complex functionalized with branched alkyl chains. <i>Chemical Communications</i> , 2010, 46, 3729.	2.2	16
536	Inclusion and dielectric properties of a vinylidene fluoride oligomer in coordination nanochannels. <i>Dalton Transactions</i> , 2012, 41, 4195.	1.6	16
537	Highly rigid and stable porous Cu(I) metal-organic framework with reversible single-crystal-to-single-crystal structural transformation. <i>CrystEngComm</i> , 2012, 14, 4153.	1.3	16
538	Coordination pillared layers using a dinuclear Mn(V) complex as a secondary building unit. <i>Polyhedron</i> , 2013, 52, 591-597.	1.0	16
539	Two solvent-dependent porous coordination polymers with $\text{-OH}$ decorated ligands: unusual non-crystallographic net and $\langle b \rangle$ topology. <i>CrystEngComm</i> , 2015, 17, 5609-5613.	1.3	16
540	A metal carbonyl-protein needle composite designed for intracellular CO delivery to modulate NF- $\kappa$ B activity. <i>Molecular BioSystems</i> , 2015, 11, 3111-3118.	2.9	16

#	ARTICLE	IF	CITATIONS
541	Finely Controlled Stepwise Engineering of Pore Environments and Mechanistic Elucidation of Water- $\epsilon$ -Stable, Flexible 2D Porous Coordination Polymers. <i>Chemistry - A European Journal</i> , 2018, 24, 6412-6417.	1.7	16
542	Anisotropic convergence of dendritic macromolecules facilitated by a heteroleptic metal-organic polyhedron scaffold. <i>Chemical Communications</i> , 2018, 54, 5209-5212.	2.2	16
543	Abrupt Conversion of Mixed-Valence State in Trinuclear Iron Cyanoacetate Complex. <i>Chemistry Letters</i> , 1993, 22, 1463-1466.	0.7	15
544	Synthesis, structure, and reactivities of the Ru-Co heterobimetallic complex. Molecular structures of Cp*Ru(CO) <sub>2</sub> ( $\eta$ -5-CO)Co(CO) <sub>3</sub> , Cp*Ru( $\eta$ -5-CO) <sub>2</sub> ( $\eta$ -5-dppm)Co(CO) <sub>2</sub> , Cp*Ru(CNBut)(CO)( $\eta$ -5-CO)Co(CO) <sub>3</sub> , and Cp*(CO)Ru( $\eta$ -5-CO) <sub>2</sub> ( $\eta$ -5-C(Col)CHC(Col)CH <sub>2</sub> Co(CO) <sub>2</sub> (Cp*= $\eta$ -5-C <sub>5</sub> Me <sub>5</sub> , dppm=Ph <sub>2</sub> PCH <sub>2</sub> PPh <sub>2</sub> , Tol=C <sub>6</sub> H <sub>4</sub> Me-4). <i>Journal of Organometallic Chemistry</i> , 2000, 596, 121-129.	0.8	15
545	Effects of Magnetic Anisotropy on Magnetization in Molecular Mesoscopic Magnet Fe <sub>8</sub> . <i>Journal of the Physical Society of Japan</i> , 2001, 70, 3084-3088.	0.7	15
546	Chemistry and application of porous coordination polymers. <i>Studies in Surface Science and Catalysis</i> , 2007, , 1983-1990.	1.5	15
547	Fibrous Architectures of Porous Coordination Polymers-Alumina Composites Fabricated by Coordination Replication. <i>Chemistry Letters</i> , 2014, 43, 1052-1054.	0.7	15
548	Porous Coordination Polymers Towards Gas Technology. <i>Structure and Bonding</i> , 2009, , 51-86.	1.0	15
549	Copper-63 NMR studies of copper(I) complexes. Relationship between copper-63 chemical shift and metal-ligand binding. <i>Inorganic Chemistry</i> , 1984, 23, 4388-4390.	1.9	14
550	Diamagnetic anisotropy of quadruple Mo $\mu$ -Mo bonds: $\mu$ -Mo <sub>2</sub> Cl <sub>4</sub> (diphosphine) <sub>2</sub> complexes. <i>Polyhedron</i> , 1988, 7, 1673-1676.	1.0	14
551	Tetranuclear Copper(I)-Based Infinite One-Dimensional Chain Complex. Synthesis and X-Ray Crystal Structure of {[Cu <sub>2</sub> ( $\eta$ -3-methylpyridazine) <sub>2</sub> ( $\eta$ -pyrazine) <sub>3</sub> ](ClO <sub>4</sub> ) <sub>2</sub> }] $\cdot$ n. <i>Chemistry Letters</i> , 1991, 20, 623-626.	0.7	14
552	A 2-D polymer constructed through bridging acetate, hydroxo, aqua and bipyridine ligands: crystal structure of {[Cu <sub>2</sub> ( $\eta$ -CH <sub>3</sub> COO)( $\eta$ -OH)( $\eta$ -H <sub>2</sub> O)(4,4'-bipy)](2H <sub>2</sub> O)(SiF <sub>6</sub> )] <sub>n</sub> . <i>Inorganic Chemistry Communication</i> , 2002, 5, 358-360.	1.8	14
553	Hydrogen-bonding assemblies constructed from metalloligand building blocks and H <sub>2</sub> O. <i>Inorganica Chimica Acta</i> , 2005, 358, 423-428.	1.2	14
554	Effects of Counteranions on the Structures and Redox and Spectroscopic Properties of Diruthenium Catecholate Complexes with Ligand-Unsupported Ru $\mu$ -Ru Bonds. <i>Inorganic Chemistry</i> , 2005, 44, 3810-3817.	1.9	14
555	Captured Molecules in Coordination Frameworks. <i>MRS Bulletin</i> , 2007, 32, 540-543.	1.7	14
556	Controlled Encapsulation of Photoresponsive Macromolecules in Porous Coordination Polymer. <i>Chemistry Letters</i> , 2013, 42, 222-223.	0.7	14
557	Formation of Foam-like Microstructural Carbon Material by Carbonization of Porous Coordination Polymers through a Ligand-Assisted Foaming Process. <i>Chemistry - A European Journal</i> , 2015, 21, 13278-13283.	1.7	14
558	Catalysis in MOFs: general discussion. <i>Faraday Discussions</i> , 2017, 201, 369-394.	1.6	14



#	ARTICLE	IF	CITATIONS
559	Generation of thiyl radicals in a zinc( <sup>II</sup> ) porous coordination polymer by light-induced post-synthetic deprotection. <i>Chemical Communications</i> , 2018, 54, 4782-4785.	2.2	14
560	Fighting at the Interface: Structural Evolution during Heteroepitaxial Growth of Cyanometallate Coordination Polymers. <i>Inorganic Chemistry</i> , 2018, 57, 8701-8704.	1.9	14
561	Control of local flexibility towards <i>p</i> -xylene sieving in Hofmann-type porous coordination polymers. <i>Chemical Communications</i> , 2020, 56, 9632-9635.	2.2	14
562	Benchmark Acetylene Binding Affinity and Separation through Induced Fit in a Flexible Hybrid Ultramicroporous Material. <i>Angewandte Chemie</i> , 2021, 133, 20546-20553.	1.6	14
563	Effect of pH on the carbon-13 nuclear magnetic resonance spectra of cobalt(II), nickel(II), copper(II), and manganese(II) complexes of histidine. <i>The Journal of Physical Chemistry</i> , 1978, 82, 89-97.	2.9	13
564	Preparation and Structure of a Novel Tetranuclear Mixed-Valence Vanadium(IV/V) Complexes Having Alkoxo and Oxo Groups. <i>Chemistry Letters</i> , 1997, 26, 249-250.	0.7	13
565	Syntheses and Crystal Structures of Novel Di- and Trinuclear Rhodium Complexes Bridged by Pyrazine. <i>Chemistry Letters</i> , 2001, 30, 168-169.	0.7	13
566	A Novel Coordination Polymer Incorporating a Dimeric Silver Unit: Increasing Structural Dimensionality through Ag <sup>+</sup> –Ag and Ag <sup>+</sup> –Hetero Atom Interactions. <i>Chemistry Letters</i> , 2004, 33, 648-649.	0.7	13
567	Bimodal three-membered valence tautomerism of an alkyl chain-functionalized manganese dioxolene complex. <i>Chemical Communications</i> , 2009, , 4085.	2.2	13
568	Formation of Nanocrystals of a Zinc Pillared-layer Porous Coordination Polymer Using Microwave-assisted Coordination Modulation. <i>Chemistry Letters</i> , 2012, 41, 1436-1438.	0.7	13
569	Sequential Synthesis of Coordination Polymersomes. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 1139-1143.	7.2	13
570	Characteristic Features of CO <sub>2</sub> and CO Adsorptions to Paddle-Wheel-type Porous Coordination Polymer. <i>Journal of Physical Chemistry C</i> , 2017, 121, 19129-19139.	1.5	13
571	Insights into inorganic buffer layer-assisted <i>in situ</i> fabrication of MOF films with controlled microstructures. <i>CrystEngComm</i> , 2018, 20, 6995-7000.	1.3	13
572	Cyclic Phosphorylation Reaction of Diols with Tri(1-imidazolyl)phosphine. <i>Bulletin of the Chemical Society of Japan</i> , 1983, 56, 3483-3485.	2.0	12
573	Synthesis and Crystal Structure of New Sulfate-Bridged Coordination Polymer, {(4,4'-bpyH <sub>2</sub> )[Fe <sub>3</sub> (4,4'-bpy) <sub>3</sub> (SO <sub>4</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>6</sub> ]·10H <sub>2</sub> O} <sub>n</sub> (4,4'-bpy = 4,4'-Bipyridine). Three-Dimensional Network with Microporous Channels. <i>Chemistry Letters</i> , 1999, 28, 727-728.		12
574	Syntheses and crystal structures of mononuclear rhodium hydrido complexes from the reactions of [Rh(H) <sub>2</sub> (PPh <sub>3</sub> ) <sub>2</sub> (EtOH) <sub>2</sub> ]ClO <sub>4</sub> with various nitrogen ligands. <i>Polyhedron</i> , 2002, 21, 1613-1620.	1.0	12
575	Controlled Polymerization by Incarceration of Monomers in Nanochannels. <i>Topics in Current Chemistry</i> , 2009, 293, 155-173.	4.0	12
576	Muon spin relaxation studies of critical fluctuations and diffusive spin dynamics in molecular magnets. <i>Physica B: Condensed Matter</i> , 2009, 404, 585-589.	1.3	12

#	ARTICLE	IF	CITATIONS
577	Structural controls of 2D sheet copper(i) ethylene and carbonyl coordination polymers directed by anions and solvents. CrystEngComm, 2012, 14, 5955.	1.3	12
578	Structural Optimization of Interpenetrated Pillaredâ€Layer Coordination Polymers for Ethylene/Ethane Separation. Chemistry - an Asian Journal, 2014, 9, 1643-1647.	1.7	12
579	Efficient CO <sub>2</sub> Removal for Ultraâ€Pure CO Production by Two Hybrid Ultramicroporous Materials. Angewandte Chemie, 2018, 130, 3390-3394.	1.6	12
580	In Situ Tracking of Dynamic NO Capture through a Crystalâ€Crystal Transformation from a Gateâ€Openâ€Type Chain Porous Coordination Polymer to a NOâ€Adducted Discrete Isomer. Chemistry - A European Journal, 2019, 25, 3020-3031.	1.7	12
581	Ligandâ€Assisted Electrochemical CO <sub>2</sub> Reduction by Ruâ€Polypyridyl Complexes. European Journal of Inorganic Chemistry, 2020, 2020, 1814-1818.	1.0	12
582	Observation of an exotic state of water in the hydrophilic nanospace of porous coordination polymers. Communications Chemistry, 2020, 3, .	2.0	12
583	Thermal ring-opening polymerization of an unsymmetrical silicon-bridged [1]ferrocenophane in coordination nanochannels. Chemical Communications, 2017, 53, 6945-6948.	2.2	12
584	The Affinity for Carbon Monoxide, Electrochemical and Spectral Properties of Binuclear Copper(I) Complexes. Bulletin of the Chemical Society of Japan, 1983, 56, 2258-2262.	2.0	11
585	Crystal Structure of Tetrakis(pyridine)copper(II) Nitrate Pyridine Solvate, [Cu(py) <sub>4</sub> ](NO <sub>3</sub> ) <sub>2</sub> ·2py. Analytical Sciences, 1991, 7, 827-828.	0.8	11
586	Comparative X-Ray Studies of a Copper(I) Coordination Polymer with 1,2,4,5-Tetramethylmercaptobenzene (tmmb), [(CuX) <sub>2</sub> (tmmb)] <sub>n</sub> (X=Br, I). Analytical Sciences, 1997, 13, 1047-1049.	0.8	11
587	Analysis of <sup>109</sup> Ag MAS NMR Chemical Shieldings Observed in Ag <sub>x</sub> Cu <sub>1-x</sub> Crystals. Bulletin of the Chemical Society of Japan, 1999, 72, 2061-2065.	2.0	11
588	Glutamic acid release from a series of aluminum-based isorecticular porous coordination polymers. Journal of Materials Chemistry B, 2015, 3, 4205-4212.	2.9	11
589	Radical Polymerization of Vinyl Monomers in Porous Organic Cages. Angewandte Chemie, 2016, 128, 6553-6557.	1.6	11
590	Controlled Organization of Anthracene in Porous Coordination Polymers. Chemistry Letters, 2017, 46, 1705-1707.	0.7	11
591	Porous crystalline materials: closing remarks. Faraday Discussions, 2017, 201, 395-404.	1.6	11
592	Reactions in Confined Spaces. ChemPhysChem, 2018, 19, 339-340.	1.0	11
593	Design and Synthesis of Porous Coordination Polymers with Expanded Oneâ€Dimensional Channels and Strongly Lewisâ€Acidic Sites. ChemNanoMat, 2018, 4, 103-111.	1.5	11
594	Selective Formation of End-on Orientation between Polythiophene and Fullerene Mediated by Coordination Nanospaces. Journal of Physical Chemistry C, 2018, 122, 24182-24189.	1.5	11

#	ARTICLE	IF	CITATIONS
595	Copper-63 nuclear magnetic resonance studies of tris(triethyl phosphite)copper(I) chloride in nonaqueous solution. <i>Inorganica Chimica Acta</i> , 1986, 120, 77-80.	1.2	10
596	Dependence of the rate of intramolecular electron transfer on crystal form in mixed-valence trinuclear iron phenylacetate complex. <i>Polyhedron</i> , 1996, 15, 2131-2139.	1.0	10
597	Hydrogen Bond-Supported Two-Dimensional Layers Of Iron(I?) and Copper(II) Complexes Of Chloranilate. Their Crystal Structures And Magnetic Properties. <i>Molecular Crystals and Liquid Crystals</i> , 1996, 286, 51-58.	0.3	10
598	Molecular structure of Î€-allyl palladium(II) complex, [Pd(Î-3-PhCHCHCHPh)-(S,S)-chiraphos)]PF6: A novel envelope conformation of chiral C2-symmetric diphosphine. <i>Journal of Organometallic Chemistry</i> , 1997, 538, 199-202.	0.8	10
599	Dynamic porous frameworks of coordination polymers controlled by anions. <i>Studies in Surface Science and Catalysis</i> , 2002, 141, 363-370.	1.5	10
600	Homohelicity induction of propylene-linked zinc bilinone dimers by complexation with chiral amine and Î±-amino esters. Preorganization of structurally coupled homohelical subunits. <i>Tetrahedron</i> , 2006, 62, 3619-3628.	1.0	10
601	Spin-Dependent Molecular Orientation of O2â€œO2Dimer Formed in the Nanoporous Coordination Polymer. <i>Journal of the Physical Society of Japan</i> , 2013, 82, 084703.	0.7	10
602	Plasma membrane translocation of a protein needle based on a triple-stranded Î²-helix motif. <i>Molecular BioSystems</i> , 2014, 10, 2677.	2.9	10
603	Intracellular Protein Delivery System with Protein Needleâ€œGFP Construct. <i>Chemistry Letters</i> , 2014, 43, 1505-1507.	0.7	10
604	Protein Needles as Molecular Templates for Artificial Metalloenzymes. <i>Israel Journal of Chemistry</i> , 2015, 55, 40-50.	1.0	10
605	Regulation of NO Uptake in Flexible Ru Dimer Chain Compounds with Highly Electron Donating Dopants. <i>Inorganic Chemistry</i> , 2016, 55, 12085-12092.	1.9	10
606	Base assisted Câ€œC coupling between carbonyl and polypyridyl ligands in a Ru-NADH-type carbonyl complex. <i>Dalton Transactions</i> , 2017, 46, 4373-4381.	1.6	10
607	Xylene Recognition in Flexible Porous Coordination Polymer by Guest-Dependent Structural Transition. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 52144-52151.	4.0	10
608	Topochemical [2 + 2] Cycloaddition in a Two-Dimensional Metalâ€œOrganic Framework via SCSC Transformation Impacts Halogenâ€œHalogen Interactions. <i>Inorganic Chemistry</i> , 2022, 61, 3029-3032.	1.9	10
609	Nuclear Magnetic Resonance Studies of Copper(I) Complexes of Imidazoles. I. Their Preparation, Characterization, Equilibria, and Reaction with Carbon Monoxide. <i>Bulletin of the Chemical Society of Japan</i> , 1986, 59, 2743-2750.	2.0	9
610	New coordination networks constructed from N-(4-pyridyl)isonicotinamide. <i>Crystal Engineering</i> , 1999, 2, 115-122.	0.7	9
611	An efficient recognition motif for an alkyl moiety in water. <i>Chemical Communications</i> , 2003, , 2918.	2.2	9
612	Formation of a Ligand-based Mixed-valence Cluster Triggered by Dehydration Condensation of Semiquinonates witho-Phenylenediamines. <i>Chemistry Letters</i> , 2005, 34, 402-403.	0.7	9

#	ARTICLE	IF	CITATIONS
613	Magnetic Excitation in Artificially Designed Oxygen Molecule Magnet. <i>Journal of the Physical Society of Japan</i> , 2008, 77, 083703.	0.7	9
614	Charge-Polarized Coordination Space for H <sub>2</sub> Adsorption. <i>Chemistry of Materials</i> , 2009, 21, 1829-1833.	3.2	9
615	End-functionalization of a vinylidene fluoride oligomer in coordination nanochannels. <i>Journal of Materials Chemistry</i> , 2011, 21, 8021.	6.7	9
616	Synthesis and Adsorption Properties of Azulene-containing Porous Interdigitated Framework. <i>Chemistry Letters</i> , 2012, 41, 425-426.	0.7	9
617	Electron Paramagnetic Resonance Study of Guest Molecule-Influenced Magnetism in Kagome Metal-Organic Framework. <i>Journal of Physical Chemistry C</i> , 2016, 120, 27462-27467.	1.5	9
618	Four-Electron Reduction of a New Ruthenium Dicarbonyl Complex Having Two NAD Model Ligands through Decarboxylation in Water. <i>Inorganic Chemistry</i> , 2016, 55, 11613-11616.	1.9	9
619	The role of lattice vibration in the terahertz region for proton conduction in 2D metal-organic frameworks. <i>Chemical Science</i> , 2020, 11, 1538-1541.	3.7	9
620	Construction of unimpeded proton-conducting pathways in solution-processed nanoporous polymer membranes. <i>Materials Horizons</i> , 2021, 8, 3088-3095.	6.4	9
621	Raman spectra of copper(I) and silver(I) complexes with 1,5-cyclooctadiene and the nature of metal-olefin bonds. Possibility of a copper(I)-olefin bond in cytochrome oxidase. <i>Journal of Organometallic Chemistry</i> , 1990, 391, 131-137.	0.8	8
622	Synchronous helicity control in zinc bilinone trimer. <i>Tetrahedron Letters</i> , 2005, 46, 7151-7154.	0.7	8
623	A New Honeycomb Assemblage of a Trisdithiolene Vanadium(IV) Complex, (PPh <sub>4</sub> ) <sub>2</sub> [V(dbddto) <sub>3</sub> ](C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub> )(hexane) <sub>0.5</sub> . <i>Chemistry Letters</i> , 2006, 35, 34-35.	0.7	8
624	Three-dimensional Ferromagnetic Frameworks of Syn-Anti-type Carboxylate-bridged NiII and CoII Coordination Polymers. <i>Chemistry Letters</i> , 2007, 36, 1184-1185.	0.7	8
625	Allosteric binding of amino alcohols and diamines by dimeric zinc biladienone. <i>Tetrahedron Letters</i> , 2009, 50, 536-539.	0.7	8
626	Magnetic properties of nitric oxide molecules physisorbed into nano-sized pores of MCM-41. <i>Microporous and Mesoporous Materials</i> , 2010, 132, 464-469.	2.2	8
627	Sol-gel synthesis of nanosized titanium oxide in a porous coordination polymer. <i>Microporous and Mesoporous Materials</i> , 2014, 195, 31-35.	2.2	8
628	Microporous structures having phenylene fin: Significance of substituent groups for rotational linkers in coordination polymers. <i>Microporous and Mesoporous Materials</i> , 2014, 189, 83-90.	2.2	8
629	Coordination Programming in the Design of Porous Coordination Polymers: Tuning of the Electronic Activity of Frameworks for Selective Nitrogen Monoxide Trapping. <i>Chemistry Letters</i> , 2014, 43, 890-892.	0.7	8
630	A Dual-Ligand Porous Coordination Polymer Chemiresistor with Modulated Conductivity and Porosity. <i>Angewandte Chemie</i> , 2020, 132, 178-182.	1.6	8

#	ARTICLE	IF	CITATIONS
631	Copper(I)-promoted cycloaddition reactions of pyridine-2-carbonitrile, 2-pyridylacetonitrile and isoquinoline-3-carbonitrile with ketones. <i>Journal of the Chemical Society Chemical Communications</i> , 1991, , 1244.	2.0	7
632	Valence-delocalization of the mixed-valence oxo-centered trinuclear iron propionates [Fe <sup>2+</sup> III Fe <sup>3+</sup> IIO(C <sub>2</sub> H <sub>5</sub> CO <sub>2</sub> ) <sub>6</sub> (py) <sub>3</sub> ] <sub>n</sub> py; <sub>n</sub> =0, 1.5. <i>Hyperfine Interactions</i> , 1994, 93, 1567-1572.	0.2	7
633	Heterodinuclear Complex Cp* <sub>2</sub> Ru(CO) <sub>2</sub> Co(CO) <sub>4</sub> (Cp* = 1,5-η-C <sub>5</sub> Me <sub>5</sub> ) Induced Selective Dimerization of Terminal Alkynes. <i>Chemistry Letters</i> , 1998, 27, 1175-1176.	0.7	7
634	Synthesis and <sup>151</sup> Eu- and <sup>57</sup> Fe-Mössbauer spectroscopic studies of new europium-iron complexes. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1999, 239, 227-232.	0.7	7
635	Crystal Engineering of 3D Porous Coordination Polymers through Hydrogen Bonding to Coordination from 1D Helical Chains. <i>Chemistry Letters</i> , 2003, 32, 588-589.	0.7	7
636	Structural and Spectroscopic Characterization of a Diruthenium-Dioxolene Complex Possessing a Singly Occupied Molecular Orbital Delocalized over the Entire Molecule, [Ru <sub>2</sub> (3,6-DTBDiox) <sub>4</sub> ]. <i>Inorganic Chemistry</i> , 2006, 45, 3990-3997.	1.9	7
637	Thermodynamically controlled coordination-engineering of novel 2D cadmium thiolate coordination polymers. <i>New Journal of Chemistry</i> , 2011, 35, 1265.	1.4	7
638	Reversible solid-state hydration and dehydration process involving anion transfer in a self-assembled Cu <sub>2</sub> system. <i>RSC Advances</i> , 2012, 2, 12169.	1.7	7
639	Fabrication of Ceria Nanoparticles Incorporated in Porous Coordination Polymer. <i>Chemistry Letters</i> , 2014, 43, 1749-1751.	0.7	7
640	Highly efficient oxidative adsorption of methanethiol from hydrocarbon gas using Cu <sup>2+</sup> -based porous coordination polymers. <i>Microporous and Mesoporous Materials</i> , 2017, 243, 351-354.	2.2	7
641	Synthesis of Oligodiacetylene Derivatives from Flexible Porous Coordination Frameworks. <i>Journal of the American Chemical Society</i> , 2017, 139, 13876-13881.	6.6	7
642	Atomic Force Microscopy Study of the Influence of the Synthesis Conditions on the Single-Crystal Surface of Interdigitated Metal-Organic Frameworks. <i>ChemPhysChem</i> , 2018, 19, 2134-2138.	1.0	7
643	A square lattice topology coordination network that exhibits highly selective C <sub>2</sub> H <sub>2</sub> /CO <sub>2</sub> separation performance. <i>SmartMat</i> , 2020, 1, e1008.	6.4	7
644	Purely Physisorption-Based CO <sub>2</sub> -Selective Gate-Opening in Microporous Organically Pillared Layered Silicates. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 564-568.	7.2	7
645	The X-ray structure of the divanadyl complex, [(VO) <sub>2</sub> Cl <sub>2</sub> (C <sub>8</sub> H <sub>6</sub> N <sub>2</sub> ) <sub>2</sub> (OC <sub>2</sub> H <sub>5</sub> ) <sub>2</sub> ]. <i>Inorganica Chimica Acta</i> , 1990, 175, 3-4.	1.2	6
646	New coordination network of [Cd <sub>2</sub> (bpob) <sub>3</sub> (NO <sub>3</sub> ) <sub>4</sub> ] <sub>n</sub> (bpob=1,4-bis(4-pyridoxy)benzene) constructed from two structural isomers of the ligand. <i>Solid State Sciences</i> , 1999, 1, 73-75.	0.8	6
647	Triple Hydrogen Bond Directed Crystal Engineering of Metal Assembled Complexes: The Effect of a Novel Organic-Inorganic Module on Supramolecular Structure. <i>Molecular Crystals and Liquid Crystals</i> , 2002, 379, 419-424.	0.4	6
648	A Homometallic Ferrimagnet Based on Mixed Antiferromagnetic and Ferromagnetic Interactions through Oxamate and Carboxylate Bridges. <i>Chemistry Letters</i> , 2008, 37, 64-65.	0.7	6

#	ARTICLE	IF	CITATIONS
649	Design of Porous Coordination Polymers/Metal-Organic Frameworks: Past, Present and Future. , 2011, , 1-21.		6
650	Synthesis, structures and adsorption properties of two new magnesium coordination polymers. Solid State Sciences, 2013, 16, 29-33.	1.5	6
651	Host-Guest Metal-Organic Frameworks for Photonics. Structure and Bonding, 2013, , 167-186.	1.0	6
652	Surface Functionalization of Protein Crystals with Carbohydrate Using Site-selective Bioconjugation. Chemistry Letters, 2015, 44, 29-31.	0.7	6
653	New directions in gas sorption and separation with MOFs: general discussion. Faraday Discussions, 2017, 201, 175-194.	1.6	6
654	Surface morphology-induced spin-crossover-inactive high-spin state in a coordination framework. Chemical Communications, 2021, 57, 1462-1465.	2.2	6
655	Is the oxygen atom of carbon monoxide coordinated to the copper of hemocyanin?. Journal of Inorganic Biochemistry, 1982, 16, 319-322.	1.5	5
656	Structure and <sup>1</sup> H n.m.r. spectrum of a binuclear copper(I) complex with non-bridging and bridging 2-vinylpyridine ligands (vpy), [Cu <sub>2</sub> (μ-vpy) <sub>2</sub> (vpy) <sub>2</sub> ](ClO <sub>4</sub> ) <sub>2</sub> . Journal of the Chemical Society Chemical Communications, 1987, , 1798-1799.	2.0	5
657	Crystal Structure of Tetrakis(2-methylpyrazine)copper(II) Perchlorate, [Cu(2-Mepz) <sub>4</sub> ](ClO <sub>4</sub> ) <sub>2</sub> . Analytical Sciences, 1992, 8, 899-900.	0.8	5
658	Crystal Structure of Bis(2-mercaptothiazoline)copper(I) Chloride, Cu(mtz) <sub>2</sub> Cl]. Analytical Sciences, 1993, 9, 887-888.	0.8	5
659	Crystal structure of a binuclear vanadium(III) complex with a new tripodal ligand, [V <sub>2</sub> Cl <sub>4</sub> (tped)(EtOH) <sub>2</sub> ]·2EtOH. Inorganica Chimica Acta, 1994, 224, 199-201.	1.2	5
660	Structure analysis of K <sub>x</sub> Rb <sub>1-x</sub> X (X = Br, I) mixed crystals by <sup>87</sup> Rb and <sup>39</sup> K NMR and X-ray diffraction methods. Journal of Physics and Chemistry of Solids, 1996, 57, 1609-1614.	1.9	5
661	Structural, Spectroscopic and Magnetic Properties of Charge-Transfer Complex, (TMTSF)[Cr(Cl <sub>4</sub> SO) <sub>2</sub> (Cl <sub>4</sub> Cat)]·0.5CH <sub>2</sub> Cl <sub>2</sub> . Molecular Crystals and Liquid Crystals, 1999, 335, 183-192.	0.3	5
662	Hydrogen-Bond Network of Dimeric Copper Complex of Vanillic Acid (HVA), [Cu(VA) <sub>2</sub> (H <sub>2</sub> O)] <sub>2</sub> . Molecular Crystals and Liquid Crystals, 2000, 342, 97-102.	0.3	5
663	Synthesis, structure and reactivities of the dinuclear 1,6-arylethynyl ruthenium complexes [Cp(PR <sub>3</sub> ) <sub>2</sub> Ru(1,6-C <sub>6</sub> H <sub>4</sub> Me-p)RuCp*] <sub>2</sub> ·Cl (R=Ph, Me; Cp=1,5-C <sub>5</sub> H <sub>5</sub> , Cp*=1,5-C <sub>5</sub> Me <sub>5</sub> ). The molecular structure of [Cp(PPh <sub>3</sub> ) <sub>2</sub> Ru(1,6-C <sub>6</sub> H <sub>4</sub> Me-p)RuCp*] <sub>2</sub> ·PF <sub>6</sub> . Journal of Organometallic Chemistry, 2001, 625, 133-139.		5
664			

#	ARTICLE	IF	CITATIONS
667	Water adsorption-desorption property of stable porous supramolecular assembly composed of discrete tetranuclear iron(III) complex using $\pi$ - $\pi$ interactions. <i>Inorganica Chimica Acta</i> , 2012, 386, 122-128.	1.2	5
668	Highly Processable Covalent Organic Framework Gel Electrolyte Enabled by Side-Chain Engineering for Lithium-Ion Batteries. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	5
669	Mössbauer spectroscopic and thermal decomposition studies of alkylamine and nitrogen heterocyclic substituted pentacyanoferrate(II) complexes. <i>Thermochimica Acta</i> , 1996, 287, 111-129.	1.2	4
670	Crystal Structure of Dinuclear Copper(I) Complex with 1,2,4,5-Tetramethylmercaptobenzene, [Cu(tmmb)] <sub>2</sub> . <i>Analytical Sciences</i> , 1997, 13, 651-652.	0.8	4
671	Design and Construction of Coordination Polymers Based on the Topological Property of the Multidentate Ligand. <i>Chemistry Letters</i> , 2001, 30, 50-51.	0.7	4
672	Flexible coordination polymers as novel porous materials. <i>Studies in Surface Science and Catalysis</i> , 2005, , 497-504.	1.5	4
673	Hindered Rotation of Methane Molecules in the One-Dimensional Nanochannel of a Porous Coordination Polymer. <i>Journal of Nanoscience and Nanotechnology</i> , 2009, 9, 69-76.	0.9	4
674	Guest responsivity of a two-dimensional coordination polymer incorporating a cholesterol-based co-ligand. <i>Dalton Transactions</i> , 2013, 42, 15893.	1.6	4
675	Study on a 2D layer coordination framework showing order-to-disorder phase transition by ionothermal synthesis. <i>Polymer Journal</i> , 2015, 47, 141-145.	1.3	4
676	Recognition of 1,3-Butadiene by a Porous Coordination Polymer. <i>Angewandte Chemie</i> , 2016, 128, 13988-13992.	1.6	4
677	MOFs modeling and theory: general discussion. <i>Faraday Discussions</i> , 2017, 201, 233-245.	1.6	4
678	Imidazolium cation transportation in a 1-D coordination polymer. <i>Dalton Transactions</i> , 2017, 46, 10798-10801.	1.6	4
679	Purely Physisorption-Based CO <sub>2</sub> -Selective Gate-Opening in Microporous Organically Pillared Layered Silicates. <i>Angewandte Chemie</i> , 2018, 130, 573-577.	1.6	4
680	Borohydride-containing coordination polymers: synthesis, air stability and dehydrogenation. <i>Chemical Science</i> , 2019, 10, 6193-6198.	3.7	4
681	Structural-Deformation-Energy-Modulation Strategy in a Soft Porous Coordination Polymer with an Interpenetrated Framework. <i>Angewandte Chemie</i> , 2020, 132, 15647-15651.	1.6	4
682	Effect of Micropores of a Porous Coordination Polymer on the Product Selectivity in Ru <sup>II</sup> Complex-catalyzed CO <sub>2</sub> Reduction. <i>Chemistry - an Asian Journal</i> , 2021, 16, 3341-3344.	1.7	4
683	Studies on Synthesis and Properties of Porous Coordination Polymers. <i>Bulletin of Japan Society of Coordination Chemistry</i> , 2008, 51, 13-19.	0.1	4
684	Spectroscopic Studies of Copper(I) Complexes of 1,8-Di(2-pyridyl)-3,6-dithiaoctane in a Nonaqueous Solvent. The Halide-ion Effect on Their Structure. <i>Bulletin of the Chemical Society of Japan</i> , 1982, 55, 3491-3495.	2.0	3

#	ARTICLE	IF	CITATIONS
685	Nuclear Magnetic Resonance Studies of Copper(I) Complexes of Imidazoles. II. Their Reaction with Ethylene, Phosphite, and Isocyanides. Bulletin of the Chemical Society of Japan, 1986, 59, 2751-2754.	2.0	3
686	Deuteron NMR spectroscopy of copper(II) complexes in solution. 1. (5,7,7,12,14,14-hexamethyl-1,4,8,11-tetraazabicyclo[3.3.1]nonane-2,9-dione) copper(II) complex. Chimica Acta, 1986, 121, 113-117.	1.2	3
687	On the mechanism of stereoisomerization of methyl groups of 1,3-diaxial [cis-3-(benzyloxy)cyclohexyl]chlorodimethylstannane. Tetrahedron Letters, 1991, 32, 4945-4948.	0.7	3
688	Natural abundance nitrogen-15 CP-MAS NMR studies of copper(I) complexes. Magnetic Resonance in Chemistry, 1991, 29, 566-568.	1.1	3
689	Synthesis, Structure and Magnetic Properties of a Two-Dimensional Nickel(II) Coordination Polymer, {[Ni(pzdc)(pyz)] <sub>2</sub> ·2H <sub>2</sub> O} <sub>n</sub> (H <sub>2</sub> pzdc = pyrazine-2,3-dicarboxylic acid; Tj ETQq0.1 0.784314 rgBT)	1.3	3
690	Synthesis, Structure, and Reactivities of the 1,6-η <sup>2</sup> -Aryl Alkynyl Diruthenium Complex. X-Ray Structure of [Cp(PPH <sub>3</sub> ) <sub>2</sub> Ru(1,6-η <sup>2</sup> -C <sub>6</sub> H <sub>4</sub> Me-p)RuCp*]PF <sub>6</sub> (Cp = 1-5-C <sub>5</sub> H <sub>5</sub> , Cp* = 1-5-C <sub>5</sub> Me <sub>5</sub> ). Chemistry Letters, 1999, 287, 865-866.	2.7	3
691	Synthesis and Crystal Structure of New Salicylate-Bridged Coordination Polymer, [Cu <sub>2</sub> (sal) <sub>2</sub> (pyz)(MeOH) <sub>2</sub> ] <sub>n</sub> . Chemistry Letters, 2000, 29, 536-537.	0.7	3
692	Synthesis and Crystal Structure of [Cu(η <sup>5</sup> -salicylidene-3-aminopyridine) <sub>2</sub> ] <sub>n</sub> Constructed from Unsymmetric Bridging Ligand with Two Dissimilar Metal-Binding Sites. Molecular Crystals and Liquid Crystals, 2000, 342, 231-236.	0.3	3
693	Title is missing!. Journal of Inorganic and Organometallic Polymers, 2002, 12, 23-29.	1.5	3
694	Magnetic and magneto-optical properties of two-dimensional cyanide-bridged solid solutions having fragmented magnetic domain. Polyhedron, 2005, 24, 2839-2843.	1.0	3
695	A unique 2-D hollow sheet structure and magnetic behavior of a cyanide- and triamine-bridged MnII/III ferrimagnet. Polyhedron, 2007, 26, 2252-2258.	1.0	3
696	Highly symmetric 3D ferrimagnets, [Mn(dien)] <sub>3</sub> [M(CN) <sub>6</sub> ] <sub>2</sub> ·2H <sub>2</sub> O (M = Cr, Mn; dien = diethylenetriamine): Synthesis, structures and magnetic properties. Polyhedron, 2013, 64, 122-127.	1.0	3
697	Soft 2D Layer Porous Coordination Polymers with 1,2-Di(4-pyridyl)ethane. Australian Journal of Chemistry, 2013, 66, 464.	0.5	3
698	Terahertz phase contrast imaging of sorption kinetics in porous coordination polymer nanocrystals using differential optical resonator. Optics Express, 2014, 22, 11061.	1.7	3
699	Synthesis of chiral porous coordination polymer that shows structural transformation induced by guest molecules. Inorganica Chimica Acta, 2015, 424, 221-225.	1.2	3
700	Superionic Conduction in Co <sub>2</sub> Vacant P <sub>2</sub> N <sub>2</sub> CoO <sub>2</sub> Created by Hydrogen Reductive Elimination. Chemistry - an Asian Journal, 2016, 11, 1537-1541.	1.7	3
701	Guest-selective gate-opening by pore engineering of two-dimensional Kagomé lattice porous coordination polymers. Natural Sciences, 2021, 1, e10020.	1.0	3
702	Chiral Recognition of $\beta$ -Amino Esters on the Chiral Helical Surface of Zinc Bilinone. Chemistry Letters, 2000, 29, 1054-1055.	0.7	2



#	ARTICLE	IF	CITATIONS
703	Functional Porous Coordination Polymers. ChemInform, 2004, 35, no.	0.1	2
704	Effect of Counteranions on the Structural Isomerization of a Dianionic Diruthenium Complex with a Ligand-unsupported Ru <sup>II</sup> -Ru Bond. Chemistry Letters, 2005, 34, 1662-1663.	0.7	2
705	Dynamic torsional motion of a diruthenium complex with four homo-catecholates and first synthesis of a diruthenium complex with mixed-catecholates. Journal of Molecular Structure, 2008, 890, 303-308.	1.8	2
706	Guest-induced Single-crystal-to-single-crystal Transformation in Copper Complexes of 1,3,5-Benzenetricarboxylic Acid and 4,4'-Bipyridine. Chemistry Letters, 2010, 39, 1186-1187.	0.7	2
707	Cover Picture: Solid Solutions of Soft Porous Coordination Polymers: Fine-Tuning of Gas Adsorption Properties (Angew. Chem. Int. Ed. 28/2010). Angewandte Chemie - International Edition, 2010, 49, 4687-4687.	7.2	2
708	Inorganic Design of Protein Assemblies as Supramolecular Platforms. Journal of Inorganic and Organometallic Polymers and Materials, 2013, 23, 50-60.	1.9	2
709	Electrochemical behavior of a Rh(pentamethylcyclopentadienyl) complex bearing an NAD <sup>+</sup> /NADH-functionalized ligand. Dalton Transactions, 2018, 47, 5207-5216.	1.6	2
710	Synthesis and 1H-NMR spectra of binuclear copper(II) complexes with copper(II)-copper(II) interaction as an oxyhemocyanin model. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1988, 1988, 438-444.	0.1	1
711	Synthesis and crystal structure of a one-dimensional copper(I) polymer containing a bis-bidentate tetrathioether ligand. Synthetic Metals, 1999, 102, 1464-1465.	2.1	1
712	Architecture and Functional Engineering Based on Paddlewheel Dinuclear Tetracarboxylate Building Blocks. , 2006, , 195-218.		1
713	Magnetic Properties and the Arrangement of Molecular Oxygen Adsorbed in the Microporous Coordination Polymer Cd(bpndc)(bpy). Journal of Low Temperature Physics, 2010, 159, 122-125.	0.6	1
714	High Removal Efficiency and Regeneration Property of Formaldehyde Capture by Ti <sup>4+</sup> -based Porous Coordination Polymer. Chemistry Letters, 2015, 44, 1694-1696.	0.7	1
715	Porosity Distribution Control in Carbon by Tuning the Carbonization Rate in Porous Coordination Polymers. Chemistry Letters, 2017, 46, 1650-1653.	0.7	1
716	Application to Inorganic Materials. , 0, , 337-369.		1
717	Creation of Molecular-Assembling, -Stressing, and Converting Fields Based on Nanospaces of Metal Complexes. Yuki Gosei Kagaku Kyokaishi/Journal of Synthetic Organic Chemistry, 2004, 62, 424-432.	0.0	1
718	Direct observation of porous coordination polymer surfaces by atomic force microscopy. Japanese Journal of Applied Physics, 0, , .	0.8	1
719	Synthesis of ethylene and carbon monoxide complexes of copper(I) with polyimidazolyl ligands - A model for the ethylene receptor site of plants. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1988, 1988, 640-647.	0.1	0
720	Synthesis and Molecular Structure of the Amido-Bridged Dinuclear Rhodium Complex [Cp* <sub>2</sub> Rh <sub>2</sub> (NH) <sub>2</sub> C <sub>10</sub> H <sub>6</sub> -2,3}(i <sup>1</sup> / <sub>4</sub> -Cl)RhCp*][PF <sub>6</sub> ] <sub>6</sub> (Cp* = i <sup>1</sup> / <sub>4</sub> -C <sub>5</sub> Me <sub>5</sub> ). Molecular Crystals and Liquid Crystals, 2000, 342, 1-6.	0.3	0

#	ARTICLE	IF	CITATIONS
721	A New Strategy for the Design of Water-Soluble Synthetic Receptors: Specific Recognition of DNA Intercalators and Diamines.. ChemInform, 2003, 34, no.	0.1	0
722	Temperature-Controlled Hydrothermal Synthesis of a 2D Ferromagnetic Coordination Bilayered Polymer and a Novel 3D Network with Inorganic Co <sub>3</sub> (OH) <sub>2</sub> Ferrimagnetic Chains.. ChemInform, 2004, 35, no.	0.1	0
723	Creation of Molecular-Assembling, -Stressing, and Converting Fields Based on Nanospaces of Metal Complexes. ChemInform, 2004, 35, no.	0.1	0
724	Third-order nonlinear optical properties of soluble Cr(III)-dioxolene complexes. , 2004, , .		0
725	Dynamic Porous Properties of Coordination Polymers Inspired by Hydrogen Bonds. ChemInform, 2005, 36, no.	0.1	0
726	A Facile and Versatile Preparation of Bilindiones and Biladienones from Tetraarylporphyrins.. ChemInform, 2005, 36, no.	0.1	0
727	Flexible Microporous Coordination Polymers. ChemInform, 2006, 37, no.	0.1	0
728	Porous Coordination Polymers Towards Gas Technology. Structure and Bonding, 2009, , 96-106.	1.0	0
729	Heat Capacity of a Layered Molecule-Based Ferrimagnet [Mn <sup>II</sup> (S <sub>2</sub> pnH)(H <sub>2</sub> O)] [Mn <sup>III</sup> (CN) <sub>6</sub> ]·2H <sub>2</sub> O. 0.7 Journal of the Physical Society of Japan, 2009, 78, 065001.	0.7	0
730	Modulation of the Interlayer Structures and Magnetic Behavior of 2D Spin-Crossover Coordination Polymers [Fe <sup>II</sup> (L) <sub>2</sub> Pt <sup>II</sup> (CN) <sub>4</sub> ] (Eur. J. Inorg. Chem.) Tj ETQq0 0 0.0 BT /Overlock 10 T	0.0	0
731	A New Phase of Solid Oxygen. Physics Magazine, 2014, 7, .	0.1	0
732	Infrared spectroscopy of water molecules in porous coordination polymer. , 2016, , .		0
733	Continuous Scientific Growth through an Open-Minded Attitude. Chemistry - an Asian Journal, 2018, 13, 7-8.	1.7	0
734	Frontispiece: In Situ Tracking of Dynamic NO Capture through a Crystal-to-Crystal Transformation from a Gate-Open-Type Chain Porous Coordination Polymer to a NO-Adducted Discrete Isomer. Chemistry - A European Journal, 2019, 25, .	1.7	0
735	Photocleavage Synthesis of Hydroxy Group-Bearing Porous Coordination Polymers. ChemNanoMat, 2020, 6, 739-743.	1.5	0
736	Crystal Flexibility Design through Local and Global Motility Cooperation. Angewandte Chemie, 2021, 133, 7106-7111.	1.6	0
737	Frontispiz: Host-Guest Interaction Modulation in Porous Coordination Polymers for Inverse Selective CO <sub>2</sub> /C <sub>2</sub> H <sub>2</sub> Separation. Angewandte Chemie, 2021, 133, .	1.6	0
738	Frontispiece: Host-Guest Interaction Modulation in Porous Coordination Polymers for Inverse Selective CO <sub>2</sub> /C <sub>2</sub> H <sub>2</sub> Separation. Angewandte Chemie - International Edition, 2021, 60, .	7.2	0

#	ARTICLE	IF	CITATIONS
739	THREE-DIMENSIONAL NETWORK WITH CAVITIES CREATED BY HYDROGEN BONDS IN PROTOCATECHUIC ACID/COPPER (II) SYSTEM. , 2002, , .		0
740	Soft and dynamic properties of PCPs and MOFs. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C2-C2.	0.0	0
741	Shape memory nanopores in a porous MOM. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C184-C184.	0.0	0
742	Coordination polymer glass for bio-inspired photoelectric conversion application. Acta Crystallographica Section A: Foundations and Advances, 2017, 73, C1033-C1033.	0.0	0
743	Decision making for market-based environmental cost allocation: the case of packaging waste policy in Germany. , 2014, , .		0