

# Simone De Nitto

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/936563/publications.pdf>

Version: 2024-02-01

25  
papers

453  
citations

932766

10  
h-index

752256

20  
g-index

28  
all docs

28  
docs citations

28  
times ranked

1021  
citing authors

#	ARTICLE	IF	CITATIONS
1	Performance of Fujirebio Espline SARS-CoV-2 rapid antigen test for identifying potentially infectious individuals. <i>Diagnosis</i> , 2022, 9, 146-148.	1.2	5
2	Clinical performance of the Roche Elecsys SARS-CoV-2 antigen fully automated electrochemiluminescence immunoassay. <i>Practical Laboratory Medicine</i> , 2022, 29, e00265.	0.6	4
3	SARS-CoV-2 Omicron infection is associated with high nasopharyngeal viral load. <i>Journal of Infection</i> , 2022, 84, 834-872.	1.7	15
4	Effect of BNT162b2 booster dose on anti-SARS-CoV-2 spike trimeric IgG antibodies in seronegative individuals. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, 930-933.	1.4	16
5	Serum C reactive protein predicts humoral response after BNT162b2 booster administration. <i>Journal of Infection</i> , 2022, 85, e24-e25.	1.7	3
6	Comparative longitudinal variation of total IgG and IgA anti-SARS-CoV-2 antibodies in recipients of BNT162b2 vaccination. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2022, 3, 39-43.	0.1	2
7	Three-month <i>ad interim</i> analysis of total anti-SARS-CoV-2 antibodies in healthy recipient of a single BNT162b2 vaccine booster. <i>Clinical Chemistry and Laboratory Medicine</i> , 2022, 60, e181-e183.	1.4	2
8	Impact of BNT162b2 primary vaccination and homologous booster on anti-SARS-CoV-2 IgA antibodies in baseline seronegative healthcare workers. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2022, 3, 167-170.	0.1	0
9	Impact of water temperature on reconstitution of quality controls for routine hemostasis testing. <i>Diagnosis</i> , 2021, 8, 233-238.	1.2	1
10	Anti-spike S1 IgA, anti-spike trimeric IgG, and anti-spike RBD IgG response after BNT162b2 COVID-19 mRNA vaccination in healthcare workers. <i>Journal of Medical Biochemistry</i> , 2021, 40, 327-334.	0.7	21
11	Thrombin Generation in Patients with Coronavirus Disease 2019. <i>Seminars in Thrombosis and Hemostasis</i> , 2021, 47, 447-450.	1.5	13
12	Comprehensive assessment of humoral response after Pfizer BNT162b2 mRNA Covid-19 vaccination: a three-case series. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, 1585-1591.	1.4	47
13	Real-world assessment of Fluorecare SARS-CoV-2 Spike Protein Test Kit. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2021, 2, 409-412.	0.1	1
14	Anti-SARS-CoV-2 Receptor-Binding Domain Total Antibodies Response in Seropositive and Seronegative Healthcare Workers Undergoing COVID-19 mRNA BNT162b2 Vaccination. <i>Diagnostics</i> , 2021, 11, 832.	1.3	74
15	Evaluaci3n de la prueba Fluorecare de anticuerpos contra la prote3na Spike del SARS-CoV-2 en la pr3ctica real. <i>Advances in Laboratory Medicine / Avances En Medicina De Laboratorio</i> , 2021, 2, 413-416.	0.1	0
16	Monitoring of the immunogenic response to Pfizer BNT162b2 mRNA COVID-19 vaccination in healthcare workers with Snibe SARS-CoV-2 S-RBD IgG chemiluminescent immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, 59, e377-e379.	1.4	9
17	Comparison of five commercial anti-SARS-CoV-2 total antibodies and IgG immunoassays after vaccination with BNT162b2 mRNA. <i>Journal of Medical Biochemistry</i> , 2021, 40, 335-340.	0.7	18
18	Clinical Assessment of the DiaSorin LIAISON SARS-CoV-2 Ag Chemiluminescence Immunoassay. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2021, 32, 216-223.	0.7	8

#	ARTICLE	IF	CITATIONS
19	The pronounced decline of anti-SARS-CoV-2 spike trimeric IgG and RBD IgG in baseline seronegative individuals six months after BNT162b2 vaccination is consistent with the need for vaccine boosters. <i>Clinical Chemistry and Laboratory Medicine</i> , 2021, .	1.4	15
20	Platelets Promote Thromboinflammation in SARS-CoV-2 Pneumonia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2020, 40, 2975-2989.	1.1	144
21	Machine Learning Model Comparison in the Screening of Cholangiocarcinoma Using Plasma Bile Acids Profiles. <i>Diagnostics</i> , 2020, 10, 551.	1.3	11
22	Bile Acids Quantification by Liquid Chromatographyâ€“Tandem Mass Spectrometry: Method Validation, Reference Range, and Interference Study. <i>Diagnostics</i> , 2020, 10, 462.	1.3	10
23	Preliminary evaluation of Roche Cobas Elecsys Anti-SARS-CoV-2 chemiluminescence immunoassay. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e251-e253.	1.4	14
24	Clinical Assessment of the DiaSorin LIAISON SARS-CoV-2 Ag Chemiluminescence Immunoassay. <i>SSRN Electronic Journal</i> , 0, , .	0.4	11
25	Performance of Fujirebio Espline SARS-CoV-2 Rapid Antigen Test for Identifying Potentially Infectious Individuals. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0