Cecilia Demergasso

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9366133/cecilia-demergasso-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 1,687 23 39 g-index

87 2,039 2.8 4.3 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
82	Surface Morphologies in a Mars-Analog Ca-Sulfate Salar, High Andes, Northern Chile. <i>Frontiers in Astronomy and Space Sciences</i> , 2022 , 8,	3.8	1
81	Physical, chemical, and microbial feedbacks controlling brine geochemistry and lake morphology in polyextreme salar environments <i>Science of the Total Environment</i> , 2022 , 155378	10.2	0
80	Mineral Paragenesis Precipitating in Salt Flat Pools of Continental Environments Replicated in Microbial Mat Microcosms without Evaporation. <i>Minerals (Basel, Switzerland)</i> , 2022 , 12, 646	2.4	
79	From Laboratory towards Industrial Operation: Biomarkers for Acidophilic Metabolic Activity in Bioleaching Systems. <i>Genes</i> , 2021 , 12,	4.2	1
78	An indigenous bacterium with enhanced performance of microbially-induced Ca-carbonate biomineralization under extreme alkaline conditions for concrete and soil-improvement industries. <i>Acta Biomaterialia</i> , 2021 , 120, 304-317	10.8	12
77	On the origin of saline compounds in acidic salt flats (Central Andean Altiplano). <i>Chemical Geology</i> , 2021 , 574, 120155	4.2	3
76	Time-Integrative Multibiomarker Detection in Triassic-Jurassic Rocks from the Atacama Desert: Relevance to the Search for Basic Life Beyond Earth. <i>Astrobiology</i> , 2021 , 21, 1421-1437	3.7	1
75	El Dominio Salino del norte de Chile y sus yacimientos de minerales industriales. <i>Boletin De La Sociedad Geologica Mexicana</i> , 2020 , 72, A020720	1.7	5
74	A Test in a High Altitude Lake of a Multi-Parametric Rapid Methodology for Assessing Life in Liquid Environments on Planetary Bodies: A Potential New Freshwater Polychaete Tubeworm Community. <i>Frontiers in Environmental Science</i> , 2019 , 7,	4.8	1
73	Microbiology and Nitrogen Cycle in the Benthic Sediments of a Glacial Oligotrophic Deep Andean Lake as Analog of Ancient Martian Lake-Beds. <i>Frontiers in Microbiology</i> , 2019 , 10, 929	5.7	8
7 ²	Subsurface Microbial Habitats in an Extreme Desert Mars-Analog Environment. <i>Frontiers in Microbiology</i> , 2019 , 10, 69	5.7	25
71	Validation of Genetic Markers Associated to Oxygen Availability in Low-Grade Copper Bioleaching Systems: An Industrial Application. <i>Frontiers in Microbiology</i> , 2019 , 10, 1841	5.7	2
70	Biomarkers and Metabolic Patterns in the Sediments of Evolving Glacial Lakes as a Proxy for Planetary Lake Exploration. <i>Astrobiology</i> , 2018 , 18, 586-606	3.7	13
69	Watershed-Induced Limnological and Microbial Status in Two Oligotrophic Andean Lakes Exposed to the Same Climatic Scenario. <i>Frontiers in Microbiology</i> , 2018 , 9, 357	5.7	5
68	A thiotrophic microbial community in an acidic brine lake in Northern Chile. <i>Antonie Van Leeuwenhoek</i> , 2018 , 111, 1403-1419	2.1	8
67	Decision support system for bioleaching processes. <i>Hydrometallurgy</i> , 2018 , 181, 113-122	4	12
66	Biological Production of Copper Sulfide Concentrate from Flotation Tailings and Low Grade Ore. <i>Solid State Phenomena</i> , 2017 , 262, 202-206	0.4	2

65	From Knowledge to Best Practices in Bioleaching. Solid State Phenomena, 2017, 262, 285-289	0.4	2
64	Draft genome sequence of CLST isolated from the acidic hypersaline Gorbea salt flat in northern Chile. <i>Standards in Genomic Sciences</i> , 2017 , 12, 84		16
63	Microbial Survey on Industrial Bioleaching Heap by High-Throughput 16S Sequencing and Metagenomics Analysis. <i>Solid State Phenomena</i> , 2017 , 262, 219-223	0.4	7
62	Is the growth of microorganisms limited by carbon availability during chalcopyrite bioleaching?. <i>Hydrometallurgy</i> , 2017 , 168, 13-20	4	16
61	First draft genome sequence of a strain from the genus isolated from Salar de Ascotīl in Northern Chile. <i>Standards in Genomic Sciences</i> , 2017 , 12, 43		15
60	Transcription Dynamics of CBB-Pathway Genes in Acidithiobacillus thiooxidans Growing under Different CO2 Levels. <i>Solid State Phenomena</i> , 2017 , 262, 376-380	0.4	2
59	Microbial Community Structure and the Persistence of Cyanobacterial Populations in Salt Crusts of the Hyperarid Atacama Desert from Genome-Resolved Metagenomics. <i>Frontiers in Microbiology</i> , 2017 , 8, 1435	5.7	51
58	Draft genome sequence of chloride-tolerant Leptospirillum ferriphilum Sp-Cl from industrial bioleaching operations in northern Chile. <i>Standards in Genomic Sciences</i> , 2016 , 11, 19		20
57	One-Dimensional TiO2-B Crystals Synthesised by Hydrothermal Process and Their Antibacterial Behaviour onEscherichia coli. <i>Journal of Nanomaterials</i> , 2016 , 2016, 1-8	3.2	7
56	The Ecological Coherence of Temperature and Salinity Tolerance Interaction and Pigmentation in a Non-marine Isolated from Salar de Atacama. <i>Frontiers in Microbiology</i> , 2016 , 7, 1943	5.7	16
55	Rates and geochemical processes of soil and salt crust formation in Salars of the Atacama Desert, Chile. <i>Geoderma</i> , 2016 , 284, 57-72	6.7	30
54	Copper resistance, motility and the mineral dissolution behavior were assessed as novel factors involved in bacterial adhesion in bioleaching. <i>Hydrometallurgy</i> , 2015 , 157, 107-115	4	11
53	Blue-Copper Proteins: Expression of Coding Genes from Sulfobacillus Spp. and Iron Oxidation in Column Bioleaching Tests. <i>Advanced Materials Research</i> , 2015 , 1130, 333-337	0.5	2
52	Insights into the Active Carbon Fixation Pathways of a Microbial Community in a Chalcopyrite Bioleaching Column. <i>Advanced Materials Research</i> , 2015 , 1130, 367-370	0.5	1
51	Organotrophic and Mixotrofic Sulfur Oxidation in an Acidic Salt Flat in Northern Chile. <i>Advanced Materials Research</i> , 2015 , 1130, 63-66	0.5	3
50	Bioleaching of copper secondary sulfide ore in the presence of chloride by means of inoculation with chloride-tolerant microbial culture. <i>Hydrometallurgy</i> , 2014 , 150, 308-312	4	16
49	Variation in microbial community from predominantly mesophilic to thermotolerant and moderately thermophilic species in an industrial copper heap bioleaching operation. <i>Hydrometallurgy</i> , 2014 , 150, 281-289	4	36
48	Draft Genome Sequence of Nitrincola sp. Strain A-D6, an Arsenic-Resistant Gammaproteobacterium Isolated from a Salt Flat. <i>Genome Announcements</i> , 2014 , 2,		5

47	Molecular preservation in halite- and perchlorate-rich hypersaline subsurface deposits in the Salar Grande basin (Atacama Desert, Chile): Implications for the search for molecular biomarkers on Mars. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2013 , 118, 922-939	3.7	23
46	Analysis of Gene Expression in Response to Copper Stress in Acidithiobacillus ferrooxidans Strain D2, Isolated from a Copper Bioleaching Operation. <i>Advanced Materials Research</i> , 2013 , 825, 157-161	0.5	11
45	Parameters influencing the microbial oxidation activity in the industrial bioleaching heap at Escondida mine, Chile. <i>Hydrometallurgy</i> , 2013 , 133, 51-57	4	19
44	AHL signaling molecules with a large acyl chain enhance biofilm formation on sulfur and metal sulfides by the bioleaching bacterium Acidithiobacillus ferrooxidans. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 3729-37	5.7	62
43	Effect of Increased Acid Concentration on the Microbial Population Inhabiting an Industrial Heap Bioleaching Plant. <i>Advanced Materials Research</i> , 2013 , 825, 348-351	0.5	5
42	Estimation of Ionic Load Effect on the Oxidizing Activity of the Microbial Population in the Heap Bioleaching Process at Escondida Mine. <i>Advanced Materials Research</i> , 2013 , 825, 219-222	0.5	3
41	A Descriptive Model for Microbial Population Dynamics in a Copper Sulphide Bioleaching Heap with Spatial and Physicochemical Considerations. <i>Advanced Materials Research</i> , 2013 , 825, 233-237	0.5	1
40	From Mesophilic to Moderate Thermophilic Populations in an Industrial Heap Bioleaching Process. <i>Advanced Materials Research</i> , 2013 , 825, 376-379	0.5	3
39	Effect of Contact with Organic Extractant LIX 84IC during Solvent Extraction Process on the Re-Establishment of Growth of Bioleaching Microorganisms. <i>Advanced Materials Research</i> , 2013 , 825, 340-343	0.5	
38	Variance Calculations for Quantitative Real-Time PCR Experiments with Multiple Levels of Replication. <i>Advanced Materials Research</i> , 2013 , 825, 172-176	0.5	
37	Temporal Dynamics of Genes Involved in Metabolic Pathways of C and N of L. ferriphilum, in the Industrial Bioleaching Process of Escondida Mine, Chile. <i>Advanced Materials Research</i> , 2013 , 825, 162-16	5 ^{0.5}	9
36	Distribution of microbial arsenic reduction, oxidation and extrusion genes along a wide range of environmental arsenic concentrations. <i>PLoS ONE</i> , 2013 , 8, e78890	3.7	60
35	Bioleaching of Covellite from Low Grade Copper Sulphide Ore and Tails. <i>Advanced Materials Research</i> , 2013 , 825, 262-265	0.5	2
34	Geochemistry and Microbiology in an Acidic, High Altitude (4,000 m) Salt Flat [High Andes, Northern Chile. <i>Advanced Materials Research</i> , 2013 , 825, 28-32	0.5	10
33	Analysis of Gene Expression as Marker of Relevant Metabolisms, in Three Acidithiobacillus ferrooxidans Strains, in Different Growth Conditions. <i>Advanced Materials Research</i> , 2013 , 825, 166-171	0.5	1
32	Biologically Assisted Copper Secondary Sulfide Ore Leaching in the Presence of Chloride. <i>Advanced Materials Research</i> , 2013 , 825, 292-295	0.5	2
31	Proteo and Actinobacteria Diversity at a Sulfide, Salt and Acid-Rich Lake in the North of Chile. <i>Advanced Materials Research</i> , 2013 , 825, 37-41	0.5	6
30	Effect of organic extractant LIX 84IC, pH and temperature changes on bioleaching microorganisms during SX treatment. <i>Hydrometallurgy</i> , 2012 , 129-130, 135-139	4	18

(2007-2012)

Enrichment of arsenic transforming and resistant heterotrophic bacteria from sediments of two salt lakes in Northern Chile. <i>Extremophiles</i> , 2012 , 16, 523-38	3	35
Archaeal diversity along a subterranean salt core from the Salar Grande (Chile). <i>Environmental Microbiology</i> , 2011 , 13, 2105-21	5.2	66
A microbial oasis in the hypersaline Atacama subsurface discovered by a life detector chip: implications for the search for life on Mars. <i>Astrobiology</i> , 2011 , 11, 969-96	3.7	90
Prokaryotic diversity pattern in high-altitude ecosystems of the Chilean Altiplano. <i>Journal of Geophysical Research</i> , 2010 , 115, n/a-n/a		43
Microbial succession during a heap bioleaching cycle of low grade copper sulfides: Does this knowledge mean a real input for industrial process design and control?. <i>Hydrometallurgy</i> , 2010 , 104, 382-390	4	53
Dynamics of declining lake habitat in changing climate 2010 , 347-369		1
Characterization of Oxidizing Activity of a Microbial Community in an Industrial Bioleaching Heap. <i>Advanced Materials Research</i> , 2009 , 71-73, 59-62	0.5	5
Normalization of Quantitative Real-Time PCR Data of Identified Genes from an Industrial Bioleaching Operation. <i>Advanced Materials Research</i> , 2009 , 71-73, 231-234	0.5	1
Comparison between the Bacterial Populations from Solutions and Minerals in 1 m Test Columns and the Industrial Low Grade Copper Sulphide Bioleaching Process in the Escondida Mine, Chile. <i>Advanced Materials Research</i> , 2009 , 71-73, 63-66	0.5	6
Differential Gene Expression of Industrial Bioleaching Transcriptomes by Leptospirillum Ferrooxidans DNA Microarray. <i>Advanced Materials Research</i> , 2009 , 71-73, 227-230	0.5	2
Dynamic of active microorganisms inhabiting a bioleaching industrial heap of low-grade copper sulfide ore monitored by real-time PCR and oligonucleotide prokaryotic acidophile microarray. <i>Microbial Biotechnology</i> , 2009 , 2, 613-24	6.3	61
Microbial Succession during a Heap Bioleaching Cycle of Low Grade Copper Sulphides. Does this Knowledge Mean a Real Input for Industrial Process Design and Control?. <i>Advanced Materials Research</i> , 2009 , 71-73, 21-27	0.5	8
The High-Lakes Project. Journal of Geophysical Research, 2009, 114, n/a-n/a		34
Diversity of Bacteroidetes in high-altitude saline evaporitic basins in northern Chile. <i>Journal of Geophysical Research</i> , 2009 , 114, n/a-n/a		57
Novelty and spatio-temporal heterogeneity in the bacterial diversity of hypersaline Lake Tebenquiche (Salar de Atacama). <i>Extremophiles</i> , 2008 , 12, 491-504	3	102
Identification of differentially expressed genes in an industrial bioleaching heap processing low-grade copper sulphide ore elucidated by RNA arbitrarily primed polymerase chain reaction. <i>Hydrometallurgy</i> , 2008 , 94, 148-154	4	26
Life in the Atacama: Searching for life with rovers (science overview). <i>Journal of Geophysical Research</i> , 2007 , 112, n/a-n/a		34
Investigating microbial diversity and UV radiation impact at the high-altitude Lake Aguas Calientes, Chile 2007 ,		11
	Archaeal diversity along a subterranean salt core from the Salar Grande (Chile). Environmental Microbiology, 2011, 13, 2105-21 A microbial oasis in the hypersaline Atacama subsurface discovered by a life detector chip: implications for the search for life on Mars. Astrobiology, 2011, 11, 969-96 Prokaryotic diversity pattern in high-altitude ecosystems of the Chilean Altiplano. Journal of Geophysical Research, 2010, 115, n/a-n/a Microbial succession during a heap bioleaching cycle of low grade copper sulfides: Does this knowledge mean a real input for industrial process design and control? Hydrometallurgy, 2010, 104, 382-390 Dynamics of declining lake habitat in changing climate 2010, 347-369 Characterization of Oxidizing Activity of a Microbial Community in an Industrial Bioleaching Heap. Advanced Materials Research, 2009, 71-73, 59-62 Normalization of Quantitative Real-Time PCR Data of Identified Genes from an Industrial Bioleaching Operation. Advanced Materials Research, 2009, 71-73, 231-234 Comparison between the Bacterial Populations from Solutions and Minerals in 1 m Test Columns and the Industrial Low Grade Copper Sulphide Bioleaching Process in the Escondida Mine, Chile. Advanced Materials Research, 2009, 71-73, 3-6-66 Differential Gene Expression of Industrial Bioleaching Transcriptomes by Leptospirillum Ferroxidans DNA Microarray. Advanced Materials Research, 2009, 71-73, 227-230 Dynamic of active microorganisms inhabiting a bioleaching industrial heap of low-grade copper sulfide ore monitored by real-time PCR and oligonucleotide prokaryotic acidophile microarray. Microbial Biotechnology, 2009, 2, 613-24 Microbial Succession during a Heap Bioleaching Cycle of Low Grade Copper Sulphides. Does this Knowledge Mean a Real Input for Industrial Process Design and Control? Advanced Materials Research, 2009, 71-73, 21-27 The High-Lakes Project. Journal of Geophysical Research, 2009, 114, n/a-n/a Novelty and spatio-temporal heterogeneity in the bacterial diversity of hypersaline Lake Tebenquiche (Sa	salt lakes in Northern Chile. Extremophiles, 2012, 16, 523-38 Archaeal diversity along a subterranean salt core from the Salar Grande (Chile). Environmental Microbial oasis in the hypersaline Atacama subsurface discovered by a life detector chip: implications for the search for life on Mars. Astrobiology, 2011, 11, 969-96 Prokaryotic diversity pattern in high-altitude ecosystems of the Chilean Altiplano. Journal of Geophysical Research, 2010, 115, n/a-n/a Microbial succession during a heap bioleaching cycle of low grade copper sulfides: Does this knowledge mean a real input for industrial process design and control?. Hydrometallurgy, 2010, 104, 382-390 Dynamics of declining lake habitat in changing climate 2010, 347-369 Characterization of Oxidizing Activity of a Microbial Community in an Industrial Bioleaching Heap. Advanced Materials Research, 2009, 71-73, 59-62 Normalization of Quantitative Real-Time PCR Data of Identified Genes from an Industrial Bioleaching Operation. Advanced Materials Research, 2009, 71-73, 231-234 Comparison between the Bacterial Populations from Solutions and Minerals in 1 m Test Columns and the industrial Low Grade Copper Sulphide Bioleaching Process in the Escondida Mine, Chile. Advanced Materials Research, 2009, 71-73, 63-66 Differential Gene Expression of Industrial Bioleaching Transcriptomes by Leptospirillum Ferrooxidans DNA Microarray. Advanced Materials Research, 2009, 71-73, 227-230 Dynamic of active microorganisms inhabiting a bioleaching industrial heap of low-grade copper sulfide ore monitored by real-time PCR and oligonucleotide prokaryotic acidophile microarray. Microbial Biotechnology, 2009, 7, 61-3-44 Microbial Succession during a Heap Bioleaching Cycle of Low Grade Copper Sulphides. Does this Knowledge Mean a Real Input for Industrial Process Design and Control?. Advanced Materials Research, 2009, 71-73, 21-27 The High-Lakes Project. Journal of Geophysical Research, 2009, 114, n/a-n/a Novelty and spatio-temporal heterogenelity in the bacterial diversity of

11	Differential Genetic Expression in Heap Bioleaching of Low-Grade Copper Sulphide Ore at Escondida Mine, Chile. <i>Advanced Materials Research</i> , 2007 , 20-21, 435-438	0.5	
10	Monitoring of Microbial Community Inhabiting a Low-Grade Copper Sulphide Ore by Quantitative Real-Time PCR Analysis of 16S rRNA Genes. <i>Advanced Materials Research</i> , 2007 , 20-21, 539-542	0.5	13
9	Bacterial Activity at Low Temperature in Cultures Derived from a Low-Grade Copper Sulphide Bioleaching Heap at the Escondida Mine, Chile. <i>Advanced Materials Research</i> , 2007 , 20-21, 543-546	0.5	5
8	Microbial Precipitation of Arsenic Sulfides in Andean Salt Flats. <i>Geomicrobiology Journal</i> , 2007 , 24, 111-	1 <u>23</u>	52
7	Molecular characterization of microbial populations in a low-grade copper ore bioleaching test heap. <i>Hydrometallurgy</i> , 2005 , 80, 241-253	4	124
6	Distribution of prokaryotic genetic diversity in athalassohaline lakes of the Atacama Desert, Northern Chile. <i>FEMS Microbiology Ecology</i> , 2004 , 48, 57-69	4.3	136
5	Tapetes microbianos del Salar de Llamar∏norte de Chile. <i>Revista Chilena De Historia Natural</i> , 2003 , 76, 485	1.8	37
4	Assessment of bioavailable arsenic and copper in soils and sediments from the Antofagasta region of northern Chile. <i>Science of the Total Environment</i> , 2002 , 286, 51-9	10.2	58
3	Los yacimientos de boratos de Chile. <i>Andean Geology</i> , 2000 , 27,		11
2	Signatures of habitats and life in EarthS high-altitude lakes: clues to Noachian aqueous environments on Mars349-370		17
1	Assessment of Microbial Adhesion in Mixed Cultures to Sulfide Minerals Using CARD-FISH Techniques. <i>Advanced Materials Research</i> ,71-73, 83-86	0.5	6