

Dhanpat Rai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9366739/publications.pdf>

Version: 2024-02-01

59

papers

3,083

citations

218677

26

h-index

155660

55

g-index

60

all docs

60

docs citations

60

times ranked

2195

citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Chromium(III) hydrolysis constants and solubility of chromium(III) hydroxide. <i>Inorganic Chemistry</i> , 1987, 26, 345-349. | 4.0 | 603 |
| 2 | Chromate removal from aqueous wastes by reduction with ferrous ion. <i>Environmental Science & Technology</i> , 1988, 22, 972-977. | 10.0 | 556 |
| 3 | Solubility of amorphous chromium(III)-iron(III) hydroxide solid solutions. <i>Inorganic Chemistry</i> , 1987, 26, 2228-2232. | 4.0 | 331 |
| 4 | Uranium(IV) hydrolysis constants and solubility product of $\text{UO}_2 \cdot \text{xH}_2\text{O}(\text{am})$. <i>Inorganic Chemistry</i> , 1990, 29, 260-264. | 4.0 | 141 |
| 5 | Solubility Product of Pu(IV) Hydrous Oxide and Equilibrium Constants of Pu(IV)/Pu(V), Pu(IV)/Pu(VI), and Pu(V)/Pu(VI) Couples. <i>Radiochimica Acta</i> , 1984, 35, 97-106. | 1.2 | 93 |
| 6 | The Solubility of Plutonium Hydroxide in Dilute Solution and in High-Ionic-Strength Chloride Brines. <i>Radiochimica Acta</i> , 1989, 48, 29-36. | 1.2 | 74 |
| 7 | The Solubility of Th(IV) and U(IV) Hydrous Oxides in Concentrated NaCl and MgCl_{2} Solutions. <i>Radiochimica Acta</i> , 1997, 79, 239-248. | 1.2 | 69 |
| 8 | Thorium(IV) hydrous oxide solubility. <i>Inorganic Chemistry</i> , 1987, 26, 4140-4142. | 4.0 | 64 |
| 9 | Thermodynamic model for the solubility of thorium dioxide in the $\text{Na}^{+}-\text{Cl}^{-}-\text{OH}-\text{H}_2\text{O}$ system at 23°C and 90°C . <i>Radiochimica Acta</i> , 2000, 88, 297-306. | 1.2 | 58 |
| 10 | Solubility of Plutonium Compounds and Their Behavior in Soils. <i>Soil Science Society of America Journal</i> , 1980, 44, 490-495. | 2.2 | 55 |
| 11 | Solubility and Solubility Product at 22°C of $\text{UO}_2(\text{c})$ Precipitated from Aqueous U(IV) Solutions. <i>Journal of Solution Chemistry</i> , 2003, 32, 1-17. | 1.2 | 49 |
| 12 | A Thermodynamic Model for the Solubility of $\text{PuO}_{2}(\text{am})$ in the Aqueous $\text{K}^{+}-\text{HCO}_{3}^{-}-\text{CO}_{3}^{2-}-\text{OH}^{-}-\text{H}_{2}\text{O}$ System. <i>Radiochimica Acta</i> , 1999, 86, 89-100. | 1.2 | 45 |
| 13 | The solubility of barite and celestite in sodium sulfate: Evaluation of thermodynamic data. <i>Journal of Solution Chemistry</i> , 1990, 19, 175-185. | 1.2 | 43 |
| 14 | A Thermodynamic Model for the Solubility of $\text{UO}_2(\text{am})$ in the Aqueous $\text{K}^{+}-\text{Na}^{+}-\text{HCO}_{3}^{-}-\text{CO}_{3}^{2-}-\text{OH}^{-}-\text{H}_{2}\text{O}$ System. <i>Radiochimica Acta</i> , 1998, 82, 17-26. | 1.2 | 43 |
| 15 | Chromium(III) Hydroxide Solubility in the Aqueous $\text{K}^{+}-\text{H}^{+}-\text{OH}^{-}-\text{CO}_2-\text{HCO}_3^{-}-\text{CO}_3^{2-}-\text{H}_2\text{O}$ System: A Thermodynamic Model. <i>Journal of Solution Chemistry</i> , 2007, 36, 1261-1285. | 1.2 | 43 |
| 16 | Reductive Dissolution of $\text{PuO}_2(\text{am})$: The Effect of Fe(II) and Hydroquinone. <i>Journal of Solution Chemistry</i> , 2002, 31, 433-453. | 1.2 | 42 |
| 17 | The solubility of $(\text{Ba}, \text{Sr})\text{SO}_4$ precipitates: Thermodynamic equilibrium and reaction path analysis. <i>Geochimica Et Cosmochimica Acta</i> , 1993, 57, 4345-4363. | 3.9 | 41 |
| 18 | Chromium(III) Hydroxide Solubility in The Aqueous $\text{Na}^{+}-\text{OH}^{-}-\text{H}_2\text{PO}_4^{-}-\text{HPO}_4^{2-}-\text{PO}_3^{3-}-\text{H}_2\text{O}$ System: A Thermodynamic Model. <i>Journal of Solution Chemistry</i> , 2004, 33, 1213-1242. | 1.2 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Thermodynamic Model for SnO ₂ (cr) and SnO ₂ (am) Solubility in the Aqueous Na+–H+–OH––Cl––H ₂ O System. <i>Journal of Solution Chemistry</i> , 2011, 40, 1155-1172. | 1.2 | 39 |
| 20 | Solubility and Ion Activity Product of AmPO ₄ –xH ₂ O(am). <i>Radiochimica Acta</i> , 1992, 56, 7-14. | 1.2 | 38 |
| 21 | Comprehensive Thermodynamic Model Applicable to Highly Acidic to Basic Conditions for Isosaccharinate Reactions with Ca(II) and Np(IV). <i>Journal of Solution Chemistry</i> , 2003, 32, 665-689. | 1.2 | 38 |
| 22 | Thermodynamic models for highly charged aqueous species: Solubility of Th(IV) hydrous oxide in concentrated NaHCO ₃ and Na ₂ CO ₃ solutions. <i>Journal of Solution Chemistry</i> , 1997, 26, 233-248. | 1.2 | 35 |
| 23 | Title is missing!. <i>Journal of Solution Chemistry</i> , 1999, 28, 533-553. | 1.2 | 34 |
| 24 | A Thermodynamic Model for the Solubility of NpO ₂ (am) in the Aqueous K ⁺ -HCO ₃ -CO ² ₃ -OH ₂ -H ₂ O System. <i>Radiochimica Acta</i> , 1999, 84, 159-170. | 1.2 | 33 |
| 25 | Properties of Plutonium(IV) Polymer of Environmental Importance. <i>Nuclear Technology</i> , 1981, 54, 107-112. | 1.2 | 30 |
| 26 | Determination of aqueous plutonium oxidation states by solvent extraction. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 1989, 130, 333-346. | 1.5 | 30 |
| 27 | Title is missing!. <i>Journal of Solution Chemistry</i> , 2002, 31, 343-367. | 1.2 | 28 |
| 28 | Protonation and complexation of isosaccharinic acid with U(VI) and Fe(III) in acidic solutions: potentiometric and calorimetric studies. <i>Radiochimica Acta</i> , 2004, 92, . | 1.2 | 26 |
| 29 | Acidity and Structure of Isosaccharinate in Aqueous Solution: A Nuclear Magnetic Resonance Study. <i>Journal of Solution Chemistry</i> , 2003, 32, 691-702. | 1.2 | 25 |
| 30 | Thermodynamic model for the solubility of PuO ₂ (am) in the aqueous Na+-H+-OH-Cl-H ₂ O-ethylenediaminetetraacetate system. <i>Radiochimica Acta</i> , 2001, 89, 67-74. | 1.2 | 22 |
| 31 | Alpha radiation induced production of HNO ₃ during dissolution of Pu compounds (1). <i>Inorganic and Nuclear Chemistry Letters</i> , 1980, 16, 551-555. | 0.7 | 21 |
| 32 | The Solubility of Th(IV) and U(IV) Hydrous Oxides in Concentrated NaHCO ₃ and Na ₂ CO ₃ Solutions. <i>Materials Research Society Symposia Proceedings</i> , 1994, 353, 1143. | 0.1 | 21 |
| 33 | Solubility of NaNd(CO ₃) ₂ ²⁻ ·6 H ₂ O(c) in Concentrated Na ₂ CO ₃ and NaHCO ₃ Solutions. <i>Radiochimica Acta</i> , 1996, 75, 141-148. | 1.2 | 21 |
| 34 | Hydrolysis constants and ion-interaction parameters for Cd(II) in zero to high concentrations of NaOH?KOH, and the solubility product of crystalline Cd(OH) ₂ . <i>Journal of Solution Chemistry</i> , 1991, 20, 375-390. | 1.2 | 20 |
| 35 | Solubility of Nd(OH) ₃ (c) in 0.1 M NaCl Aqueous Solution at 25°C and 90°C. <i>Radiochimica Acta</i> , 1996, 72, 151-156. | 1.2 | 20 |
| 36 | Hydroxo and Chloro Complexes/Ion Interactions of Hf ⁴⁺ and the Solubility Product of HfO ₂ (am). <i>Journal of Solution Chemistry</i> , 2001, 30, 949-967. | 1.2 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Environmental Mobility of Pu(IV) in the Presence of Ethylenediaminetetraacetic Acid: Myth or Reality?. Journal of Solution Chemistry, 2008, 37, 957-986. | 1.2 | 19 |
| 38 | Solubility of Crystalline Calcium Isosaccharinate. Journal of Solution Chemistry, 1998, 27, 1109-1122. | 1.2 | 18 |
| 39 | Thermodynamic Model for ThO ₂ (am) Solubility in Isosaccharinate Solutions. Journal of Solution Chemistry, 2009, 38, 1573-1587. | 1.2 | 16 |
| 40 | Thermodynamic Model for BiPO ₄ (cr) and Bi(OH) ₃ (am) Solubility in the Aqueous Na+H+ \$mathrm{H}^{[2]}mathrm{PO}_{4}^{-}\$-\$mathrm{HPO}_{4}^{2-}\$-\$mathrm{PO}_{4}^{3-}\$OH-Cl-H ₂ O System. Journal of Solution Chemistry, 2010, 39, 999-1019. | 1.2 | 13 |
| 41 | Thermodynamic Model for ThO ₂ (am) Solubility in Alkaline Silica Solutions. Journal of Solution Chemistry, 2008, 37, 1725-1746. | 1.2 | 12 |
| 42 | Thermodynamic equilibrium constants for important isosaccharinate reactions: A review. Journal of Chemical Thermodynamics, 2017, 114, 135-143. | 2.0 | 12 |
| 43 | Neptunium Concentrations in Solutions Contacting Actinide-Doped Glass. Nuclear Technology, 1982, 58, 69-76. | 1.2 | 11 |
| 44 | PuPO ₄ (cr, hyd.) Solubility Product and Pu ³⁺ Complexes with Phosphate and Ethylenediaminetetraacetic Acid. Journal of Solution Chemistry, 2010, 39, 778-807. | 1.2 | 11 |
| 45 | A Thermodynamic Model for ZrO ₂ (am) Solubility at 25°C in the Ca ²⁺ -Na+H-Cl-OH-H ₂ O System: A Critical Review. Journal of Solution Chemistry, 2018, 47, 855-891. | 1.2 | 11 |
| 46 | Nd ³⁺ and Am ³⁺ ion interactions with sulfate ion and their influence on NdPO ₄ (c) solubility. Journal of Solution Chemistry, 1995, 24, 879-895. | 1.2 | 9 |
| 47 | The Aqueous Complexation of Nd(III) with Molybdate: The Effects of Both Monomeric Molybdate and Polymolybdate Species. Radiochimica Acta, 1995, 69, 177-184. | 1.2 | 9 |
| 48 | Evaluation of equilibrium constants for deprotonation and lactonisation of D-isosaccharinic acid. Journal of Nuclear Science and Technology, 2016, 53, 459-467. | 1.3 | 8 |
| 49 | Americium Concentrations in Solutions Contacting Americium-Doped Glass. Nuclear Technology, 1986, 75, 350-355. | 1.2 | 7 |
| 50 | Thermodynamic Approach for Predicting Actinide and Rare Earth Concentrations in Leachates from Radioactive Waste Glasses. Journal of Solution Chemistry, 2011, 40, 1473-1504. | 1.2 | 7 |
| 51 | Thermodynamics and solubility of (U _x Np _{1-x})O ₂ (am) solid solution in the carbonate system. Radiochimica Acta, 2004, 92, . | 1.2 | 6 |
| 52 | Issues concerning the determination of solubility products of sparingly soluble crystalline solids: solubility of HfO ₂ (cr). Radiochimica Acta, 2016, 104, 583-592. | 1.2 | 5 |
| 53 | Thermodynamic Model for the Solubility of NdF ₃ (cr) in the Na+NH ₄ +Nd ³⁺ F-H ₂ O System at 25°C. Journal of Solution Chemistry, 2013, 42, 1500-1517. | 1.2 | 4 |
| 54 | Thorium reactions in borosilicate-glass/water systems. Radiochimica Acta, 2005, 93, . | 1.2 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Isosaccharinate Complexes of Fe(III). Journal of Solution Chemistry, 2012, 41, 1906-1921. | 1.2 | 3 |
| 56 | Thermodynamic Model for Amorphous Pd(OH)2 Solubility in the Aqueous Na^+ - H^+ - OH^- - Cl^- - ClO_4^- - H_2O System at 25°C: A Critical Review. Journal of Solution Chemistry, 2012, 41, 1965-1985. | 1.2 | 3 |
| 57 | A thermodynamic model for the solubility of $\text{HfO}_{2(\text{am})}$ in the aqueous K^{+} - HCO_3^- - $\text{CO}_{3(\text{aq})}^{2-}$ - OH^- system. Radiochimica Acta, 2017, 105, 637-647. | | |
| 58 | Thermodynamic model for the solubility of $\text{BaSeO}_4(\text{cr})$ in the aqueous Ba^{2+} - SeO_4^{2-} - Na^+ - H^+ - OH^- - H_2O system: Extending to high selenate concentrations. Radiochimica Acta, 2014, 102, 817-830. | 1.2 | 2 |
| 59 | Thermodynamic model for the solubility of $\text{Ba}(\text{SeO}_4)_2$ precipitates. Radiochimica Acta, 2014, 102, 711-721. | 1.2 | 2 |