

Haixia Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9367118/publications.pdf>

Version: 2024-02-01

156
papers

8,862
citations

50566

48
h-index

48101

92
g-index

174
all docs

174
docs citations

174
times ranked

8692
citing authors

#	ARTICLE	IF	CITATIONS
1	Design, manufacturing and applications of wearable triboelectric nanogenerators. Nano Energy, 2021, 81, 105627.	8.2	86
2	Double-Sided Laser-Induced Graphene Based Smart Bracelet for Sensing and Energy. , 2021, , .		2
3	Conductive composite-based tactile sensor. , 2021, , 67-90.		0
4	A Flexible Pain Sensor Based on PDMS-AgNWs. IEEE Nanotechnology Magazine, 2021, 20, 137-142.	1.1	2
5	Self-Powered Wearable Biosensors. Accounts of Materials Research, 2021, 2, 184-197.	5.9	118
6	Portable and wearable self-powered systems based on emerging energy harvesting technology. Microsystems and Nanoengineering, 2021, 7, 25.	3.4	194
7	Self-Powered Intelligent Human-Machine Interaction for Handwriting Recognition. Research, 2021, 2021, 4689869.	2.8	21
8	Efficient Manufacturing of Microdome Array for Advanced Electronic and Optical Devices. , 2021, , .		0
9	Magnetic, conductive textile for multipurpose protective clothing and hybrid energy harvesting. Applied Physics Letters, 2021, 118, .	1.5	7
10	Soft Human-Machine Interface with Triboelectric Patterns and Archimedes Spiral Electrodes for Enhanced Motion Detection. Advanced Functional Materials, 2021, 31, 2103075.	7.8	26
11	Wearable and self-cleaning hybrid energy harvesting system based on micro/nanostructured haze film. Nano Energy, 2020, 67, 104243.	8.2	77
12	Localized modulus-controlled PDMS substrate for 2D and 3D stretchable electronics. Journal of Micromechanics and Microengineering, 2020, 30, 045001.	1.5	9
13	A laser-engraved wearable sensor for sensitive detection of uric acid and tyrosine in sweat. Nature Biotechnology, 2020, 38, 217-224.	9.4	683
14	A three-electrode multi-module sensor for accurate bodily-kinesthetic monitoring. Nano Energy, 2020, 68, 104316.	8.2	21
15	Wireless battery-free wearable sweat sensor powered by human motion. Science Advances, 2020, 6, .	4.7	372
16	What Will We Carry Forward from This Time?. ACS Nano, 2020, 14, 14253-14254.	7.3	4
17	A flexible hybridized electromagnetic-triboelectric nanogenerator and its application for 3D trajectory sensing. Nano Energy, 2020, 74, 104878.	8.2	46
18	Hybrid energy cells based on triboelectric nanogenerator: From principle to system. Nano Energy, 2020, 75, 104980.	8.2	71

#	ARTICLE	IF	CITATIONS
19	Self-Powered Multifunctional Electronic Skin for a Smart Anti-Counterfeiting Signature System. ACS Applied Materials & Interfaces, 2020, 12, 22357-22364.	4.0	51
20	Self-powered flexible and transparent smart patch for temperature sensing. Applied Physics Letters, 2020, 116, .	1.5	32
21	Liquid Assembly of Floating Nanomaterial Sheets for Transparent Electronics. Advanced Materials Technologies, 2019, 4, 1900398.	3.0	4
22	Stamp-Assisted Gravure Printing of Micro-Supercapacitors with General Flexible Substrates. , 2019, , .		6
23	Skin-Inspired Humidity and Pressure Sensor with a Wrinkle-on-Sponge Structure. ACS Applied Materials & Interfaces, 2019, 11, 39219-39227.	4.0	82
24	Power management and effective energy storage of pulsed output from triboelectric nanogenerator. Nano Energy, 2019, 61, 517-532.	8.2	135
25	Self-cleaning organic solar cells based on micro/nanostructured haze films with optical enhancement effect. Applied Physics Letters, 2019, 115, .	1.5	4
26	Self-powered electronic skin based on the triboelectric generator. Nano Energy, 2019, 56, 252-268.	8.2	205
27	Self-powered digital-analog hybrid electronic skin for noncontact displacement sensing. Nano Energy, 2019, 58, 121-129.	8.2	48
28	High-efficiency self-charging smart bracelet for portable electronics. Nano Energy, 2019, 55, 29-36.	8.2	116
29	All-in-one self-powered flexible microsystems based on triboelectric nanogenerators. Nano Energy, 2018, 47, 410-426.	8.2	249
30	GPS-Inspired Stretchable Self-Powered Electronic Skin. IEEE Nanotechnology Magazine, 2018, 17, 460-466.	1.1	6
31	Hybrid generator based on freestanding magnet as all-direction in-plane energy harvester and vibration sensor. Nano Energy, 2018, 49, 51-58.	8.2	63
32	Self-Powered Noncontact Electronic Skin for Motion Sensing. Advanced Functional Materials, 2018, 28, 1704641.	7.8	83
33	Fabrication of controlled hierarchical wrinkle structures on polydimethylsiloxane via one-step C ₄ F ₈ plasma treatment. Journal of Micromechanics and Microengineering, 2018, 28, 015007.	1.5	9
34	Fabric-based self-powered noncontact smart gloves for gesture recognition. Journal of Materials Chemistry A, 2018, 6, 20277-20288.	5.2	36
35	Waterproof and stretchable triboelectric nanogenerator for biomechanical energy harvesting and self-powered sensing. Applied Physics Letters, 2018, 112, .	1.5	67
36	Fingerprint-inspired triboelectric sliding sensor. , 2018, , .		2

#	ARTICLE	IF	CITATIONS
37	Hybrid porous micro structured finger skin inspired self-powered electronic skin system for pressure sensing and sliding detection. Nano Energy, 2018, 51, 496-503.	8.2	131
38	All-in-one piezoresistive-sensing patch integrated with micro-supercapacitor. Nano Energy, 2018, 53, 189-197.	8.2	79
39	Self-powered wireless smart patch for healthcare monitoring. Nano Energy, 2017, 32, 479-487.	8.2	90
40	Controlled fabrication of nanoscale wrinkle structure by fluorocarbon plasma for highly transparent triboelectric nanogenerator. Microsystems and Nanoengineering, 2017, 3, 16074.	3.4	54
41	Freestanding solid-state micro-supercapacitor based on laser-patterned nanofibers. , 2017, , .		0
42	Triboelectrification based active sensor for liquid flow and bubble detecting. , 2017, , .		1
43	Stretchable, transparent and wearable sensor for multifunctional smart skins. , 2017, , .		4
44	Bioinspired microporous elastomer with enhanced and tunable stretchability for strain sensing device. , 2017, , .		1
45	An ultrathin stretchable triboelectric nanogenerator with coplanar electrode for energy harvesting and gesture sensing. Journal of Materials Chemistry A, 2017, 5, 12361-12368.	5.2	86
46	Flexible fiber-based hybrid nanogenerator for biomechanical energy harvesting and physiological monitoring. Nano Energy, 2017, 38, 43-50.	8.2	201
47	High efficiency power management and charge boosting strategy for a triboelectric nanogenerator. Nano Energy, 2017, 38, 438-446.	8.2	174
48	Omnidirectional Bending and Pressure Sensor Based on Stretchable CNT-PU Sponge. Advanced Functional Materials, 2017, 27, 1604434.	7.8	148
49	A wave-shaped hybrid piezoelectric and triboelectric nanogenerator based on P(VDF-TrFE) nanofibers. Nanoscale, 2017, 9, 1263-1270.	2.8	111
50	Digitalized self-powered strain gauge for static and dynamic measurement. Nano Energy, 2017, 42, 129-137.	8.2	31
51	Microsphere-Assisted Robust Epidermal Strain Gauge for Static and Dynamic Gesture Recognition. Small, 2017, 13, 1702108.	5.2	26
52	Fingertip-inspired electronic skin based on triboelectric sliding sensing and porous piezoresistive pressure detection. Nano Energy, 2017, 40, 65-72.	8.2	120
53	All-fabric-based wearable self-charging power cloth. Applied Physics Letters, 2017, 111, .	1.5	62
54	Highly Compressible Integrated Supercapacitor-Piezoresistance Sensor System with CNT-PDMS Sponge for Health Monitoring. Small, 2017, 13, 1702091.	5.2	261

#	ARTICLE	IF	CITATIONS
55	Asymmetrical Triboelectric Nanogenerator with Controllable Direct Electrostatic Discharge. <i>Advanced Functional Materials</i> , 2016, 26, 5524-5533.	7.8	43
56	Single-Step Fluorocarbon Plasma Treatment-Induced Wrinkle Structure for High-Performance Triboelectric Nanogenerator. <i>Small</i> , 2016, 12, 229-236.	5.2	134
57	A Flexible and Transparent Graphene-Based Triboelectric Nanogenerator. <i>IEEE Nanotechnology Magazine</i> , 2016, 15, 435-441.	1.1	42
58	Ultra-sensitive transparent and stretchable pressure sensor with single electrode. , 2016, , .		8
59	High performance triboelectric nanogenerators with aligned carbon nanotubes. <i>Nanoscale</i> , 2016, 8, 18489-18494.	2.8	107
60	Highly compression-tolerant folded carbon nanotube/paper as solid-state supercapacitor electrode. <i>Micro and Nano Letters</i> , 2016, 11, 586-590.	0.6	12
61	Integrated self-charging power unit with flexible supercapacitor and triboelectric nanogenerator. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14298-14306.	5.2	117
62	A flexible large-area triboelectric generator by low-cost roll-to-roll process for location-based monitoring. <i>Sensors and Actuators A: Physical</i> , 2016, 247, 206-214.	2.0	35
63	Self-Powered Analogue Smart Skin. <i>ACS Nano</i> , 2016, 10, 4083-4091.	7.3	153
64	A flexible and wearable generator with fluorocarbon plasma induced wrinkle structure. , 2016, , .		4
65	A single-electrode wearable triboelectric nanogenerator based on conductive & stretchable fabric. , 2016, , .		13
66	Liquid metal droplet based tube-shaped electrostatic energy harvester. , 2016, , .		2
67	Implantable and self-powered blood pressure monitoring based on a piezoelectric thinfilm: Simulated, in vitro and in vivo studies. <i>Nano Energy</i> , 2016, 22, 453-460.	8.2	149
68	Gold nanoparticle-coated silicon cone array for surface-enhanced Raman spectroscopy. <i>Spectroscopy Letters</i> , 2016, 49, 51-55.	0.5	3
69	Fabrication and characterization analysis of flexible porous nitrogen-doped carbon-based supercapacitor electrodes. <i>Chinese Science Bulletin</i> , 2016, 61, 1314-1322.	0.4	2
70	A Keyboard-Based r-Shaped Triboelectric Generator for Active Noise-Free Recording. <i>Materials Research Society Symposia Proceedings</i> , 2015, 1782, 29-34.	0.1	0
71	Roll-to-Roll Green Transfer of CVD Graphene onto Plastic for a Transparent and Flexible Triboelectric Nanogenerator. <i>Advanced Materials</i> , 2015, 27, 5210-5216.	11.1	273
72	Coupling of Piezoelectric and Triboelectric Effects: from Theoretical Analysis to Experimental Verification. <i>Advanced Electronic Materials</i> , 2015, 1, 1500187.	2.6	50

#	ARTICLE	IF	CITATIONS
73	A three-step model of black silicon formation in Deep Reactive Ion Etching process. , 2015, , .		1
74	Wafer-level fabrication of a triboelectric energy harvester. , 2015, , .		0
75	Electrification based devices with encapsulated liquid for energy harvesting, multifunctional sensing, and self-powered visualized detection. Journal of Materials Chemistry A, 2015, 3, 7382-7388.	5.2	39
76	A novel discharge system based on jagged electrodes with controllable spacing. , 2015, , .		0
77	Jagged discharge electrodes powered by triboelectric generator. Micro and Nano Letters, 2015, 10, 537-540.	0.6	2
78	A flexible and transparent graphene based triboelectric nanogenerator. , 2015, , .		1
79	Wearable electrode-free triboelectric generator for harvesting biomechanical energy. Nano Energy, 2015, 12, 19-25.	8.2	127
80	A flexible and implantable piezoelectric generator harvesting energy from the pulsation of ascending aorta: in vitro and in vivo studies. Nano Energy, 2015, 12, 296-304.	8.2	148
81	Formation mechanism of multi-functional black silicon based on optimized deep reactive ion etching technique with SF6/C4F8. Science China Technological Sciences, 2015, 58, 381-389.	2.0	9
82	A cubic triboelectric generator as a self-powered orientation sensor. Science China Technological Sciences, 2015, 58, 842-847.	2.0	16
83	A super-flexible and lightweight membrane for energy harvesting. , 2015, , .		1
84	A high-efficiency transparent electrification-based generator for harvesting droplet energy. , 2015, , .		5
85	Improvement of DRIE simulation method for process development application. , 2015, , .		0
86	Floor-based large-area triboelectric generator for active security monitoring. , 2015, , .		0
87	Design and modeling of a continuously variable piezoelectric RF MEMS switch. Microsystem Technologies, 2015, 21, 1293-1300.	1.2	7
88	High performance triboelectric nanogenerators based on large-scale mass-fabrication technologies. Nano Energy, 2015, 11, 304-322.	8.2	191
89	Self-assembly of colloid nano particle by evaporation-induced method. , 2014, , .		1
90	Note: A cubic electromagnetic harvester that convert vibration energy from all directions. Review of Scientific Instruments, 2014, 85, 076109.	0.6	9

#	ARTICLE	IF	CITATIONS
91	Microfluidic sterilization. <i>Biomicrofluidics</i> , 2014, 8, 034119.	1.2	3
92	An unmovable single-layer triboelectric generator driven by sliding friction. <i>Nano Energy</i> , 2014, 9, 401-407.	8.2	18
93	Switchable wetting and flexible SiC thin film with nanostructures for microfluidic surface-enhanced Raman scattering sensors. <i>Sensors and Actuators A: Physical</i> , 2014, 208, 166-173.	2.0	17
94	High-performance triboelectric nanogenerator with enhanced energy density based on single-step fluorocarbon plasma treatment. <i>Nano Energy</i> , 2014, 4, 123-131.	8.2	287
95	The fabrication of PDMS-based functional surface mimicking the namib desert beetle back for collecting water vapor in the air. , 2014, , .		1
96	3D nanostructure reconstruction based on the SEM imaging principle, and applications. <i>Nanotechnology</i> , 2014, 25, 185705.	1.3	19
97	Design and Fabrication of Integrated Magnetic MEMS Energy Harvester for Low Frequency Applications. <i>Journal of Microelectromechanical Systems</i> , 2014, 23, 204-212.	1.7	82
98	Springless cubic harvester for converting three dimensional vibration energy. , 2014, , .		5
99	Analysis of an in-plane electromagnetic energy harvester with integrated magnet array. <i>Sensors and Actuators A: Physical</i> , 2014, 219, 38-46.	2.0	29
100	Fabrication of spiral-shaped PVDF cantilever based vibration energy harvester. , 2014, , .		3
101	Single-friction-surface triboelectric generator with human body conduit. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	47
102	Low frequency wide bandwidth MEMS energy harvester based on spiral-shaped PVDF cantilever. <i>Science China Technological Sciences</i> , 2014, 57, 1068-1072.	2.0	34
103	A 3-D Stacked High- Q PI-Based MEMS Inductor for Wireless Power Transmission System in Bio-Implanted Applications. <i>Journal of Microelectromechanical Systems</i> , 2014, 23, 888-898.	1.7	9
104	Parylene-based 3D high performance folded multilayer inductors for wireless power transmission in implanted applications. <i>Sensors and Actuators A: Physical</i> , 2014, 208, 141-151.	2.0	17
105	Fabrication of silicon hierarchical nanopillar arrays based on nanosphere lithography. <i>Micro and Nano Letters</i> , 2014, 9, 655-659.	0.6	3
106	Magnetic-assisted triboelectric nanogenerators as self-powered visualized omnidirectional tilt sensing system. <i>Scientific Reports</i> , 2014, 4, 4811.	1.6	89
107	Nanofluidic crystal: a facile, high-efficiency and high-power-density scaling up scheme for energy harvesting based on nanofluidic reverse electrodialysis. <i>Nanotechnology</i> , 2013, 24, 345401.	1.3	56
108	High- Q polyimide-based spiral inductors with magnetic core for RF telemetry applications. , 2013, , .		0

#	ARTICLE	IF	CITATIONS
109	Low-frequency wide-band hybrid energy harvester based on piezoelectric and triboelectric mechanism. Science China Technological Sciences, 2013, 56, 1835-1841.	2.0	66
110	A transparent single-friction-surface triboelectric generator and self-powered touch sensor. Energy and Environmental Science, 2013, 6, 3235.	15.6	367
111	r-Shaped Hybrid Nanogenerator with Enhanced Piezoelectricity. ACS Nano, 2013, 7, 8554-8560.	7.3	225
112	Investigation of power generation based on stacked triboelectric nanogenerator. Nano Energy, 2013, 2, 1164-1171.	8.2	87
113	Low frequency PVDF piezoelectric energy harvester with combined d31 and d33 operating modes. , 2013, , .		6
114	Self-Cleaning Poly(dimethylsiloxane) Film with Functional Micro/Nano Hierarchical Structures. Langmuir, 2013, 29, 10769-10775.	1.6	47
115	Investigation and characterization of an arc-shaped piezoelectric generator. Science China Technological Sciences, 2013, 56, 2636-2641.	2.0	9
116	Self-powered flexible printed circuit board with integrated triboelectric generator. Nano Energy, 2013, 2, 1101-1106.	8.2	108
117	A low-cost, high-efficiency and high-output-power nanofluidic energy harvester. , 2013, , .		2
118	Stacked flexible parylene-based 3D inductors with Ni⁸⁰/Fe²⁰ core for wireless power transmission system. , 2013, , .		3
119	High aspect ratio etching of nanopores in PECVD SiC through AAO mask. , 2013, , .		0
120	Effect of RF sputtering parameters on PZT crystal growth. , 2013, , .		1
121	Silicon carbide capacitive pressure sensors with arrayed sensing membranes. , 2013, , .		1
122	Growth of arrayed ZnO nanowires using a solution method. , 2013, , .		0
123	Flexible MEMS inductors based on Parylene-FeNi Compound Substrate for wireless power transmission system. , 2013, , .		0
124	Frequency-Multiplication High-Output Triboelectric Nanogenerator for Sustainably Powering Biomedical Microsystems. Nano Letters, 2013, 13, 1168-1172.	4.5	591
125	Superhydrophobic Micro/Nano Dual-Scale Structures. Journal of Nanoscience and Nanotechnology, 2013, 13, 1539-1542.	0.9	19
126	Contactless RF MEMS switch using PZT actuation. , 2013, , .		2

#	ARTICLE	IF	CITATIONS
127	Flexible parylene-based folded inductors with magnetic core. , 2013, , .		2
128	Effects of crystal defects on the electrokinetics of nanofluidic crystal. , 2013, , .		0
129	Growth of ZnO nanowires on flexible polyimide substrates. , 2013, , .		0
130	Microstructure and magnetic properties of micro NiFe alloy arrays for MEMS application. Journal of Micromechanics and Microengineering, 2013, 23, 085013.	1.5	7
131	Tunable wetting behavior of nanostructured poly(dimethylsiloxane) by plasma combination treatments. Applied Physics Letters, 2012, 101, .	1.5	19
132	Electrodeposition and characterization of CoNiMnP permanent magnet arrays for MEMS sensors and actuators. Sensors and Actuators A: Physical, 2012, 188, 190-197.	2.0	19
133	Fabrication and characterization of squama-shape micro/nano multi-scale silicon material. Science China Technological Sciences, 2012, 55, 3395-3400.	2.0	21
134	Simulation studies on PECVD SiO ₂ process aiming at TSV application. , 2011, , .		0
135	Design and microfabrication of integrated magnetic MEMS energy harvester for low frequency application. , 2011, , .		4
136	Development of TSV simulator: FASTsv. , 2011, , .		0
137	Fabrication and characteristics of tunable band pass filter using MetalMumps technology. , 2011, , .		2
138	Complementary metal-oxide semiconductor-compatible silicon carbide pressure sensors based on bulk micromachining. Micro and Nano Letters, 2011, 6, 265.	0.6	12
139	Wideband anti-reflective micro/nano dual-scale structures: fabrication and optical properties. Micro and Nano Letters, 2011, 6, 947.	0.6	35
140	Robust PECVD SiC membrane made for stencil lithography. Microelectronic Engineering, 2011, 88, 2790-2793.	1.1	9
141	Electrodeposition and characterization of CoNiMnP permanent magnet arrays for MEMS applications. , 2011, , .		4
142	A continuous-time voltage readout for SiC micromechanical capacitive pressure sensor. , 2010, , .		0
143	High efficiency coupling with stacked MEMS coils. , 2010, , .		0
144	Wireless energy and signal transmission system for micro implantable medical system. , 2010, , .		0

#	ARTICLE	IF	CITATIONS
145	Fabrication of micro/nano dual-scale structures by improved deep reactive ion etching. Journal of Micromechanics and Microengineering, 2010, 20, 075028.	1.5	42
146	Effect of etch holes on the capacitance and pull-in voltage in MEMS tunable capacitors. International Journal of Electronics, 2010, 97, 1439-1448.	0.9	25
147	RF MEMS filter based on one step of copper electroplating. , 2010, , .		0
148	Electro-thermally actuated RF MEMS switch for wireless communication. , 2010, , .		8
149	Novel Applications of Pulse Laser Annealing in Micro Structures by Boundary Control. Procedia Chemistry, 2009, 1, 786-791.	0.7	6
150	Electronic design for an implantable wireless power and data transmission system. , 2008, , .		3
151	Fabrication of SiC MEMS Pressure Sensor by Anodic Bonding. , 2008, , .		2
152	Study on a PECVD SiC-coated pressure sensor. Journal of Micromechanics and Microengineering, 2007, 17, 426-431.	1.5	35
153	Application of PECVD SiC in glass micromachining. Journal of Micromechanics and Microengineering, 2007, 17, 775-780.	1.5	26
154	Fabrication and Test of PECVD SiC Resonator. , 2007, , .		2
155	Modeling and simulation of the lag effect in a deep reactive ion etching process. Journal of Micromechanics and Microengineering, 2006, 16, 2570-2575.	1.5	32
156	Simulation of the Bosch process with a stringâ€œcell hybrid method. Journal of Micromechanics and Microengineering, 2004, 14, 851-858.	1.5	54