

Ana Paula Ribeiro Rodrigues

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9368020/publications.pdf>

Version: 2024-02-01

12
papers

140
citations

1464605

7
h-index

1336881

12
g-index

12
all docs

12
docs citations

12
times ranked

178
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of sheep secondary follicles and preservation of aromatase and metalloproteinases 2 and 9 after vitrification and in vitro culture. <i>Cell and Tissue Banking</i> , 2021, , 1.	0.5	1
2	<i>Eremomastax speciosa</i> potentializes the PMSG-inducing effect on some physiological and biochemical parameters in PMSG-primed immature rats. <i>Zygote</i> , 2020, 28, 482-488.	0.5	2
3	Vitrification of caprine secondary and early antral follicles as a perspective to preserve fertility function. <i>Reproductive Biology</i> , 2020, 20, 371-378.	0.9	9
4	Early ovine preantral follicles have a potential to grow until antral stage in two-step culture system in the presence of aqueous extract of <i>Justicia insularis</i> . <i>Reproduction in Domestic Animals</i> , 2019, 54, 1121-1130.	0.6	1
5	Supplementation of in vitro culture medium with FSH to grow follicles and mature oocytes can be replaced by extracts of <i>Justicia insularis</i> . <i>PLoS ONE</i> , 2018, 13, e0208760.	1.1	10
6	Sheep Isolated Secondary Follicles Are Able to Produce Metaphase II Oocytes After Vitrification and Long-Term In Vitro Growth. <i>Biopreservation and Biobanking</i> , 2017, 15, 321-331.	0.5	15
7	Toxicity effect of <i>Auxemma oncocalyx</i> fraction and its active principle oncocalyxone A on in vitro culture of caprine secondary follicles and in vitro oocyte maturation. <i>Semina: Ciências Agrárias</i> , 2017, 38, 1361.	0.1	6
8	Fraction of <i>Auxemma oncocalyx</i> and Oncocalyxone A Affects the In Vitro Survival and Development of Caprine Preantral Follicles Enclosed in Ovarian Cortical Tissue. <i>Research in Complementary Medicine</i> , 2016, 23, 307-313.	2.2	5
9	Connexin 37 and 43 gene and protein expression and developmental competence of isolated ovine secondary follicles cultured in vitro after vitrification of ovarian tissue. <i>Theriogenology</i> , 2016, 85, 1457-1467.	0.9	19
10	Vitrified sheep isolated secondary follicles are able to grow and form antrum after a short period of in vitro culture. <i>Cell and Tissue Research</i> , 2015, 362, 241-251.	1.5	22
11	Dynamized follicle-stimulating hormone affects the development of ovine preantral follicles cultured in vitro. <i>Homeopathy</i> , 2013, 102, 41-48.	0.5	13
12	Preservation of bovine preantral follicle viability and ultra-structure after cooling and freezing of ovarian tissue. <i>Animal Reproduction Science</i> , 2008, 108, 309-318.	0.5	37