Caroline B Terwee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9369427/publications.pdf Version: 2024-02-01

		8732	2812
270	41,735	75	191
papers	citations	h-index	g-index
282 all docs	282 docs citations	282 times ranked	35380 citing authors

#	Article	IF	CITATIONS
1	Construct validity, responsiveness, and utility of change indicators of the Dutch-Flemish PROMIS item banks for depression and anxiety administered as computerized adaptive test (CAT): A comparison with the Brief Symptom Inventory (BSI) Psychological Assessment, 2022, 34, 58-69.	1.2	5
2	Use of core outcome sets was low in clinical trials published in major medical journals. Journal of Clinical Epidemiology, 2022, 142, 19-28.	2.4	33
3	Present state bias in transition ratings was accurately estimated in simulated and real data. Journal of Clinical Epidemiology, 2022, 143, 128-136.	2.4	7
4	Advances in measuring pediatric overall health: the PROMIS® Pediatric Global Health scale (PGH-7). European Journal of Pediatrics, 2022, 181, 2117-2125.	1.3	7
5	Challenges in Measuring What Matters to Patients With Diabetes. Comment on "Measurement Properties of Patient-Reported Outcome Measures for Diabetes: Systematic Review― Journal of Medical Internet Research, 2022, 24, e36876.	2.1	3
6	Dutch-Flemish translation and cross-cultural adaption of the Spinal Cord Injury-Quality of Life (SCI-QOL) short forms. European Spine Journal, 2022, , 1.	1.0	1
7	Towards standardization of fatigue measurement: Psychometric properties and reference values of the PROMIS Fatigue item bank in the Dutch general population. Research Methods in Medicine & Health Sciences, 2022, 3, 86-98.	0.7	7
8	Improved adjusted minimal important change took reliability of transition ratings into account. Journal of Clinical Epidemiology, 2022, 148, 48-53.	2.4	10
9	Measurement properties and interpretability of the PROMIS item banks in stroke patients: a systematic review. Quality of Life Research, 2022, 31, 3305-3315.	1.5	4
10	The patient-reported outcomes measurement information systems (PROMIS®) physical function and its derivative measures in adults: a systematic review of content validity. Quality of Life Research, 2022, 31, 3317-3330.	1.5	1
11	Outcomes of the first global multidisciplinary consensus meeting including persons living with obesity to standardize patientâ€reported outcome measurement in obesity treatment research. Obesity Reviews, 2022, 23, .	3.1	11
12	Determining the Minimal Important Change of Everyday Functioning in Dementia. Neurology, 2022, 99, .	1.5	2
13	Study protocol for developing, piloting and disseminating the PRISMA-COSMIN guideline: a new reporting guideline for systematic reviews of outcome measurement instruments. Systematic Reviews, 2022, 11, .	2.5	21
14	Systematic review on the measurement properties of diabetes-specific patient-reported outcome measures (PROMs) for measuring physical functioning in people with type 2 diabetes. BMJ Open Diabetes Research and Care, 2022, 10, e002729.	1.2	6
15	Measurement properties of the Dutch PROMIS-29 v2.1 profile in people with and without chronic conditions. Quality of Life Research, 2022, 31, 3447-3458.	1.5	9
16	Content Validity of Patient-Reported Outcome Measures Developed for Assessing Health-Related Quality of Life in People with Type 2 Diabetes Mellitus: a Systematic Review. Current Diabetes Reports, 2022, 22, 405-421.	1.7	4
17	Patient-reported outcome measures for assessing health-related quality of life in people with type 2 diabetes: A systematic review. Reviews in Endocrine and Metabolic Disorders, 2022, 23, 931-977.	2.6	13
18	Pain, fatigue, depressive symptoms and sleep disturbance in young adults with cerebral palsy. Disability and Rehabilitation, 2021, 43, 2164-2171.	0.9	22

#	Article	IF	CITATIONS
19	Psychometric properties of the Patientâ€Reported Outcomes Measurement Information System (PROMIS) Sleep Disturbance and Sleepâ€Related Impairment item banks in adolescents. Journal of Sleep Research, 2021, 30, e13029.	1.7	12
20	Systematic Review: The Measurement Properties of the Children's Depression Rating Scaleâ^'Revised in Adolescents With Major Depressive Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 119-133.	0.3	20
21	Patientâ€reported outcome measures (PROMs): making sense of individual PROM scores and changes in PROM scores over time. Nephrology, 2021, 26, 391-399.	0.7	40
22	Practical Significance of Longitudinal Measurement Invariance Violations in the Dutch–Flemish PROMIS Item Banks for Depression and Anxiety: An Illustration With Ordered-Categorical Data. Assessment, 2021, 28, 277-294.	1.9	3
23	Structural validity and construct validity of the Dutch-Flemish PROMIS® physical function-upper extremity version 2.0 item bank in Dutch patients with upper extremity injuries. Disability and Rehabilitation, 2021, 43, 1176-1184.	0.9	8
24	Reply to the concerns raised by McKenna and Heaney about COSMIN. Journal of Medical Economics, 2021, 24, 857-859.	1.0	7
25	Translation and content validity of the Dutch Impact of Vision Impairment questionnaire assessed by Three-Step Test-Interviewing. Journal of Patient-Reported Outcomes, 2021, 5, 1.	0.9	18
26	EULAR recommendations for the reporting of ultrasound studies in rheumatic and musculoskeletal diseases (RMDs). Annals of the Rheumatic Diseases, 2021, 80, 840-847.	0.5	31
27	Psychometric properties of the Patient-Reported Outcomes Measurement Information System (PROMIS®) pediatric item bank peer relationships in the Dutch general population. Quality of Life Research, 2021, 30, 2061-2070.	1.5	17
28	How to use the patient-reported outcomes measurement information system (PROMIS) in international orthopaedic trauma research: a practical approach. Injury, 2021, 52, 3537-3539.	0.7	1
29	Is There An Association Between Bundled Payments and "Cherry Picking―and "Lemon Dropping―in Orthopaedic Surgery? A Systematic Review. Clinical Orthopaedics and Related Research, 2021, 479, 2430-2443.	0.7	19
30	COSMIN reporting guideline for studies on measurement properties of patient-reported outcome measures. Quality of Life Research, 2021, 30, 2197-2218.	1.5	243
31	Dutch reference values for the Patient-Reported Outcomes Measurement Information System Scale v1.2 - Clobal Health (PROMIS-GH). Journal of Patient-Reported Outcomes, 2021, 5, 38.	0.9	11
32	Psychometric properties of the Dutch-Flemish PROMIS® pediatric item banks Anxiety and Depressive Symptoms in a general population. Quality of Life Research, 2021, 30, 2683-2695.	1.5	11
33	The impact of lockdown during the COVID-19 pandemic on mental and social health of children and adolescents. Quality of Life Research, 2021, 30, 2795-2804.	1.5	124
34	International application of PROMIS computerized adaptive tests: US versus country-specific item parameters can be consequential for individual patient scores. Journal of Clinical Epidemiology, 2021, 134, 1-13.	2.4	10
35	Key concepts in clinical epidemiology: Responsiveness, the longitudinal aspect of validity. Journal of Clinical Epidemiology, 2021, 140, 159-162.	2.4	41
36	Harms reported by patients in rheumatology drug trials: a systematic review of randomized trials in the cochrane library from an OMERACT working group. Seminars in Arthritis and Rheumatism, 2021, 51, 607-617.	1.6	3

#	Article	IF	CITATIONS
37	Psychometric properties of the Patient-Reported Outcomes Measurement Information System (PROMIS®) Pediatric Anger Scale in the Dutch general population Psychological Assessment, 2021, 33, 1261-1266.	1.2	6
38	From statistics to clinics: the visual feedback of PROMIS® CATs. Journal of Patient-Reported Outcomes, 2021, 5, 55.	0.9	12
39	Minimal important change (MIC): a conceptual clarification and systematic review of MIC estimates of PROMIS measures. Quality of Life Research, 2021, 30, 2729-2754.	1.5	153
40	Validation of PROMIS Profileâ€29 in adults with hemophilia in the Netherlands. Journal of Thrombosis and Haemostasis, 2021, 19, 2687-2701.	1.9	16
41	A Patient-Reported Outcomes Measurement Information System Short Form for Measuring Physical Function During Geriatric Rehabilitation: Test-Retest Reliability, Construct Validity, Responsiveness, and Interpretability. Journal of the American Medical Directors Association, 2021, 22, 1627-1632.e1.	1.2	10
42	Psychometric properties of the patient-reported outcomes measurement information system scale v1.2: global health (PROMIS-GH) in a Dutch general population. Health and Quality of Life Outcomes, 2021, 19, 226.	1.0	8
43	Common patient-reported outcomes across ICHOM Standard Sets: the potential contribution of PROMIS®. BMC Medical Informatics and Decision Making, 2021, 21, 259.	1.5	21
44	Translation and cross-cultural adaptation of Nepali versions of the Patient-Reported Outcomes Measurement Information System (PROMIS®) Pain Intensity, Pain Interference, Pain Behavior, Depression, and Sleep Disturbance short forms in chronic musculoskeletal pain. Quality of Life Research, 2021, 30, 1215-1224.	1.5	7
45	Uterine Fibroid Symptom and Quality of Life questionnaire (UFS-QOL NL) in the Dutch population: a validation study. BMJ Open, 2021, 11, e052664.	0.8	6
46	Patient-Reported Outcomes of Yearly Imaging Surveillance in Patients Following Endovascular Aortic Aneurysm Repair. Annals of Vascular Surgery, 2021, , .	0.4	3
47	Proposal for Improvement of the Hospital Anxiety and Depression Scale for the Assessment of Emotional Distress in Patients With Chronic Musculoskeletal Pain: A Bifactor and Item Response Theory Analysis. Journal of Pain, 2020, 21, 375-389.	0.7	16
48	Psychometric Properties of the Pediatric Patientâ€Reported Outcomes Measurement Information System Item Banks in a Dutch Clinical Sample of Children With Juvenile Idiopathic Arthritis. Arthritis Care and Research, 2020, 72, 1780-1789.	1.5	16
49	PROMIS Physical Function Short Forms Display Item- and Scale-Level Characteristics at Least as Good as the Roland Morris Disability Questionnaire in Patients With Chronic Low Back Pain. Archives of Physical Medicine and Rehabilitation, 2020, 101, 297-308.	0.5	8
50	First Validation of the Full PROMIS Pain Interference and Pain Behavior Item Banks in Patients With Rheumatoid Arthritis. Arthritis Care and Research, 2020, 72, 1550-1559.	1.5	14
51	Translation, cross-cultural and construct validity of the Dutch–Flemish PROMIS® upper extremity item bank v2.0. Quality of Life Research, 2020, 29, 1123-1135.	1.5	9
52	Operationalization of the Brief ICF Core Set for Hearing Loss: An ICF-Based e-Intake Tool in Clinical Otology and Audiology Practice. Ear and Hearing, 2020, 41, 1533-1544.	1.0	15
53	Validity of Clinical Measurement Instruments Assessing Scapular Function: Insufficient Evidence to Recommend Any Instrument for Assessing Scapular Posture, Movement, and Dysfunction—A Systematic Review. Journal of Orthopaedic and Sports Physical Therapy, 2020, 50, 632-641.	1.7	8
54	COSMIN Risk of Bias tool to assess the quality of studies on reliability or measurement error of outcome measurement instruments: a Delphi study. BMC Medical Research Methodology, 2020, 20, 293.	1.4	205

#	Article	IF	CITATIONS
55	A mixedâ€methods approach to establish clinically meaningful categories of impairment in instrumental activities of daily living. Alzheimer's and Dementia, 2020, 16, e045693.	0.4	2
56	Methods used in the selection of instruments for outcomes included in core outcome sets have improved since the publication of the COSMIN/COMET guideline. Journal of Clinical Epidemiology, 2020, 125, 64-75.	2.4	30
57	Graded response model fit, measurement invariance and (comparative) precision of the Dutch-Flemish PROMIS® Upper Extremity V2.0 item bank in patients with upper extremity disorders. BMC Musculoskeletal Disorders, 2020, 21, 170.	0.8	10
58	The value of core outcome sets in health psychology. British Journal of Health Psychology, 2020, 25, 377-389.	1.9	4
59	Proposal to extend the PROMIS® item bank v2.0 â€~Ability to Participate in Social Roles and Activities': item generation and content validity. Quality of Life Research, 2020, 29, 2851-2861.	1.5	4
60	The Value of Item Banks, CAT, and PROMIS for Dermatology. Journal of Investigative Dermatology, 2020, 140, 1089-1091.	0.3	1
61	A study of alternative approaches to non-normal latent trait distributions in item response theory models used for health outcome measurement. Statistical Methods in Medical Research, 2020, 29, 1030-1048.	0.7	19
62	Development of a Patient-Reported Outcomes Measurement Information System (PROMIS®) short form for measuring physical function in geriatric rehabilitation patients. Quality of Life Research, 2020, 29, 2563-2572.	1.5	12
63	Uptake of core outcome sets by clinical trialists publishing in major medical journals: Protocol. HRB Open Research, 2020, 3, 53.	0.3	0
64	Unlike ROC analysis, a new IRT method identified clinical thresholds unbiased by disease prevalence. Journal of Clinical Epidemiology, 2020, 124, 118-125.	2.4	12
65	Stap 5: wat is de klinimetrische kwaliteit van meetinstrumenten?. , 2020, , 49-81.		1
66	Changes in the ability to participate in and satisfaction with social roles and activities in patients in outpatient rehabilitation. Journal of Patient-Reported Outcomes, 2020, 4, 73.	0.9	10
67	Measurement Properties of Visual Analogue Scale, Numeric Rating Scale, and Pain Severity Subscale of the Brief Pain Inventory in Patients With Low Back Pain: A Systematic Review. Journal of Pain, 2019, 20, 245-263.	0.7	283
68	Responsiveness and interpretability of the Animated Activity Questionnaire for assessing activity limitations of patients with hip or knee osteoarthritis. Musculoskeletal Care, 2019, 17, 327-334.	0.6	6
69	A qualitative study investigating the meaning of participation to improve the measurement of this construct. Quality of Life Research, 2019, 28, 2233-2246.	1.5	7
70	Comparison of a video versus paper questionnaire on functional limitation in lower limb osteoarthritis. BMC Musculoskeletal Disorders, 2019, 20, 507.	0.8	0
71	The International Index of Erectile Function (IIEF)—A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 1078-1091.	0.3	58
72	Psychometric properties of the Dutch-Flemish Patient-Reported Outcomes Measurement Information System Pain Behavior item bank in patients with musculoskeletal complaints. Journal of Pain, 2019, 20, 1328-1337.	0.7	6

#	Article	IF	CITATIONS
73	Uptake of the OMERACT-OARSI Hip and Knee Osteoarthritis Core Outcome Set: Review of Randomized Controlled Trials from 1997 to 2017. Journal of Rheumatology, 2019, 46, 976-980.	1.0	25
74	Improving outcome reporting in clinical trial reports and protocols: study protocol for the Instrument for reporting Planned Endpoints in Clinical Trials (InsPECT). Trials, 2019, 20, 161.	0.7	28
75	Measuring positive health: for now, a bridge too far. Public Health, 2019, 170, 70-77.	1.4	23
76	Measuring health-related quality of life in colorectal cancer patients: systematic review of measurement properties of the EORTC QLQ-CR29. Supportive Care in Cancer, 2019, 27, 2395-2412.	1.0	13
77	The Female Sexual Function Index (FSFI)—A Systematic Review of Measurement Properties. Journal of Sexual Medicine, 2019, 16, 640-660.	0.3	80
78	Clinimetrics: Patient-Reported Outcomes Measurement Information System (PROMIS®). Journal of Physiotherapy, 2019, 65, 110.	0.7	4
79	Psychometric properties and norm scores of the sleep self report in Dutch children. Health and Quality of Life Outcomes, 2019, 17, 15.	1.0	15
80	Estimating Minimal Clinically Important Differences and Minimal Detectable Change. Journal of Hand Surgery, 2019, 44, e1.	0.7	12
81	Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients With Musculoskeletal Complaints. Spine, 2019, 44, 411-419.	1.0	6
82	Differential item functioning of the PROMIS physical function, pain interference, and pain behavior item banks across patients with different musculoskeletal disorders and persons from the general population. Quality of Life Research, 2019, 28, 1231-1243.	1.5	33
83	Measurement Properties of the Barthel Index in Geriatric Rehabilitation. Journal of the American Medical Directors Association, 2019, 20, 420-425.e1.	1.2	115
84	The OMERACT-OARSI Core Domain Set for Measurement in Clinical Trials of Hip and/or Knee Osteoarthritis. Journal of Rheumatology, 2019, 46, 981-989.	1.0	82
85	Validation of two PROMIS item banks for measuring social participation in the Dutch general population. Quality of Life Research, 2019, 28, 211-220.	1.5	33
86	Development of a Computerized Adaptive Test for Anxiety Based on the Dutch–Flemish Version of the PROMIS Item Bank. Assessment, 2019, 26, 1362-1374.	1.9	19
87	Development of a framework with tools to support the selection and implementation of patient-reported outcome measures. Journal of Patient-Reported Outcomes, 2019, 3, 75.	0.9	47
88	COSMIN guideline for systematic reviews of patient-reported outcome measures. Quality of Life Research, 2018, 27, 1147-1157.	1.5	1,600
89	Meaningful Change Scores in the Knee Injury and Osteoarthritis Outcome Score in Patients Undergoing Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2018, 46, 1120-1128.	1.9	72
90	Measurement properties of depression questionnaires in patients with diabetes: a systematic review. Quality of Life Research, 2018, 27, 1415-1430.	1.5	30

#	Article	IF	CITATIONS
91	COSMIN Risk of Bias checklist for systematic reviews of Patient-Reported Outcome Measures. Quality of Life Research, 2018, 27, 1171-1179.	1.5	1,264
92	A systematic review highlights the need to investigate the content validity of patient-reported outcome measures for physical functioning in patients with low back pain. Journal of Clinical Epidemiology, 2018, 95, 73-93.	2.4	81
93	Developing a core outcome domain set to assessing effectiveness of interdisciplinary multimodal pain therapy: the VAPAIN consensus statement on core outcome domains. Pain, 2018, 159, 673-683.	2.0	86
94	Validation of the PROMIS Sleep Disturbance and Sleep-Related Impairment item banks in Dutch adolescents. Quality of Life Research, 2018, 27, 1911-1920.	1.5	18
95	By using a core outcome set we measure what matters to patients. British Journal of Dermatology, 2018, 178, 579-580.	1.4	3
96	A systematic review of the measurement properties of the Body Image Scale (BIS) in cancer patients. Supportive Care in Cancer, 2018, 26, 1715-1726.	1.0	41
97	COSMIN methodology for evaluating the content validity of patient-reported outcome measures: a Delphi study. Quality of Life Research, 2018, 27, 1159-1170.	1.5	1,020
98	Measuring Patient-Reported Outcomes Adaptively: Multidimensionality Matters!. Applied Psychological Measurement, 2018, 42, 327-342.	0.6	10
99	Measurement properties of the most commonly used Foot- and Ankle-Specific Questionnaires: the FFI, FAOS and FAAM. AÂsystematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 2059-2073.	2.3	65
100	A systematic review of measurement properties of patient reported outcome measures in psoriatic arthritis: A GRAPPA-OMERACT initiative. Seminars in Arthritis and Rheumatism, 2018, 47, 654-665.	1.6	50
101	Core outcome measurement instruments for clinical trials in nonspecific low back pain. Pain, 2018, 159, 481-495.	2.0	263
102	Reliability of the Animated Activity Questionnaire for assessing activity limitations of patients with hip and knee osteoarthritis. Musculoskeletal Care, 2018, 16, 363-369.	0.6	9
103	Evidence on the measurement properties of health-related quality of life instruments is largely missing in patients with low back pain: A systematic review. Journal of Clinical Epidemiology, 2018, 102, 23-37.	2.4	43
104	Personalised perioperative care by e-health after intermediate-grade abdominal surgery: a multicentre, single-blind, randomised, placebo-controlled trial. Lancet, The, 2018, 392, 51-59.	6.3	72
105	Quality and Quantity of Sleep and Factors Associated With Sleep Disturbance in Hospitalized Patients. JAMA Internal Medicine, 2018, 178, 1201.	2.6	169
106	Using PROMIS for measuring recovery after abdominal surgery: a pilot study. BMC Health Services Research, 2018, 18, 128.	0.9	21
107	A systematic review of the measurement properties of the European Organisation for Research and Treatment of Cancer In-patient Satisfaction with Care Questionnaire, the EORTC IN-PATSAT32. Supportive Care in Cancer, 2018, 26, 2551-2560.	1.0	11
108	Physical Activity Questionnaires for Pregnancy: A Systematic Review of Measurement Properties. Sports Medicine, 2018, 48, 2317-2346.	3.1	51

#	Article	IF	CITATIONS
109	Psychometric properties of the PROMIS Physical Function item bank in patients receiving physical therapy. PLoS ONE, 2018, 13, e0192187.	1.1	31
110	Kritisch beoordelen van een artikel over primair onderzoek. , 2018, , 29-119.		2
111	Evaluation of the measurement properties of symptom measurement instruments for atopic eczema: a systematic review. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 146-163.	2.7	71
112	Development of a Computer Adaptive Test for Depression Based on the Dutch-Flemish Version of the PROMIS Item Bank. Evaluation and the Health Professions, 2017, 40, 79-105.	0.9	41
113	The Dutch–Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. Journal of Clinical Epidemiology, 2017, 87, 47-58.	2.4	28
114	The attitudes of Dutch fertility specialists towards the addition of genetic testing in screening of tubal factor infertility. Sexual and Reproductive Healthcare, 2017, 12, 123-127.	0.5	2
115	Healthâ€related quality of life questionnaires in individuals with haemophilia: a systematic review of their measurement properties. Haemophilia, 2017, 23, 497-510.	1.0	43
116	The Responsiveness and Minimal Important Change of the Western Ontario Shoulder Instability Index and Oxford Shoulder Instability Score. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 402-410.	1.7	32
117	Clinical Prediction Models for Patients With Nontraumatic Knee Pain in Primary Care: A Systematic Review and Internal Validation Study. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 518-529.	1.7	4
118	The anchor-based minimal important change, based on receiver operating characteristic analysis or predictive modeling, may need to be adjusted for the proportion of improved patients. Journal of Clinical Epidemiology, 2017, 83, 90-100.	2.4	81
119	Spearman–Brown prophecy formula and Cronbach's alpha: different faces of reliability and opportunities for new applications. Journal of Clinical Epidemiology, 2017, 85, 45-49.	2.4	112
120	Animated Activity Questionnaire (AAQ), a new method of selfâ€reporting activity limitations in patients with hip and knee osteoarthritis: Comparisons with observation by spouses for construct validity. Musculoskeletal Care, 2017, 15, 263-271.	0.6	5
121	Item usage in a multidimensional computerized adaptive test (MCAT) measuring health-related quality of life. Quality of Life Research, 2017, 26, 2909-2918.	1.5	10
122	The COMET Handbook: version 1.0. Trials, 2017, 18, 280.	0.7	1,128
123	Developing an OMERACT Core Outcome Set for Assessing Safety Components in Rheumatology Trials: The OMERACT Safety Working Group. Journal of Rheumatology, 2017, 44, 1916-1919.	1.0	11
124	Cross ultural and Construct Validity of the Animated Activity Questionnaire. Arthritis Care and Research, 2017, 69, 1349-1359.	1.5	11
125	Systematic Review of Childhood Sedentary Behavior Questionnaires: What do We Know and What is Next?. Sports Medicine, 2017, 47, 677-699.	3.1	47
126	Primary Outcomes Reporting in Trials (PORTal): a systematic review of inadequate reporting in pediatric randomized controlled trials. Journal of Clinical Epidemiology, 2017, 81, 33-41.	2.4	17

#	Article	IF	CITATIONS
127	Measurement properties of maximal cardiopulmonary exercise tests protocols in persons after stroke: A systematic review. Journal of Rehabilitation Medicine, 2017, 49, 689-699.	0.8	9
128	THU0677â€Outcome measurement instruments for safety in rheumatology: a scoping review of available instruments to inform the omeract safety working group. , 2017, , .		0
129	Detecting functional decline from normal aging to dementia: Development and validation of a short version of the Amsterdam IADL Questionnaire. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 26-35.	1.2	58
130	SAT0620â€Validation of The Dutch-Flemish Promis Fatigue Item Bank in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2016, 75, 894.2-894.	0.5	0
131	The COnsensus-based Standards for the selection of health Measurement INstruments (COSMIN) and how to select an outcome measurement instrument. Brazilian Journal of Physical Therapy, 2016, 20, 105-113.	1.1	469
132	Comment on "Should we reframe how we think about physical activity and sedentary behavior measurement? Validity and reliability reconsidered― International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 66.	2.0	7
133	Validation of the SQUASH Physical Activity Questionnaire in a Multi-Ethnic Population: The HELIUS Study. PLoS ONE, 2016, 11, e0161066.	1.1	37
134	Calibration of the Dutchâ€Flemish <scp>PROMIS</scp> Pain Behavior item bank in patients with chronic pain. European Journal of Pain, 2016, 20, 284-296.	1.4	18
135	Systematic review of patient-reported outcome measures in the surgical treatment of patients with esophageal cancer. Ecological Management and Restoration, 2016, 29, 760-772.	0.2	42
136	Content validity of the Patient-Reported Outcomes Measurement Information System Sleep Disturbance and Sleep Related Impairment item banks in adolescents. Health and Quality of Life Outcomes, 2016, 14, 92.	1.0	16
137	Hand-related physical function in rheumatic hand conditions: a protocol for developing a patient-reported outcome measurement instrument: TableÂ1. BMJ Open, 2016, 6, e011174.	0.8	2
138	How to select outcome measurement instruments for outcomes included in a "Core Outcome Set―– a practical guideline. Trials, 2016, 17, 449.	0.7	659
139	P1â€238: When Less is More: Detecting Functional Decline Using a Short Version of the Amsterdam Iadl Questionnaire. Alzheimer's and Dementia, 2016, 12, P498.	0.4	0
140	Knee Injury and Osteoarthritis Outcome Score (KOOS): systematic review and meta-analysis of measurement properties. Osteoarthritis and Cartilage, 2016, 24, 1317-1329.	0.6	412
141	Roland-Morris Disability Questionnaire and Oswestry Disability Index: Which Has Better Measurement Properties for Measuring Physical Functioning in Nonspecific Low Back Pain? Systematic Review and Meta-Analysis. Physical Therapy, 2016, 96, 1620-1637.	1.1	170
142	Evaluation of measurement properties of self-administered PROMs aimed at patients with non-specific shoulder pain and "activity limitations― a systematic review. Quality of Life Research, 2016, 25, 2141-2160.	1.5	34
143	Measurement Properties of the Quebec Back Pain Disability Scale in Patients With Nonspecific Low Back Pain: Systematic Review. Physical Therapy, 2016, 96, 1816-1831.	1.1	30
144	Choosing the right outcome measurement instruments for patients with low back pain. Best Practice and Research in Clinical Rheumatology, 2016, 30, 1003-1020.	1.4	68

#	Article	IF	CITATIONS
145	Evaluation of the Dutch version of the Foot and Ankle Outcome Score (FAOS): responsiveness and Minimally Important Change. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1339-1347.	2.3	36
146	Development and validation of a questionnaire assessing the perceived control in health care among older adults with care needs in the Netherlands. Quality of Life Research, 2016, 25, 859-870.	1.5	12
147	Content validity of the Dutch Rheumatoid Arthritis Impact of Disease (RAID) score: results of focus group discussions in established rheumatoid arthritis patients and comparison with the International Classification of Functioning, Disability and Health core set for rheumatoid arthritis. Arthritis Research and Therapy, 2016, 18, 22.	1.6	8
148	The quality of systematic reviews of health-related outcome measurement instruments. Quality of Life Research, 2016, 25, 767-779.	1.5	72
149	Assessment of patient-reported outcome measures in the surgical treatment of patients with gastric cancer. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 1920-1929.	1.3	18
150	Dutch–Flemish translation of nine pediatric item banks from the Patient-Reported Outcomes Measurement Information System (PROMIS)®. Quality of Life Research, 2016, 25, 761-765.	1.5	28
151	Patient-Reported Outcomes for Quality of Life Assessment in Atrial Fibrillation: A Systematic Review of Measurement Properties. PLoS ONE, 2016, 11, e0165790.	1.1	44
152	Substitution of Usual Perioperative Care by eHealth to Enhance Postoperative Recovery in Patients Undergoing General Surgical or Gynecological Procedures: Study Protocol of a Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e245.	0.5	20
153	Development and Preliminary Testing of a Computerized Animated Activity Questionnaire in Patients With Hip and Knee Osteoarthritis. Arthritis Care and Research, 2015, 67, 32-39.	1.5	16
154	The Oxford Shoulder Instability Score; validation in Dutch and first-time assessment of its smallest detectable change. Journal of Orthopaedic Surgery and Research, 2015, 10, 146.	0.9	29
155	THU0599â€Validation of the Dutch-Flemish Promis Pain Behavior and Pain Interference Item Banks in Patients with Rheumatoid Arthritis. Annals of the Rheumatic Diseases, 2015, 74, 418.1-418.	0.5	0
156	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. PLoS ONE, 2015, 10, e0134094.	1.1	32
157	Systematic Review of the Measurement Properties of Tools Used to Measure Behaviour Problems in Young Children with Autism. PLoS ONE, 2015, 10, e0144649.	1.1	39
158	Validity of Bronchiolitis Outcome Measures. Pediatrics, 2015, 135, e1399-e1408.	1.0	42
159	The measurement properties of the IKDC-subjective knee form. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 3698-3706.	2.3	58
160	Validity and measurement precision of the PROMIS physical function item bank and a content validity–driven 20-item short form in rheumatoid arthritis compared with traditional measures. Rheumatology, 2015, 54, kev265.	0.9	28
161	Reply to â€~COSMIN for quality rating systematic reviews on psychometric properties'. Physical Therapy Reviews, 2015, 20, 266-267.	0.3	4
162	Vitiligo Area Scoring Index and Vitiligo European Task Force assessment: reliable and responsive instruments to measure the degree of depigmentation in vitiligo. British Journal of Dermatology, 2015, 172, 437-443.	1.4	51

#	Article	IF	CITATIONS
163	Reliability and validity of the Falls Efficacy Scale-International after hip fracture in patients aged ≥65 years. Disability and Rehabilitation, 2015, 37, 2225-2232.	0.9	28
164	Proportion of Patients Reporting Acceptable Symptoms or Treatment Failure and Their Associated KOOS Values at 6 to 24 Months After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2015, 43, 1902-1907.	1.9	87
165	Validation of the Animated Activity Questionnaire (AAQ) for patients with hip and knee osteoarthritis: comparison to home-recorded videos. Rheumatology International, 2015, 35, 1399-1408.	1.5	9
166	Core outcome domains for clinical trials in non-specific low back pain. European Spine Journal, 2015, 24, 1127-1142.	1.0	259
167	Identifying key domains of health-related quality of life for patients with chronic obstructive pulmonary disease: interviews with healthcare professionals. Quality of Life Research, 2015, 24, 1351-1367.	1.5	8
168	Assessing the Quality of Available Patient Reported Outcome Measures for Intermittent Claudication: A Systematic Review Using the COSMIN Checklist. European Journal of Vascular and Endovascular Surgery, 2015, 49, 316-334.	0.8	47
169	Consensus on the Need for a Hierarchical List of Patient-reported Pain Outcomes for Metaanalyses of Knee Osteoarthritis Trials: An OMERACT Objective. Journal of Rheumatology, 2015, 42, 1971-1975.	1.0	15
170	Neuropathic pain screening questionnaires have limited measurement properties. A systematic review. Journal of Clinical Epidemiology, 2015, 68, 957-966.	2.4	103
171	A Call for Evidence-based Decision Making When Selecting Outcome Measurement Instruments for Summary of Findings Tables in Systematic Reviews: Results from an OMERACT Working Group. Journal of Rheumatology, 2015, 42, 1954-1961.	1.0	10
172	Dialogue on Developing Consensus on Measurement and Presentation of Patient-important Outcomes, Using Pain Outcomes as an Exemplar, in Systematic Reviews: A Preconference Meeting at OMERACT 12. Journal of Rheumatology, 2015, 42, 1931-1933.	1.0	9
173	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. Journal of Rheumatology, 2015, 42, 1934-1942.	1.0	7
174	Minimal important change (MIC) based on a predictive modeling approach was more precise than MIC based on ROC analysis. Journal of Clinical Epidemiology, 2015, 68, 1388-1396.	2.4	99
175	Validation of the Dutch language version of the Foot and Ankle Outcome Score. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 2413-2419.	2.3	53
176	Reliability, responsiveness and interpretability of the neck disability index-Dutch version in primary care. European Spine Journal, 2015, 24, 88-93.	1.0	27
177	Systematic review of tools to measure outcomes for young children with autism spectrum disorder. Health Technology Assessment, 2015, 19, 1-506.	1.3	203
178	Calibration of the PROMIS Physical Function Item Bank in Dutch Patients with Rheumatoid Arthritis. PLoS ONE, 2014, 9, e92367.	1.1	30
179	Cosmetic Outcome Assessment following Breast-Conserving Therapy: A Comparison between BCCT.core Software and Panel Evaluation. International Journal of Breast Cancer, 2014, 2014, 1-7.	0.6	46
180	Dutch–Flemish translation of 17 item banks from the Patient-Reported Outcomes Measurement Information System (PROMIS). Quality of Life Research, 2014, 23, 1733-41.	1.5	102

#	Article	IF	CITATIONS
181	What is a clinically relevant change on the HIT-6 questionnaire? An estimation in a primary-care population of migraine patients. Cephalalgia, 2014, 34, 29-36.	1.8	86
182	Development and Validation of the Computer-Administered Animated Activity Questionnaire to Measure Physical Functioning of Patients With Hip or Knee Osteoarthritis. Physical Therapy, 2014, 94, 251-261.	1.1	8
183	Measurement properties of the Western Ontario Shoulder Instability Index in Dutch patients with shoulder instability. BMC Musculoskeletal Disorders, 2014, 15, 211.	0.8	29
184	Evaluation of the measurement properties of the Manchester foot pain and disability index. BMC Musculoskeletal Disorders, 2014, 15, 276.	0.8	10
185	Core Outcome Measures in Effectiveness Trials (COMET) initiative: protocol for an international Delphi study to achieve consensus on how to select outcome measurement instruments for outcomes included in a †core outcome set'. Trials, 2014, 15, 247.	0.7	237
186	Identifying key domains of health-related quality of life for patients with Chronic Obstructive Pulmonary Disease: the patient perspective. Health and Quality of Life Outcomes, 2014, 12, 106.	1.0	26
187	Determinants of protein–energy malnutrition in community-dwelling older adults: A systematic review of observational studies. Ageing Research Reviews, 2014, 18, 112-131.	5.0	136
188	Mobile-bearing total knee arthroplasty: More rotation is evident during more demanding tasks. Knee, 2014, 21, 960-963.	0.8	6
189	THU0564â€Validation of the Dutch-Flemish PROMIS Physical Functioning Item Bank in Patients with Chronic Pain. Annals of the Rheumatic Diseases, 2014, 73, 377.3-378.	0.5	Ο
190	ISOQOL recommends minimum standards for patient-reported outcome measures used in patient-centered outcomes and comparative effectiveness research. Quality of Life Research, 2013, 22, 1889-1905.	1.5	613
191	Bioelectrical impedance analysis to estimate body composition in children and adolescents: a systematic review and evidence appraisal of validity, responsiveness, reliability and measurement error. Obesity Reviews, 2013, 14, 895-905.	3.1	149
192	The case for an international patient-reported outcomes measurement information system (PROMIS®) initiative. Health and Quality of Life Outcomes, 2013, 11, 210.	1.0	127
193	Determination and comparison of the smallest detectable change (SDC) and the minimal important change (MIC) of four-shoulder patient-reported outcome measures (PROMs). Journal of Orthopaedic Surgery and Research, 2013, 8, 40.	0.9	203
194	Testing the psychometric properties of the Participation Scale in Eastern Nepal. Quality of Life Research, 2013, 22, 137-144.	1.5	24
195	Knee Injury and Osteoarthritis Outcome Score or International Knee Documentation Committee Subjective Knee Form: Which Questionnaire Is Most Useful to Monitor Patients With an Anterior Cruciate Ligament Rupture in the Short Term?. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, 701-715.	1.3	96
196	Author's Reply. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2013, 29, 1128.	1.3	0
197	Social participation in older adults with joint pain and comorbidity; testing the measurement properties of the Dutch Keele Assessment of Participation. BMJ Open, 2013, 3, e003181.	0.8	11
198	The Six-Minute Walk Test in Chronic Pediatric Conditions: A Systematic Review of Measurement Properties. Physical Therapy, 2013, 93, 529-541.	1.1	125

#	Article	IF	CITATIONS
199	Measurement error of waist circumference: gaps in knowledge. Public Health Nutrition, 2013, 16, 281-288.	1.1	99
200	Unsuccessful validation of 2004 model for predicting academic or behavioural limitations after childhood bacterial meningitis. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e553-e559.	0.7	1
201	Instruments Measuring Externalizing Mental Health Problems in Immigrant Ethnic Minority Youths: A Systematic Review of Measurement Properties. PLoS ONE, 2013, 8, e63109.	1.1	32
202	A meta-analysis of left ventricular dyssynchrony assessment and prediction of response to cardiac resynchronization therapy by three-dimensional echocardiography. European Heart Journal Cardiovascular Imaging, 2012, 13, 763-775.	0.5	56
203	Validation of the Dutch version of the Simple Shoulder Test. Journal of Shoulder and Elbow Surgery, 2012, 21, 808-814.	1.2	55
204	Measurement properties of performance-based measures to assess physical function in hip and knee osteoarthritis: a systematic review. Osteoarthritis and Cartilage, 2012, 20, 1548-1562.	0.6	209
205	Measurement Properties of Outcome Measures for Vitiligo. Archives of Dermatology, 2012, 148, 1302.	1.7	40
206	Identifying generic predictors of outcome in patients presenting to primary care with nonspinal musculoskeletal pain. Arthritis Care and Research, 2012, 64, 1217-1224.	1.5	29
207	Self-report fatigue questionnaires in multiple sclerosis, Parkinson's disease and stroke: a systematic review of measurement properties. Quality of Life Research, 2012, 21, 925-944.	1.5	155
208	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Quality of Life Research, 2012, 21, 651-657.	1.5	1,463
209	Measurement properties of disease-specific questionnaires in patients with neck pain: a systematic review. Quality of Life Research, 2012, 21, 659-670.	1.5	189
210	Measurement Properties of Questionnaires Measuring Continuity of Care: A Systematic Review. PLoS ONE, 2012, 7, e42256.	1.1	70
211	7 Beoordelen van de methodologische kwaliteit van een meetinstrument. , 2012, , 105-123.		0
212	A Systematic Review of Instruments Assessing Participation: Challenges in Defining Participation. Archives of Physical Medicine and Rehabilitation, 2011, 92, 983-997.	0.5	126
213	Methodological Quality of Studies on the Measurement Properties of Neck Pain and Disability Questionnaires: A Systematic Review. Journal of Manipulative and Physiological Therapeutics, 2011, 34, 261-272.	0.4	36
214	Development of a measurement instrument. , 2011, , 30-64.		15
215	Field-testing: item reduction and data structure. , 2011, , 65-95.		7

6

#	Article	IF	CITATIONS
217	Interpretability. , 2011, , 227-274.		8
218	Systematic reviews of measurement properties. , 2011, , 275-314.		11
219	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. Osteoarthritis and Cartilage, 2011, 19, 620-633.	0.6	158
220	What makes a measurement instrument valid and reliable?. Injury, 2011, 42, 236-240.	0.7	179
221	Measurement properties of translated versions of neck-specific questionnaires: a systematic review. BMC Medical Research Methodology, 2011, 11, 87.	1.4	91
222	Long-term Results After Arthroscopic Shoulder Stabilization Using Suture Anchors. American Journal of Sports Medicine, 2011, 39, 2396-2403.	1.9	150
223	The COSMIN checklist for assessing the methodological quality of studies on measurement properties of health status measurement instruments: an international Delphi study. Quality of Life Research, 2010, 19, 539-549.	1.5	2,751
224	The COSMIN checklist for evaluating the methodological quality of studies on measurement properties: A clarification of its content. BMC Medical Research Methodology, 2010, 10, 22.	1.4	1,178
225	Inter-rater agreement and reliability of the COSMIN (COnsensus-based Standards for the selection of) Tj ETQq1 1	0,784314 1.4	ŀrg₽Ţ /Overl
226	Three ways to quantify uncertainty in individually applied "minimally important change―values. Journal of Clinical Epidemiology, 2010, 63, 37-45.	2.4	113
227	Mind the MIC: large variation among populations and methods. Journal of Clinical Epidemiology, 2010, 63, 524-534.	2.4	245
228	The minimal detectable change should not replace the minimal important difference. Journal of Clinical Epidemiology, 2010, 63, 804-805.	2.4	97
229	The COSMIN study reached international consensus on taxonomy, terminology, and definitions of measurement properties for health-related patient-reported outcomes. Journal of Clinical Epidemiology, 2010, 63, 737-745.	2.4	2,945
230	Qualitative Attributes and Measurement Properties of Physical Activity Questionnaires. Sports Medicine, 2010, 40, 525-537.	3.1	206
231	Physical Activity Questionnaires for Youth. Sports Medicine, 2010, 40, 539-563.	3.1	254
232	Physical Activity Questionnaires for Adults. Sports Medicine, 2010, 40, 565-600.	3.1	508
233	Self-Administered Physical Activity Questionnaires for the Elderly. Sports Medicine, 2010, 40, 601-623.	3.1	140
234	Evaluation of the methodological quality of systematic reviews of health status measurement instruments. Quality of Life Research, 2009, 18, 313-333.	1.5	146

#	Article	IF	CITATIONS
235	Development of a methodological PubMed search filter for finding studies on measurement properties of measurement instruments. Quality of Life Research, 2009, 18, 1115-1123.	1.5	579
236	Linking measurement error to minimal important change of patient-reported outcomes. Journal of Clinical Epidemiology, 2009, 62, 1062-1067.	2.4	145
237	Clinimetric Properties of Instruments to Assess Activities in Patients With Hand Injury: A Systematic Review of the Literature. Archives of Physical Medicine and Rehabilitation, 2009, 90, 151-169.	0.5	102
238	A systematic review of instruments measuring foot function, foot pain, and footâ€related disability in patients with rheumatoid arthritis. Arthritis and Rheumatism, 2008, 59, 1257-1269.	6.7	63
239	The Dutch version of the knee injury and osteoarthritis outcome score: A validation study. Health and Quality of Life Outcomes, 2008, 6, 16.	1.0	264
240	Longitudinal and cross-sectional validity of the DynaPort® Knee Test in adults with nontraumatic knee complaints in general practice. Journal of Clinical Epidemiology, 2008, 61, 1271-1278.	2.4	6
241	Succesful treatment of food allergy with Nambudripad's Allergy Elimination Techniques (NAET) in a 3-year old: A case report. Cases Journal, 2008, 1, 166.	0.4	4
242	Beoordelen van de methodologische kwaliteit van een meetinstrument. , 2008, , 105-123.		0
243	Quality criteria were proposed for measurement properties of health status questionnaires. Journal of Clinical Epidemiology, 2007, 60, 34-42.	2.4	7,331
244	Author reply: criteria for good measurement properties. Journal of Clinical Epidemiology, 2007, 60, 1315-1316.	2.4	1
245	Validation of the Dutch version of the Hip disability and Osteoarthritis Outcome Score. Osteoarthritis and Cartilage, 2007, 15, 104-109.	0.6	147
246	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. Quality of Life Research, 2007, 16, 131-142.	1.5	276
247	Self-reported physical functioning was more influenced by pain than performance-based physical functioning in knee-osteoarthritis patients. Journal of Clinical Epidemiology, 2006, 59, 724-731.	2.4	199
248	Minimal changes in health status questionnaires: distinction between minimally detectable change and minimally important change. Health and Quality of Life Outcomes, 2006, 4, 54.	1.0	587
249	Reproducibility and responsiveness of the Symptom Severity Scale and the hand and finger function subscale of the Dutch arthritis impact measurement scales (Dutch-AIMS2-HFF) in primary care patients with wrist or hand problems. Health and Quality of Life Outcomes, 2006, 4, 87.	1.0	19
250	When to use agreement versus reliability measures. Journal of Clinical Epidemiology, 2006, 59, 1033-1039.	2.4	1,356
251	The course and prognosis of hip complaints in general practice. Annals of Behavioral Medicine, 2006, 31, 297-308.	1.7	15
252	Protocol of the COSMIN study: COnsensus-based Standards for the selection of health Measurement INstruments. BMC Medical Research Methodology, 2006, 6, 2.	1.4	238

7

#	Article	IF	CITATIONS
253	Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. Rheumatology, 2006, 45, 890-902.	0.9	128
254	Predictors of Outcome in Neck and Shoulder Symptoms. Spine, 2005, 30, E459-E470.	1.0	162
255	Construct validity of the DynaPort®KneeTest: a comparison with observations of physical therapists. Osteoarthritis and Cartilage, 2005, 13, 738-743.	0.6	21
256	Reproducibility and validity of the DynaPort KneeTest. Arthritis and Rheumatism, 2005, 53, 357-363.	6.7	14
257	Course and prognosis of knee complaints in general practice. Arthritis and Rheumatism, 2005, 53, 920-930.	6.7	42
258	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803.	1.5	31
259	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. Quality of Life Research, 2005, 14, 1141-1155.	1.5	72
260	Are factor analytical techniques used appropriately in the validation of health status questionnaires? A systematic review on the quality of factor analysis of the SF-36. Quality of Life Research, 2005, 14, 1203-1218.	1.5	231
261	Course and prognosis of elbow complaints: a cohort study in general practice. Annals of the Rheumatic Diseases, 2005, 64, 1331-1336.	0.5	88
262	Changes to the subscales of two vision-related quality of life questionnaires are proposed. Journal of Clinical Epidemiology, 2005, 58, 1260-1268.	2.4	65
263	Interobserver Reproducibility of the Visual Estimation of Range of Motion of the Shoulder. Archives of Physical Medicine and Rehabilitation, 2005, 86, 1356-1361.	0.5	77
264	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. Annals of the Rheumatic Diseases, 2004, 63, 335-341.	0.5	457
265	Psychometric properties of vision-related quality of life questionnaires: a systematic review. Ophthalmic and Physiological Optics, 2004, 24, 257-273.	1.0	227
266	Inter-observer reproducibility of measurements of range of motion in patients with shoulder pain using a digital inclinometer. BMC Musculoskeletal Disorders, 2004, 5, 18.	0.8	79
267	On assessing responsiveness of health-related quality of life instruments: guidelines for instrument evaluation. Quality of Life Research, 2003, 12, 349-362.	1.5	542
268	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. BMC Musculoskeletal Disorders, 2003, 4, 3.	0.8	24
269	Graves' ophthalmopathy through the eyes of the patient: A state of the art on health-related quality of life assessment. Orbit, 2001, 20, 281-290.	0.5	33

270 Concepts, theories and models, and types of measurements. , 0, , 7-29.