

Miladin Radovic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9369948/miladin-radovic-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

4,991
citations

34
h-index

69
g-index

117
ext. papers

6,098
ext. citations

6
avg, IF

5.89
L-index

#	Paper	IF	Citations
114	Effect of Texturing on Thermal, Electric and Elastic Properties of MoAlB, Fe ₂ AlB ₂ , and Mn ₂ AlB ₂ . <i>Journal of the European Ceramic Society</i> , 2022 , 42, 3183-3183	6	0
113	Interparticle interactions and rheological signatures of TiCT MXene dispersions. <i>Journal of Colloid and Interface Science</i> , 2022 , 605, 120-128	9.3	2
112	Anion Identity and Time Scale Affect the Cation Insertion Energy Storage Mechanism in Ti ₃ C ₂ T _x MXene Multilayers. <i>ACS Energy Letters</i> , 2022 , 7, 1828-1834	20.1	0
111	Processing and properties of ceramic yttrium manganite sintered by different methods. <i>Science of Sintering</i> , 2021 , 53, 485-496	0.7	
110	Water-dispersible Ti ₃ C ₂ T _z MXene nanosheets by molten salt etching. <i>IScience</i> , 2021 , 24, 103403	6.1	4
109	Synthesis and Electronic Applications of Particle-Templated TiCT MXene-Polymer Films via Pickering Emulsion Polymerization. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 51556-51566	9.5	2
108	Carbon Additive-Free Crumpled Ti ₃ C ₂ T _x MXene-Encapsulated Silicon Nanoparticle Anodes for Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2021 , 4, 10762-10773	6.1	2
107	On the origin of kinking in layered crystalline solids. <i>Materials Today</i> , 2021 , 43, 45-52	21.8	5
106	On the non-classical crystallographic slip in Ti _n +1AlC _n MAX phases. <i>Scripta Materialia</i> , 2021 , 194, 113698-113706	5.6	3
105	Oxidative Stability of Nb _n +1C _n T _z MXenes. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 13990-13996	3.8	7
104	Fabrication and characterization of aluminum - magnetic shape memory alloy composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 805, 140549	5.3	0
103	One-step hydrothermal synthesis of porous TiCT MXene/rGO gels for supercapacitor applications. <i>Nanoscale</i> , 2021 , 13, 16543-16553	7.7	9
102	Flocculation of MXenes and Their Use as 2D Particle Surfactants for Capsule Formation. <i>Langmuir</i> , 2021 , 37, 2649-2657	4	4
101	Layer-by-Layer Assembly of Reduced Graphene Oxide and MXene Nanosheets for Wire-Shaped Flexible Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 14068-14076	9.5	23
100	Room temperature crack-healing in an atomically layered ternary carbide. <i>Science Advances</i> , 2021 , 7,	14.3	1
99	Electronic and Optical Property Control of Polycation/MXene Layer-by-Layer Assemblies with Chemically Diverse MXenes. <i>Langmuir</i> , 2021 , 37, 11338-11350	4	6
98	High-throughput reaction engineering to assess the oxidation stability of MAX phases. <i>Npj Computational Materials</i> , 2021 , 7,	10.9	7

97	Mechanical properties and microstructure evolution of Ti ₂ AlC under compression in 25–100°C temperature range. <i>Acta Materialia</i> , 2020 , 189, 154-165	8.4	11
96	Spark Plasma Sintered BC-Structural, Thermal, Electrical and Mechanical Properties. <i>Materials</i> , 2020 , 13,	3.5	6
95	Non-classical crystallographic slip in a ternary carbide Ti ₂ AlC. <i>Materials Research Letters</i> , 2020 , 8, 275-281.	1.4	7
94	pH-Response of polycation/Ti ₃ C ₂ T _x MXene layer-by-layer assemblies for use as resistive sensors. <i>Molecular Systems Design and Engineering</i> , 2020 , 5, 366-375	4.6	18
93	Annealed Ti ₃ C ₂ T _z MXene Films for Oxidation-Resistant Functional Coatings. <i>ACS Applied Nano Materials</i> , 2020 , 3, 10578-10585	5.6	11
92	Minimizing two-dimensional TiCT MXene nanosheet loading in carbon-free silicon anodes. <i>Nanoscale</i> , 2020 , 12, 20699-20709	7.7	8
91	pH, Nanosheet Concentration, and Antioxidant Affect the Oxidation of Ti ₃ C ₂ T _x and Ti ₂ CT _x MXene Dispersions. <i>Advanced Materials Interfaces</i> , 2020 , 7, 2000845	4.6	31
90	Sustainability Benefits Assessment of Metakaolin-Based Geopolymer Treatment of High Plasticity Clay. <i>Sustainability</i> , 2020 , 12, 10495	3.6	6
89	High-temperature dependency of elastic mechanical behavior of two wrought magnesium alloys AZ31B and ZK60A studied by resonant ultrasound spectroscopy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2019 , 758, 86-95	5.3	5
88	Antioxidants Unlock Shelf-Stable Ti ₃ C ₂ T (MXene) Nanosheet Dispersions. <i>Matter</i> , 2019 , 1, 513-526	12.7	210
87	Radio Frequency and Microwave Heating of Pre ceramic Polymer Nanocomposites with Applications in Mold-Free Processing. <i>Advanced Engineering Materials</i> , 2019 , 21, 1900276	3.5	13
86	Design and development of ring-on-ring jig for biaxial strength testing of brittle ceramic composite materials: ZrB ₂ -30wt-%SiB ₆ . <i>Advances in Applied Ceramics</i> , 2019 , 118, 159-168	2.3	4
85	Oxidation stability of Ti ₃ C ₂ T _x MXene nanosheets in solvents and composite films. <i>Npj 2D Materials and Applications</i> , 2019 , 3,	8.8	162
84	Heating of TiCT MXene/polymer composites in response to Radio Frequency fields. <i>Scientific Reports</i> , 2019 , 9, 16489	4.9	23
83	Rapid Heating of Silicon Carbide Fibers under Radio Frequency Fields and Application in Curing Pre ceramic Polymer Composites. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 46132-46139	9.5	19
82	Layer-by-Layer Assembly of Polyaniline Nanofibers and MXene Thin-Film Electrodes for Electrochemical Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 47929-47938	9.5	20
81	Water Sorption in MXene/Polyelectrolyte Multilayers for Ultrafast Humidity Sensing. <i>ACS Applied Nano Materials</i> , 2019 , 2, 948-955	5.6	99
80	Process Safety Analysis for Ti ₃ C ₂ T _x MXene Synthesis and Processing. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 1570-1579	3.9	44

79	Compressive deformation of MoAlB up to 1100 °C. <i>Journal of Alloys and Compounds</i> , 2019 , 774, 1216-1227	5.7	19
78	Surface-agnostic highly stretchable and bendable conductive MXene multilayers. <i>Science Advances</i> , 2018 , 4, eaaq0118	14.3	157
77	Out-of-plane ordering in quaternary MAX alloys: an alloy theoretic perspective. <i>Materials Research Letters</i> , 2018 , 6, 1-12	7.4	3
76	Effects of microstructure on the mechanical properties of Ti ₂ AlC in compression. <i>Acta Materialia</i> , 2018 , 143, 130-140	8.4	25
75	Characterization of thermal transport properties of Ag/BaTiO ₃ composites using hot disk: Numerical simulations. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 116, 599-608	4.9	2
74	Synthesis and characterization of the atomic laminate Mn ₂ AlB ₂ . <i>Journal of the European Ceramic Society</i> , 2018 , 38, 5333-5340	6	29
73	Minimal effect of stacking number on intrinsic cleavage and shear behavior of Ti _n +1AlC _n and Ta _n +1AlC _n MAX phases. <i>Journal of Applied Physics</i> , 2018 , 123, 225102	2.5	2
72	Influence of porosity on elastic properties of Ti ₂ AlC and Ti ₃ SiC ₂ MAX phase foams. <i>Journal of Alloys and Compounds</i> , 2018 , 764, 24-35	5.7	18
71	Time and frequency dependent mechanical properties of LaCoO ₃ -based perovskites: Internal friction and negative creep. <i>Journal of Applied Physics</i> , 2018 , 124, 205103	2.5	3
70	Hydrogen evolution in acid solution at Pd electrodeposited onto Ti ₂ AlC. <i>Electrochimica Acta</i> , 2017 , 224, 571-584	6.7	8
69	A nonlinear constitutive model for describing cyclic mechanical responses of (hbox {BaTiO}_{3}/hbox {Ag}) composites. <i>Acta Mechanica</i> , 2017 , 228, 2017-2032	2.1	6
68	Electrochemical etching of Ti ₂ AlC to Ti ₂ CT _x (MXene) in low-concentration hydrochloric acid solution. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 21663-21668	13	186
67	On the stochastic phase stability of TiAlC-CrAlC. <i>Scientific Reports</i> , 2017 , 7, 5138	4.9	13
66	Isothermal and Cyclic Oxidation of MoAlB in Air from 1100°C to 1400°C. <i>Journal of the Electrochemical Society</i> , 2017 , 164, C930-C938	3.9	37
65	Elastic properties, thermal stability, and thermodynamic parameters of MoAlB. <i>Physical Review B</i> , 2017 , 95,	3.3	62
64	The Effect of Grain Size on Deformation and Failure of Ti ₂ AlC MAX Phase under Thermo-Mechanical Loading. <i>Experimental Mechanics</i> , 2017 , 57, 675-685	2.6	9
63	Does aluminum play well with others? Intrinsic Al-A alloying behavior in 211/312 MAX phases. <i>Materials Research Letters</i> , 2017 , 5, 170-178	7.4	16
62	Thermal expansion and elastic moduli of electrolyte materials for high and intermediate temperature solid oxide fuel cell. <i>Solid State Ionics</i> , 2017 , 300, 1-9	3.3	23

61	Template-free 3D titanium carbide (TiCT) MXene particles crumpled by capillary forces. <i>Chemical Communications</i> , 2016 , 53, 400-403	5.8	195
60	Ab-initio investigation of the finite-temperatures structural, elastic, and thermodynamic properties of Ti ₃ AlC ₂ and Ti ₃ SiC ₂ . <i>Computational Materials Science</i> , 2016 , 124, 420-427	3.2	8
59	High-Performance Metal/Carbide Composites with Far-From-Equilibrium Compositions and Controlled Microstructures. <i>Scientific Reports</i> , 2016 , 6, 35523	4.9	21
58	High-throughput combinatorial study of the effect of M site alloying on the solid solution behavior of M ₂ AlC MAX phases. <i>Physical Review B</i> , 2016 , 94,	3.3	32
57	Compressive performance and crack propagation in Al alloy/Ti ₂ AlC composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 672, 247-256	5.3	29
56	Active Cooling of a Microvascular Shape Memory Alloy-Polymer Matrix Composite Hybrid Material. <i>Advanced Engineering Materials</i> , 2016 , 18, 1145-1153	3.5	17
55	Mechanical properties and residual stresses in ZrB ₂ /BiC spark plasma sintered ceramic composites. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1527-1537	6	41
54	Room temperature stress-strain hysteresis in Ti ₂ AlC revisited. <i>Acta Materialia</i> , 2016 , 105, 294-305	8.4	29
53	Mechanical response of fine grained Ti ₂ AlC under extreme thermo-mechanical loading conditions. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 658, 176-184	5.3	12
52	Spark plasma sintering of hydrothermally synthesized bismuth ferrite. <i>Processing and Application of Ceramics</i> , 2016 , 10, 257-264	1.4	4
51	Structural, physical and mechanical properties of Ti ₃ (Al _{1-x} Si _x)C ₂ solid solution with x=0. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016 , 676, 197-208	5.3	42
50	A new electrolyte based on Tm ³⁺ -doped Bi ₂ O ₃ -type phase with enhanced conductivity. <i>Solid State Ionics</i> , 2015 , 280, 18-23	3.3	24
49	Interfacial study of NiTi/Ti ₃ SiC ₂ solid state diffusion bonded joints. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015 , 622, 168-177	5.3	22
48	Applicability of Probabilistic Analyses to Assess the Structural Reliability of Materials and Components for Solid-Oxide Fuel Cells 2015 , 46-58		
47	Hexagonal OsB ₂ : Sintering, microstructure and mechanical properties. <i>Journal of Alloys and Compounds</i> , 2015 , 634, 168-178	5.7	14
46	Thermo-mechanical Response and Damping Behavior of Shape Memory Alloy/MAX Phase Composites. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2014 , 45, 2646-2658	2.3	17
45	The effect of microstructural morphology on the elastic, inelastic, and degradation behaviors of aluminum/alumina composites. <i>Mechanics Research Communications</i> , 2014 , 57, 49-56	2.2	6
44	Temperature-dependent thermal properties of a shape memory alloy/MAX phase composite: Experiments and modeling. <i>Acta Materialia</i> , 2014 , 68, 267-278	8.4	14

43	On characterizing the mechanical properties of aluminum–alumina composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 590, 352-359	5.3	20
42	Current-Activated, Pressure-Assisted Infiltration: A Novel, Versatile Route for Producing Interpenetrating Ceramic–Metal Composites. <i>Materials Research Letters</i> , 2014 , 2, 124-130	7.4	18
41	Effect of Student-Led Undergraduate Research Experience on Learning and Attitudes & Practice in An Introductory Materials Science Course. <i>Materials Research Society Symposia Proceedings</i> , 2014 , 1657, 38		
40	Fabrication and characterization of NiTi/Ti ₃ SiC ₂ and NiTi/Ti ₂ AlC composites. <i>Journal of Alloys and Compounds</i> , 2014 , 610, 635-644	5.7	30
39	High strain-rate response and deformation mechanisms in polycrystalline Ti ₂ AlC. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 598, 319-326	5.3	22
38	Effects of Water Content and Chemical Composition on Structural Properties of Alkaline Activated Metakaolin-Based Geopolymers. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 2169-2177	3.8	96
37	Thermal and mechanical properties of Al/Al ₂ O ₃ composites at elevated temperatures. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2012 , 531, 18-27	5.3	47
36	Mechanical properties of sodium and potassium activated metakaolin-based geopolymers. <i>Journal of Materials Science</i> , 2012 , 47, 2607-2616	4.3	85
35	Processing and characterization of porous Ti ₂ AlC with controlled porosity and pore size. <i>Acta Materialia</i> , 2012 , 60, 6266-6277	8.4	63
34	Elastic and Mechanical Properties of the MAX Phases. <i>Annual Review of Materials Research</i> , 2011 , 41, 195-227	12.8	673
33	Finite-temperature elasticity of fcc Al: Atomistic simulations and ultrasonic measurements. <i>Physical Review B</i> , 2011 , 84,	3.3	29
32	The Reactivity of Ti ₂ AlC and Ti ₃ SiC ₂ with SiC Fibers and Powders up to Temperatures of 1550°C. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 1737-1743	3.8	27
31	Phase Evaluation in Al ₂ O ₃ Fiber-Reinforced Ti ₂ AlC During Sintering in the 1300°C–1500°C Temperature Range. <i>Journal of the American Ceramic Society</i> , 2011 , 94, 3327-3334	3.8	17
30	Ab initio investigation of Ti ₂ Al(C,N) solid solutions. <i>Physical Review B</i> , 2011 , 84,	3.3	17
29	Evaluation of defects in materials using resonant ultrasound spectroscopy. <i>Journal of Materials Science</i> , 2011 , 46, 2548-2556	4.3	14
28	Long-Term Oxidation of Ti ₂ AlC in Air and Water Vapor at 1000–1300°C Temperature Range. <i>Journal of the Electrochemical Society</i> , 2011 , 159, C90-C96	3.9	77
27	Low-Temperature Formation of Ultra-High-Temperature Transition Metal Carbides from Salt–Polymer Precursors. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2222-2228	3.8	7
26	On thermal and vibrational properties of LaGaO ₃ single crystals. <i>Acta Materialia</i> , 2009 , 57, 2984-2992	8.4	9

25	Electron-backscattered diffraction and transmission electron microscopy study of post-creep Ti ₃ SiC ₂ . <i>Journal of Alloys and Compounds</i> , 2009 , 488, 181-189	5.7	29
24	Elastic properties and phonon conductivities of Ti ₃ Al(C _{0.5} N _{0.5}) ₂ and Ti ₂ Al(C _{0.5} N _{0.5}) solid solutions. <i>Journal of Materials Research</i> , 2008 , 23, 1517-1521	2.5	54
23	Room temperature constant-stress creep of a brittle solid studied by spherical nanoindentation. <i>Journal of Applied Physics</i> , 2008 , 104, 063522	2.5	7
22	Thermal and mechanical properties of LaCoO ₃ and La _{0.8} Ca _{0.2} CoO ₃ perovskites. <i>Journal of Power Sources</i> , 2008 , 182, 230-239	8.9	35
21	Thermal, mechanical and phase stability of LaCoO ₃ in reducing and oxidizing environments. <i>Journal of Power Sources</i> , 2008 , 184, 77-83	8.9	40
20	Microstructure and Residual Stress of Alumina Scale Formed on Ti ₂ AlC at High Temperature in Air. <i>Oxidation of Metals</i> , 2007 , 68, 97-111	1.6	90
19	On the elastic properties and mechanical damping of Ti ₃ SiC ₂ , Ti ₃ GeC ₂ , Ti ₃ Si _{0.5} Al _{0.5} C ₂ and Ti ₂ AlC in the 300–1573 K temperature range. <i>Acta Materialia</i> , 2006 , 54, 2757-2767	8.4	201
18	Compressive creep of fine and coarse-grained Ti ₃ SiC ₂ in air in the 1100–1300 °C temperature range. <i>Acta Materialia</i> , 2005 , 53, 4963-4973	8.4	65
17	Residual stresses in spot welded new generation aluminium alloys Part A Thermophysical and thermomechanical properties of 6111 and 5754 aluminium alloys. <i>Science and Technology of Welding and Joining</i> , 2005 , 10, 82-87	3.7	22
16	Elastic Properties of Nickel-Based Anodes for Solid Oxide Fuel Cells as a Function of the Fraction of Reduced NiO. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 2242-2246	3.8	52
15	Tape Casting, Pressureless Sintering, and Grain Growth in Ti ₃ SiC ₂ Compacts. <i>Journal of the American Ceramic Society</i> , 2004 , 87, 550-556	3.8	47
14	Comparison of different experimental techniques for determination of elastic properties of solids. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2004 , 368, 56-70	5.3	168
13	Mechanical properties of tape cast nickel-based anode materials for solid oxide fuel cells before and after reduction in hydrogen. <i>Acta Materialia</i> , 2004 , 52, 5747-5756	8.4	187
12	Fully reversible, dislocation-based compressive deformation of Ti ₃ SiC ₂ to 1 GPa. <i>Nature Materials</i> , 2003 , 2, 107-111	2.7	304
11	Tensile creep of coarse-grained Ti ₃ SiC ₂ in the 1000–1200 °C temperature range. <i>Journal of Alloys and Compounds</i> , 2003 , 361, 299-312	5.7	82
10	Long Time Oxidation Study of Ti ₃ SiC ₂ , Ti ₃ SiC ₂ /SiC, and Ti ₃ SiC ₂ /TiC Composites in Air. <i>Journal of the Electrochemical Society</i> , 2003 , 150, B166	3.9	83
9	Effect of temperature, strain rate and grain size on the mechanical response of Ti ₃ SiC ₂ in tension. <i>Acta Materialia</i> , 2002 , 50, 1297-1306	8.4	117
8	Tensile creep of fine grained (3B μ m) Ti ₃ SiC ₂ in the 1000–1200 °C temperature range. <i>Acta Materialia</i> , 2001 , 49, 4103-4112	8.4	79

7	Ti ₃ SiC ₂ and ice. <i>Applied Physics Letters</i> , 2001 , 79, 479-481	3.4	47
6	Tensile properties of Ti ₃ SiC ₂ in the 25–300°C temperature range. <i>Acta Materialia</i> , 2000 , 48, 453-459	8.4	106
5	Rapid Synthesis of Patterned Silicon Carbide Coatings Using Laser-Induced Pyrolysis and Crystallization of Polycarbosilane. <i>Advanced Engineering Materials</i> , 2101383	3.5	0
4	Improvement of Strength and Volume-Change Properties of Expansive Clays with Geopolymer Treatment. <i>Transportation Research Record</i> , 036119812110018	1.7	5
3	Effect of Sand Type and PVA Fiber Content on the Properties of Metakaolin Based Engineered Geopolymer Composites. <i>Transportation Research Record</i> , 036119812110299	1.7	
2	Evaluation of Alternative Sources of Supplementary Cementitious Materials for Concrete Materials. <i>Transportation Research Record</i> , 036119812210743	1.7	1
1	Evaluation of Geopolymer for Stabilization of Sulfate-Rich Expansive Soils for Supporting Pavement Infrastructure. <i>Transportation Research Record</i> , 036119812210866	1.7	0