

Azucena Salas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9370403/azucena-salas-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

3,958
citations

34
h-index

62
g-index

93
ext. papers

4,706
ext. citations

10.4
avg, IF

5.07
L-index

#	Paper	IF	Citations
84	Endoplasmic Reticulum Stress in Colonic Mucosa of Ulcerative Colitis Patients Is Mediated by PERK and IRE1 Pathway Activation.. <i>Mediators of Inflammation</i> , 2022 , 2022, 6049500	4.3	1
83	A Novel Strategy to Study the Invasive Capability of Adherent-Invasive by Using Human Primary Organoid-Derived Epithelial Monolayers. <i>Frontiers in Immunology</i> , 2021 , 12, 646906	8.4	2
82	Development of a Highly Sensitive Ultra-High-Performance Liquid Chromatography Coupled to Electrospray Ionization Tandem Mass Spectrometry Quantitation Method for Fecal Bile Acids and Application on Crohn's Disease Studies. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 5238-5251	5.7	2
81	Randomized Controlled Trial Substudy of Cell-specific Mechanisms of Janus Kinase 1 Inhibition With Upadacitinib in the Crohn's Disease Intestinal Mucosa: Analysis From the CELEST Study. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1999-2009	4.5	2
80	Microbial Metabolites, Postbiotics, and Intestinal Epithelial Function. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000188	5.9	14
79	Dissecting Common and Unique Effects of Anti-IL-17 and Anti-Tumor Necrosis Factor Treatment in Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2021 , 15, 441-452	1.5	7
78	Multi-omic modelling of inflammatory bowel disease with regularized canonical correlation analysis. <i>PLoS ONE</i> , 2021 , 16, e0246367	3.7	0
77	Ulcerative colitis: shedding light on emerging agents and strategies in preclinical and early clinical development. <i>Expert Opinion on Investigational Drugs</i> , 2021 , 30, 931-946	5.9	2
76	Meta-analysis of gene expression disease signatures in colonic biopsy tissue from patients with ulcerative colitis. <i>Scientific Reports</i> , 2021 , 11, 18243	4.9	2
75	Postbiotics - when simplification fails to clarify. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 , 18, 825-826	24.2	15
74	JAK-STAT pathway targeting for the treatment of inflammatory bowel disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 323-337	24.2	127
73	Molecular Structure and Function of Janus Kinases: Implications for the Development of Inhibitors. <i>Journal of Crohn's and Colitis</i> , 2020 , 14, S713-S724	1.5	13
72	A new model of intestinal epithelial regeneration: could patients benefit?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 137-138	24.2	
71	Whole transcriptional analysis identifies markers of B, T and plasma cell signaling pathways in the mesenteric adipose tissue associated with Crohn's disease. <i>Journal of Translational Medicine</i> , 2020 , 18, 44	8.5	6
70	Integrated microbiota and metabolite profiles link Crohn's disease to sulfur metabolism. <i>Nature Communications</i> , 2020 , 11, 4322	17.4	25
69	Intestinal Inflammation Modulates the Epithelial Response to Butyrate in Patients With Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2020 , 26, 43-55	4.5	43
68	Expression Levels of 4 Genes in Colon Tissue Might Be Used to Predict Which Patients Will Enter Endoscopic Remission After Vedolizumab Therapy for Inflammatory Bowel Diseases. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 1142-1151.e10	6.9	22

67	RIPK1 Mediates TNF-Induced Intestinal Crypt Apoptosis During Chronic NF- κ B Activation. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020 , 9, 295-312	7.9	14
66	T cell clonal expansions in ileal Crohn's disease are associated with smoking behaviour and postoperative recurrence. <i>Gut</i> , 2019 , 68, 1961-1970	19.2	19
65	ZEB1 promotes inflammation and progression towards inflammation-driven carcinoma through repression of the DNA repair glycosylase MPG in epithelial cells. <i>Gut</i> , 2019 , 68, 2129-2141	19.2	18
64	Endoscopic response to tumor necrosis factor inhibitors predicts long term benefits in Crohn's disease. <i>World Journal of Gastroenterology</i> , 2019 , 25, 1764-1774	5.6	5
63	Differences in Peripheral and Tissue Immune Cell Populations Following Haematopoietic Stem Cell Transplantation in Crohn's Disease Patients. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 634-647	1.5	6
62	Autologous Haematopoietic Stem Cell Transplantation (AHSCT) in Severe Crohn's Disease: A Review on Behalf of ECCO and EBMT. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 476-488	1.5	37
61	Selective IL-23 Inhibition by Risankizumab Modulates the Molecular Profile in the Colon and Ileum of Patients With Active Crohn's Disease: Results From a Randomised Phase II Biopsy Sub-study. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, 1170-1179	1.5	26
60	Past, Present and Future of Therapeutic Interventions Targeting Leukocyte Trafficking in Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2018 , 12, S633-S640	1.5	14
59	Potential Use of Human Stem Cell-Derived Intestinal Organoids to Study Inflammatory Bowel Diseases. <i>Inflammatory Bowel Diseases</i> , 2018 , 24, 2501-2509	4.5	18
58	An ROR γ Oral Inhibitor Modulates IL-17 Responses in Peripheral Blood and Intestinal Mucosa of Crohn's Disease Patients. <i>Frontiers in Immunology</i> , 2018 , 9, 2307	8.4	25
57	Alterations in the epithelial stem cell compartment could contribute to permanent changes in the mucosa of patients with ulcerative colitis. <i>Gut</i> , 2017 , 66, 2069-2079	19.2	95
56	Autologous Haematopoietic Stem Cell Transplantation for Refractory Crohn's Disease: Efficacy in a Single-Centre Cohort. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1161-1168	1.5	33
55	A Gut Microbial Mimic that Hijacks Diabetogenic Autoreactivity to Suppress Colitis. <i>Cell</i> , 2017 , 171, 655-662	17.3	173
54	Resetting of the Mucosal T Cell Repertoire after Hematopoietic Stem Cell Transplantation in Refractory Crohn's Disease. <i>Gastroenterology</i> , 2017 , 152, S613-S614	13.3	3
53	Usefulness of Transcriptional Blood Biomarkers as a Non-invasive Surrogate Marker of Mucosal Healing and Endoscopic Response in Ulcerative Colitis. <i>Journal of Crohn's and Colitis</i> , 2017 , 11, 1335-1346	1.5	26
52	Centrally Determined Standardization of Flow Cytometry Methods Reduces Interlaboratory Variation in a Prospective Multicenter Study. <i>Clinical and Translational Gastroenterology</i> , 2017 , 8, e126	4.2	6
51	Improving safety of autologous haematopoietic stem cell transplantation in patients with Crohn's disease. <i>Gut</i> , 2016 , 65, 1456-62	19.2	40
50	Commensal-Specific CD4(+) Cells From Patients With Crohn's Disease Have a T-Helper 17 Inflammatory Profile. <i>Gastroenterology</i> , 2016 , 151, 489-500.e3	13.3	53

49	IBD. Regulatory T cells for treatment of Crohn's disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2015 , 12, 315-6	24.2	4
48	CD163L1 and CLEC5A discriminate subsets of human resident and inflammatory macrophages in vivo. <i>Journal of Leukocyte Biology</i> , 2015 , 98, 453-66	6.5	54
47	Identification of inflammatory mediators in patients with Crohn's disease unresponsive to anti-TNF α therapy. <i>Gut</i> , 2015 , 64, 233-42	19.2	88
46	Etolizumab as induction therapy for ulcerative colitis: a randomised, controlled, phase 2 trial. <i>Lancet, The</i> , 2014 , 384, 309-18	40	331
45	Macrophage uptake and accumulation of folates are polarization-dependent in vitro and in vivo and are regulated by activin A. <i>Journal of Leukocyte Biology</i> , 2014 , 95, 797-808	6.5	33
44	Evaluation of responsive gene expression as a sensitive and specific biomarker in patients with ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 221-9	4.5	16
43	Transcriptional analysis of the intestinal mucosa of patients with ulcerative colitis in remission reveals lasting epithelial cell alterations. <i>Gut</i> , 2013 , 62, 967-76	19.2	146
42	The IL-33/ST2 axis: yet another therapeutic target in inflammatory bowel disease?. <i>Gut</i> , 2013 , 62, 1392-3	19.2	13
41	Letter: pathogenicity of Th17 cells may differ in ulcerative colitis compared with Crohn's disease □ authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 205-205	6.1	1
40	The prolyl hydroxylase PHD3 identifies proinflammatory macrophages and its expression is regulated by activin A. <i>Journal of Immunology</i> , 2012 , 189, 1946-54	5.3	48
39	Mesenchymal stem cell therapy of Crohn's disease: are the far-away hills getting closer?. <i>Gut</i> , 2011 , 60, 742-4	19.2	10
38	Late Crohn's disease patients present an increase in peripheral Th17 cells and cytokine production compared with early patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 31, 561-72	6.1	60
37	The 2-phase model of Crohn's disease: from immune defect to hyperresponse. <i>Gastroenterology</i> , 2010 , 138, 1204-6; discussion 1207	13.3	
36	Is lack of "education" a mechanism driving loss of tolerance in Crohn's disease?. <i>Gastroenterology</i> , 2010 , 139, 1056-8; discussion 1058-9	13.3	
35	Mechanisms underlying the beneficial effects of stem cell therapies for inflammatory bowel diseases. <i>Gut</i> , 2009 , 58, 898-900	19.2	12
34	Defective IL-10 production in severe phenotypes of Crohn's disease. <i>Journal of Leukocyte Biology</i> , 2009 , 85, 896-903	6.5	49
33	Defects in autophagy induce alterations in the secretory pathway and proinflammatory signaling of paneth cells. <i>Gastroenterology</i> , 2009 , 137, 1527-9	13.3	2
32	Efficacy of an inhibitor of adhesion molecule expression (GI270384X) in the treatment of experimental colitis. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 293, G739-48	5.1	9

31	Identification and characterization of a human monoclonal antagonistic antibody AL-57 that preferentially binds the high-affinity form of lymphocyte function-associated antigen-1. <i>Journal of Leukocyte Biology</i> , 2006 , 80, 905-14	6.5	13
30	A small molecule agonist of an integrin, alphaLbeta2. <i>Journal of Biological Chemistry</i> , 2006 , 281, 37904-13	3.4	30
29	AL-57, a ligand-mimetic antibody to integrin LFA-1, reveals chemokine-induced affinity up-regulation in lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 13991-6	11.5	45
28	Transition from rolling to firm adhesion can be mimicked by extension of integrin alphaLbeta2 in an intermediate affinity state. <i>Journal of Biological Chemistry</i> , 2006 , 281, 10876-82	5.4	53
27	Importance of force linkage in mechanochemistry of adhesion receptors. <i>Biochemistry</i> , 2006 , 45, 15020-8	3.2	105
26	Microsomal triglyceride transfer protein lipidation and control of CD1d on antigen-presenting cells. <i>Journal of Experimental Medicine</i> , 2005 , 202, 529-39	16.6	130
25	The binding sites for competitive antagonistic, allosteric antagonistic, and agonistic antibodies to the I domain of integrin LFA-1. <i>Journal of Immunology</i> , 2004 , 173, 3972-8	5.3	40
24	Intersubunit signal transmission in integrins by a receptor-like interaction with a pull spring. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 2906-11	11.5	86
23	The primacy of affinity over clustering in regulation of adhesiveness of the integrin {alpha}L{beta}2. <i>Journal of Cell Biology</i> , 2004 , 167, 1241-53	7.3	208
22	CD1d function is regulated by microsomal triglyceride transfer protein. <i>Nature Medicine</i> , 2004 , 10, 535-9	50.5	146
21	Rolling adhesion through an extended conformation of integrin alphaLbeta2 and relation to alpha I and beta I-like domain interaction. <i>Immunity</i> , 2004 , 20, 393-406	32.3	169
20	A Small-Molecule Antagonist to Integrin LFA-1 Reveals a Crucial Inter-Domain Communication as a Novel Therapeutic Target.. <i>Blood</i> , 2004 , 104, 650-650	2.2	
19	Endothelial cells proactively form microvilli-like membrane projections upon intercellular adhesion molecule 1 engagement of leukocyte LFA-1. <i>Journal of Immunology</i> , 2003 , 171, 6135-44	5.3	181
18	Bistable regulation of integrin adhesiveness by a bipolar metal ion cluster. <i>Nature Structural and Molecular Biology</i> , 2003 , 10, 995-1001	17.6	121
17	Small molecule integrin antagonists that bind to the beta2 subunit I-like domain and activate signals in one direction and block them in the other. <i>Immunity</i> , 2003 , 19, 391-402	32.3	123
16	Nitric oxide supplementation ameliorates dextran sulfate sodium-induced colitis in mice. <i>Laboratory Investigation</i> , 2002 , 82, 597-607	5.9	33
15	Transition from rolling to firm adhesion is regulated by the conformation of the I domain of the integrin lymphocyte function-associated antigen-1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 50255-62	5.4	82
14	Stabilizing the integrin alpha M inserted domain in alternative conformations with a range of engineered disulfide bonds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 16737-41	11.5	51

13	The role of P-selectin in experimental colitis as determined by antibody immunoblockade and genetically deficient mice. <i>Journal of Leukocyte Biology</i> , 2002 , 72, 56-64	6.5	33
12	Role of P-selectin in radiation-induced intestinal inflammatory damage. <i>International Journal of Cancer</i> , 2001 , 96, 99-109	7.5	33
11	Differential role of selectins in experimental colitis. <i>Gastroenterology</i> , 2001 , 120, 1162-72	13.3	44
10	Kinetic and mechanical basis of rolling through an integrin and novel Ca ²⁺ -dependent rolling and Mg ²⁺ -dependent firm adhesion modalities for the alpha 4 beta 7-MAcAM-1 interaction. <i>Biochemistry</i> , 2001 , 40, 13972-9	3.2	40
9	Tepeoxalin inhibits inflammation and microvascular dysfunction induced by abdominal irradiation in rats. <i>Alimentary Pharmacology and Therapeutics</i> , 2000 , 14, 841-50	6.1	15
8	VCAM-1, but not ICAM-1 or MAcAM-1, immunoblockade ameliorates DSS-induced colitis in mice. <i>Laboratory Investigation</i> , 2000 , 80, 1541-51	5.9	158
7	H ₂ O ₂ and PARS mediate lung P-selectin upregulation in acute pancreatitis. <i>Free Radical Biology and Medicine</i> , 2000 , 28, 1286-94	7.8	27
6	Heparin attenuates TNF-alpha induced inflammatory response through a CD11b dependent mechanism. <i>Gut</i> , 2000 , 47, 88-96	19.2	106
5	Influence of dose-rate on inflammatory damage and adhesion molecule expression after abdominal radiation in the rat. <i>International Journal of Radiation Oncology Biology Physics</i> , 1999 , 45, 1011-8	4	27
4	Differential effects of a nitric oxide donor on reperfusion-induced microvascular dysfunction in diabetic and non-diabetic rats. <i>Diabetologia</i> , 1999 , 42, 1350-8	10.3	23
3	Impaired mesenteric leukocyte recruitment in experimental portal hypertension in the rat. <i>Hepatology</i> , 1999 , 30, 445-53	11.2	17
2	Role of P-selectin and ICAM-1 in pancreatitis-induced lung inflammation in rats: significance of oxidative stress. <i>Annals of Surgery</i> , 1999 , 230, 792-8; discussion 798-9	7.8	67
1	Effects of steroid treatment on activation of nuclear factor kappaB in patients with inflammatory bowel disease. <i>British Journal of Pharmacology</i> , 1998 , 124, 431-3	8.6	86