

Ashkan Madadlou

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9370666/publications.pdf>

Version: 2024-02-01

112
papers

4,646
citations

76196

40
h-index

118652

62
g-index

112
all docs

112
docs citations

112
times ranked

4500
citing authors

#	ARTICLE	IF	CITATIONS
1	An overview on preparation of emulsion-filled gels and emulsion particulate gels. <i>Trends in Food Science and Technology</i> , 2019, 86, 85-94.	7.8	221
2	A review on exergy analysis of drying processes and systems. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 22, 1-22.	8.2	188
3	Influence of Wall Material and Inlet Drying Air Temperature on the Microencapsulation of Fish Oil by Spray Drying. <i>Food and Bioprocess Technology</i> , 2013, 6, 1561-1569.	2.6	149
4	Characterization of fibrillated antioxidant whey protein hydrolysate and comparison with fibrillated protein solution. <i>Food Hydrocolloids</i> , 2016, 52, 221-230.	5.6	137
5	Energy and exergy analyses of the spray drying process of fish oil microencapsulation. <i>Biosystems Engineering</i> , 2012, 111, 229-241.	1.9	131
6	Technological functionality and biological properties of food protein nanofibrils formed by heating at acidic condition. <i>Trends in Food Science and Technology</i> , 2018, 75, 115-128.	7.8	116
7	Maillard conjugation of lactulose with potentially bioactive peptides. <i>Food Chemistry</i> , 2016, 192, 831-836.	4.2	109
8	Rheology, Microstructure, and Functionality of Low-Fat Iranian White Cheese Made with Different Concentrations of Rennet. <i>Journal of Dairy Science</i> , 2005, 88, 3052-3062.	1.4	98
9	The correlation of wall material composition with flow characteristics and encapsulation behavior of fish oil emulsion. <i>Food Research International</i> , 2012, 49, 379-388.	2.9	92
10	Fabrication methods of biopolymeric microgels and microgel-based hydrogels. <i>Food Hydrocolloids</i> , 2017, 62, 262-272.	5.6	90
11	Whey Protein Concentrate and Gum Tragacanth as Fat Replacers in Nonfat Yogurt: Chemical, Physical, and Microstructural Properties. <i>Journal of Dairy Science</i> , 2008, 91, 2545-2552.	1.4	85
12	Optimization of emulsification procedure for mutual maximizing the encapsulation and exergy efficiencies of fish oil microencapsulation. <i>Powder Technology</i> , 2012, 225, 107-117.	2.1	78
13	Nanoencapsulation of date palm pit extract in whey protein particles generated via desolvation method. <i>Food Research International</i> , 2013, 51, 866-871.	2.9	78
14	Characteristics of the bulk hydrogels made of the citric acid cross-linked whey protein microgels. <i>Food Hydrocolloids</i> , 2015, 50, 159-165.	5.6	77
15	Whey protein aerogel as blended with cellulose crystalline particles or loaded with fish oil. <i>Food Chemistry</i> , 2016, 196, 1016-1022.	4.2	76
16	Two-step sequential cross-linking of sugar beet pectin for transforming zein nanoparticle-based Pickering emulsions to emulgels. <i>Carbohydrate Polymers</i> , 2016, 136, 738-743.	5.1	73
17	Microwave-assisted isomerisation of lactose to lactulose and Maillard conjugation of lactulose and lactose with whey proteins and peptides. <i>Food Chemistry</i> , 2016, 200, 1-9.	4.2	71
18	Sonodisruption of re-assembled casein micelles at different pH values. <i>Ultrasonics Sonochemistry</i> , 2009, 16, 644-648.	3.8	70

#	ARTICLE	IF	CITATIONS
19	Texture of Low-Fat Iranian White Cheese as Influenced by Gum Tragacanth as a Fat Replacer. <i>Journal of Dairy Science</i> , 2007, 90, 4058-4070.	1.4	68
20	Cold-set hydrogels made of whey protein nanofibrils with different divalent cations. <i>International Journal of Biological Macromolecules</i> , 2016, 89, 499-506.	3.6	66
21	Gelatin as texture modifier and porogen in egg white hydrogel. <i>Food Chemistry</i> , 2019, 270, 189-195.	4.2	66
22	Acid-induced gelation behavior of sonicated casein solutions. <i>Ultrasonics Sonochemistry</i> , 2010, 17, 153-158.	3.8	65
23	The use of artificial neural network to predict exergetic performance of spray drying process: A preliminary study. <i>Computers and Electronics in Agriculture</i> , 2012, 88, 32-43.	3.7	65
24	Spray-dried alginate microparticles carrying caffeine-loaded and potentially bioactive nanoparticles. <i>Food Research International</i> , 2014, 62, 1113-1119.	2.9	59
25	Fish oil microencapsulation as influenced by spray dryer operational variables. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1707-1713.	1.3	58
26	An attempt to cast light into starch nanocrystals preparation and cross-linking. <i>Food Chemistry</i> , 2013, 141, 1661-1666.	4.2	57
27	Niosome-loaded cold-set whey protein hydrogels. <i>Food Chemistry</i> , 2016, 196, 106-113.	4.2	54
28	A viewpoint on the gastrointestinal fate of cellulose nanocrystals. <i>Trends in Food Science and Technology</i> , 2018, 71, 268-273.	7.8	53
29	Gelation characteristics of the sugar beet pectin solution charged with fish oil-loaded zein nanoparticles. <i>Food Hydrocolloids</i> , 2015, 43, 664-669.	5.6	52
30	Synbiotic yogurt-ice cream produced via incorporation of microencapsulated lactobacillus acidophilus (la-5) and fructooligosaccharide. <i>Journal of Food Science and Technology</i> , 2014, 51, 1568-1574.	1.4	51
31	Isolation of micro- and nano-crystalline cellulose particles and fabrication of crystalline particles-loaded whey protein cold-set gel. <i>Food Chemistry</i> , 2015, 174, 97-103.	4.2	51
32	Microemulsificationâ€‘cold gelation of whey proteins for nanoencapsulation of date palm pit extract. <i>Food Hydrocolloids</i> , 2014, 35, 590-596.	5.6	50
33	The influence of brine concentration on chemical composition and texture of Iranian White cheese. <i>Journal of Food Engineering</i> , 2007, 81, 330-335.	2.7	49
34	Monitoring the Chemical and Textural Changes During Ripening of Iranian White Cheese Made with Different Concentrations of Starter. <i>Journal of Dairy Science</i> , 2006, 89, 3318-3325.	1.4	48
35	Effect of salts and nonionic surfactants on thermal characteristics of egg white proteins. <i>International Journal of Biological Macromolecules</i> , 2017, 102, 970-976.	3.6	48
36	Effects of thermal, non-thermal and emulsification processes on the gastrointestinal digestibility of egg white proteins. <i>Trends in Food Science and Technology</i> , 2021, 107, 45-56.	7.8	47

#	ARTICLE	IF	CITATIONS
37	Preparation of cold water-soluble potato starch and its characterization. <i>Journal of Food Science and Technology</i> , 2014, 51, 601-605.	1.4	46
38	Determination of phenolic profile and antioxidant activity of pistachio hull using high-performance liquid chromatographyâ€“diode array detectorâ€“electro-spray ionizationâ€“mass spectrometry as affected by ultrasound and microwave. <i>International Journal of Food Properties</i> , 2017, 20, 19-29.	1.3	46
39	Effect of cream homogenization on textural characteristics of low-fat Iranian White cheese. <i>International Dairy Journal</i> , 2007, 17, 547-554.	1.5	44
40	Alkaline pH does not disrupt re-assembled casein micelles. <i>Food Chemistry</i> , 2009, 116, 929-932.	4.2	43
41	Structure of starch aerogel as affected by crosslinking and feasibility assessment of the aerogel for an anti-fungal volatile release. <i>Food Chemistry</i> , 2017, 221, 147-152.	4.2	43
42	Characterization of Carboxylated Cellulose Nanocrystals Isolated through Catalyst-Assisted H ₂ O ₂ Oxidation in a One-Step Procedure. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 7692-7700.	2.4	42
43	Microstructure and Rheological Properties of Iranian White Cheese Coagulated at Various Temperatures. <i>Journal of Dairy Science</i> , 2006, 89, 2359-2364.	1.4	41
44	Comparison of pH-dependent sonodisruption of re-assembled casein micelles by 35 and 130kHz ultrasounds. <i>Journal of Food Engineering</i> , 2009, 95, 505-509.	2.7	40
45	Influence of spray dryer parameters on exergetic performance of microencapsulation process. <i>International Journal of Exergy</i> , 2012, 10, 267.	0.2	40
46	Formation mechanisms, handling and digestibility of food protein nanofibrils. <i>Trends in Food Science and Technology</i> , 2015, 45, 50-59.	7.8	40
47	Response surface optimization of an artificial neural network for predicting the size of re-assembled casein micelles. <i>Computers and Electronics in Agriculture</i> , 2009, 68, 216-221.	3.7	39
48	Recovery of phenolic compounds from effluents by a microemulsion liquid membrane (MLM) extractor. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 443, 303-310.	2.3	37
49	The formation of non-heat-treated whey protein cold-set hydrogels via non-toxic chemical cross-linking. <i>Food Hydrocolloids</i> , 2017, 63, 43-49.	5.6	37
50	Functional and in vitro gastric digestibility of the whey protein hydrogel loaded with nanostructured lipid carriers and gelled via citric acid-mediated crosslinking. <i>Food Chemistry</i> , 2017, 237, 23-29.	4.2	36
51	Interface-related attributes of the Maillard reaction-born glycoproteins. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 1595-1603.	5.4	36
52	Caffeine-loaded whey protein hydrogels reinforced with gellan and enriched with calcium chloride. <i>International Dairy Journal</i> , 2016, 56, 38-44.	1.5	35
53	Trans-free Iranian vanaspati through enzymatic and chemical transesterification of triple blends of fully hydrogenated soybean, rapeseed and sunflower oils. <i>Food Chemistry</i> , 2007, 102, 827-833.	4.2	34
54	Citric acid cross-linking of heat-set whey protein hydrogel influences its textural attributes and caffeine uptake and release behaviour. <i>International Dairy Journal</i> , 2016, 61, 142-147.	1.5	34

#	ARTICLE	IF	CITATIONS
55	Aflatoxin contamination level in Iran's pistachio nut during years 2009–2011. <i>Food Control</i> , 2013, 30, 540-544.	2.8	33
56	Transglutaminase-induced or citric acid-mediated cross-linking of whey proteins to tune the characteristics of subsequently desolvated sub-micron and nano-scaled particles. <i>Journal of Microencapsulation</i> , 2014, 31, 636-643.	1.2	33
57	Surface decoration of whey protein microgels through the Maillard conjugation with maltodextrin. <i>Food Hydrocolloids</i> , 2019, 91, 190-197.	5.6	32
58	Fabrication of whey protein–pectin conjugate particles through laccase-induced gelation of microemulsified nanodroplets. <i>Food Hydrocolloids</i> , 2014, 40, 189-195.	5.6	31
59	Potentially bioactive and caffeine-loaded peptidic sub-micron and nanoscalar particles. <i>Journal of Functional Foods</i> , 2014, 6, 462-469.	1.6	30
60	Bioactive whey peptide particles: An emerging class of nutraceutical carriers. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 1468-1477.	5.4	30
61	Integrated optimization of fish oil microencapsulation process by spray drying. <i>Journal of Microencapsulation</i> , 2012, 29, 790-804.	1.2	29
62	Modulating the textural characteristics of whey protein nanofibril gels with different concentrations of calcium chloride. <i>Journal of Dairy Research</i> , 2016, 83, 109-114.	0.7	28
63	Engineered emulsions for obesity treatment. <i>Trends in Food Science and Technology</i> , 2016, 52, 90-97.	7.8	28
64	Enzymatic cross-linking of whey proteins in low fat Iranian white cheese. <i>International Dairy Journal</i> , 2013, 29, 88-92.	1.5	27
65	Nanoparticulation of enzymatically cross-linked whey proteins to encapsulate caffeine via microemulsification/heat gelation procedure. <i>LWT - Food Science and Technology</i> , 2014, 57, 725-730.	2.5	27
66	Chemical composition and rheology of low-fat Iranian white cheese incorporated with guar gum and gum arabic as fat replacers. <i>Journal of Food Science and Technology</i> , 2014, 51, 2584-2591.	1.4	27
67	Influence of the Maillard reaction on the properties of cold-set whey protein and maltodextrin binary gels. <i>International Dairy Journal</i> , 2019, 90, 79-87.	1.5	27
68	Formulation of apple juice beverages containing whey protein isolate or whey protein hydrolysate based on sensory and physicochemical analysis. <i>International Journal of Dairy Technology</i> , 2015, 68, 70-78.	1.3	26
69	Modeling and Simulation of Deep-Bed Solar Greenhouse Drying of Chamomile Flowers. <i>Drying Technology</i> , 2015, 33, 684-695.	1.7	24
70	Ultrasound-assisted generation of ACE-inhibitory peptides from casein hydrolyzed with nanoencapsulated protease. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 2112-2116.	1.7	23
71	Textural and cargo release attributes of trisodium citrate cross-linked starch hydrogel. <i>Food Chemistry</i> , 2017, 214, 16-24.	4.2	23
72	Influence of whey protein and its hydrolysate on prehypertension and postprandial hyperglycaemia in adult men. <i>International Dairy Journal</i> , 2013, 33, 62-66.	1.5	22

#	ARTICLE	IF	CITATIONS
73	Covalent β -lactoglobulin-maltodextrin amyloid fibril conjugate prepared by the Maillard reaction. <i>Food Chemistry</i> , 2021, 342, 128388.	4.2	22
74	Fast Protein Liquid Chromatography. <i>Methods in Molecular Biology</i> , 2011, 681, 439-447.	0.4	21
75	One-pot nanoparticulation of potentially bioactive peptides and gallic acid encapsulation. <i>Food Chemistry</i> , 2016, 210, 317-324.	4.2	21
76	Texture of nonfat yoghurt as influenced by whey protein concentrate and Gum Tragacanth as fat replacers. <i>International Journal of Dairy Technology</i> , 2009, 62, 405-410.	1.3	19
77	Pomegranate Seed Oil-Loaded Particles of the Zein Cross-Linked with Citric Acid. <i>Journal of Food Process Engineering</i> , 2015, 38, 49-56.	1.5	18
78	Structural Assessment and Catalytic Oxidation Activity of Hydrophobized Whey Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 12025-12033.	2.4	18
79	Development of an aqueous two-phase emulsion using hydrophobized whey proteins and erythritol. <i>Food Hydrocolloids</i> , 2019, 93, 351-360.	5.6	18
80	Food proteins are a potential resource for mining cathepsin L inhibitory drugs to combat SARS-CoV-2. <i>European Journal of Pharmacology</i> , 2020, 885, 173499.	1.7	18
81	Gelation by bioactives: Characteristics of the cold-set whey protein gels made using gallic acid. <i>International Dairy Journal</i> , 2021, 117, 104952.	1.5	18
82	An artificial neural network for predicting the physiochemical properties of fish oil microcapsules obtained by spray drying. <i>Food Science and Biotechnology</i> , 2013, 22, 677-685.	1.2	17
83	Interfacial and (emulsion) gel rheology of hydrophobised whey proteins. <i>International Dairy Journal</i> , 2020, 100, 104556.	1.5	17
84	Optimized preparation of ACE-inhibitory and antioxidative whey protein hydrolysate using response surface method. <i>Dairy Science and Technology</i> , 2012, 92, 641-653.	2.2	16
85	Functional and gel properties of whey protein nanofibrils as influenced by partial substitution with cellulose nanocrystal and alginate. <i>International Dairy Journal</i> , 2018, 81, 53-61.	1.5	16
86	Spontaneous emulsification of fish oil at a substantially low surfactant-to-oil ratio: Emulsion characterization and filled hydrogel formation. <i>Food Hydrocolloids</i> , 2018, 82, 11-18.	5.6	16
87	Enhanced thermal and ultrasonic stability of a fungal protease encapsulated within biomimetically generated silicate nanospheres. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2010, 1800, 459-465.	1.1	15
88	Encapsulation of date palm pit extract via particulation of starch nanocrystals in a microemulsion. <i>International Journal of Food Science and Technology</i> , 2014, 49, 920-923.	1.3	15
89	Effect of whey protein concentrate addition on the physical properties of homogenized sweetened dairy creams. <i>International Journal of Dairy Technology</i> , 2008, 61, 183-191.	1.3	14
90	Enzymatic Modification to Stabilize the Fermented Milk Drink, <sc>D</sc>ogh. <i>Journal of Texture Studies</i> , 2015, 46, 22-33.	1.1	14

#	ARTICLE	IF	CITATIONS
91	Antioxidant Peptidic Particles for Delivery of Gallic Acid. <i>Journal of Food Processing and Preservation</i> , 2017, 41, e12767.	0.9	13
92	Stability and Rheological Properties of Suspended Pulp Particles Containing Orange Juice Stabilized by Gellan Gum. <i>Journal of Dispersion Science and Technology</i> , 2014, 35, 1222-1229.	1.3	11
93	Optimised production and spray drying of ACE-inhibitory enzyme-modified cheese. <i>Journal of Dairy Research</i> , 2016, 83, 125-134.	0.7	11
94	Fast Protein Liquid Chromatography. <i>Methods in Molecular Biology</i> , 2017, 1485, 365-373.	0.4	11
95	Encapsulation of β -lactoglobulin within calcium carbonate microparticles and subsequent in situ fabrication of protein microparticles. <i>Food Hydrocolloids</i> , 2018, 84, 38-46.	5.6	11
96	One-Pot Procedure for Recovery of Gallic Acid from Wastewater and Encapsulation within Protein Particles. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 1575-1582.	2.4	10
97	Calcium and chitosan-mediated clustering of whey protein particles for tuning their colloidal stability and flow behaviour. <i>International Dairy Journal</i> , 2017, 73, 136-143.	1.5	10
98	CaCl ₂ supplementation of hydrophobised whey proteins: Assessment of protein particles and consequent emulsions. <i>International Dairy Journal</i> , 2020, 110, 104815.	1.5	10
99	All-aqueous emulsions as miniaturized chemical reactors in the food and bioprocess technology. <i>Current Opinion in Food Science</i> , 2020, 33, 165-172.	4.1	10
100	Emulsion gels loaded with pancreatic lipase: Preparation from spontaneously made emulsions and assessment of the rheological, microscopic and cargo release properties. <i>Food Research International</i> , 2022, 156, 111306.	2.9	10
101	Effect of heat treatment on foaming properties of ostrich (<i>Struthio camelus</i>) egg white proteins. <i>International Journal of Food Properties</i> , 2017, 20, 3159-3169.	1.3	8
102	Influence of seeding and stirring on the structural properties and formation yield of whey protein microgels. <i>International Dairy Journal</i> , 2018, 79, 43-51.	1.5	8
103	A network-based fuzzy inference system for sonodisruption process of re-assembled casein micelles. <i>Journal of Food Engineering</i> , 2010, 98, 224-229.	2.7	7
104	Spray drying of ACE-inhibitory enzyme-modified white cheese. <i>International Journal of Food Science and Technology</i> , 2013, 48, 2276-2282.	1.3	7
105	Acid-induced gelation behavior of casein/whey protein solutions assessed by oscillatory rheology. <i>Journal of Food Science and Technology</i> , 2014, 51, 2113-2119.	1.4	7
106	Food protein-derived antihypertensive peptides in the COVID-19 pandemic: friends of foes?. <i>Journal of Hypertension</i> , 2020, 38, 1614-1616.	0.3	7
107	Enzymatic cross-linking of soy proteins within non-fat set yogurt gel. <i>Journal of Dairy Research</i> , 2014, 81, 378-384.	0.7	6
108	Tailor it up! How we are rolling towards designing the functionality of emulsions in the mouth and gastrointestinal tract. <i>Current Opinion in Food Science</i> , 2020, 31, 126-135.	4.1	6

#	ARTICLE	IF	CITATIONS
109	Effects of acetyl grafting on the structural and functional properties of whey protein microgels. Food Hydrocolloids, 2021, 112, 106443.	5.6	5
110	Nanocarriers, Films and Composites Based on Milk Proteins. Advanced Structured Materials, 2013, , 169-191.	0.3	2
111	Micron and Submicron-Sized Whey Protein-Pectin Aggregates Generated Via Alkali-Catalyzed Chemical Crosslinking. Journal of Dispersion Science and Technology, 2015, 36, 154-159.	1.3	2
112	Effect of surfactant addition on particle properties of whey proteins and their subsequent complexation with salivary proteins. International Dairy Journal, 2018, 87, 107-113.	1.5	2