
Osamu Ichiyanagi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9370961/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinical utility of head computed tomography scan during systemic therapy for metastatic renal cell carcinoma. International Journal of Urology, 2021, 28, 450-456.	1.0	4
2	New prognostic model for synchronous metastatic renal cell carcinoma. International Journal of Urology, 2020, 27, 448-456.	1.0	4
3	Living kidney transplantation without perioperative anticoagulation therapy for a patient with heparinâ€induced thrombocytopenia. IJU Case Reports, 2020, 3, 86-89.	0.3	1
4	Primary mesenchymal chondrosarcoma of the kidney without HEY1‑NCOA2 and IRF2BP2‑CDX1 fusion: A case report and review. Oncology Letters, 2020, 19, 885-891.	1.8	5
5	Association between Hyposensitivity of C-fiber Afferents at The Proximal Urethra and Storage/voiding Dysfunction in Female Patients with Detrusor Overactivity. Urology Journal, 2020, 17, 631-637.	0.4	1
6	Risk of SOFA Deterioration in Conservative Treatment for Emphysematous Pyelonephritis: Pitfalls of Current Trends in Therapeutics from Multicenter Clinical Experience. Current Urology, 2019, 12, 134-141.	0.6	6
7	Effect of third- and fourth-line systemic therapies for metastatic renal cell carcinoma. Scientific Reports, 2019, 9, 15451.	3.3	8
8	Expression of total and phospho 4EBP1 in metastatic and non‑metastatic renal cell carcinoma. Oncology Letters, 2019, 17, 3910-3918.	1.8	2
9	Reinforcement of the Triple D score with simple addition of the intrarenal location for the prediction of the stone-free rate after shockwave lithotripsy for renal stones 10–20Âmm in diameter. International Urology and Nephrology, 2019, 51, 239-245.	1.4	12
10	Possible role of hyposensitivity of Câ€fiber afferents at the proximal urethra in the development of urge urinary incontinence in patients with detrusor overactivity. LUTS: Lower Urinary Tract Symptoms, 2019, 11, O21-O27.	1.3	2
11	Impact of eIF4E phosphorylation at Ser209 via MNK2a on tumour recurrence after curative surgery in localized clear cell renal cell carcinoma. Oncotarget, 2019, 10, 4053-4068.	1.8	2
12	Pazopanibâ€induced crystal deposition in intestinal mucosa in a patient with retroperitoneal liposarcoma. International Journal of Urology, 2018, 25, 627-629.	1.0	1
13	Levels of 4EBP1/eIF4E Activation in Renal Cell Carcinoma Could Differentially Predict Its Early and Late Recurrence. Clinical Genitourinary Cancer, 2018, 16, e1029-e1058.	1.9	8
14	Internal validation of a scoring system to evaluate the probability of ureteral stones: The CHOKAI score. American Journal of Emergency Medicine, 2017, 35, 1859-1866.	1.6	21
15	Prognostic utility of seasonal changes for diagnosis of ureteral stones. Urolithiasis, 2017, 45, 233-234.	2.0	2
16	Rise in ambient temperature predisposes aging, male Japanese patients to renal colic episodes due to upper urolithiasis. Scandinavian Journal of Urology, 2017, 51, 152-158.	1.0	2
17	Renoprotective Procedures with a Cold Ischemia Time of <60 min Minimize the Deterioration of Kidney Function in Open Nephron-Sparing Surgery for Renal Cell Carcinoma. Urologia Internationalis, 2017, 99, 283-289.	1.3	0
18	Abstract 2381: The effect of ERK5 inhibition in clear cell renal cell carcinoma. , 2017, , .		0

OSAMU ICHIYANAGI

#	Article	IF	CITATIONS
19	Abstract 2782: The potential of p4EBP1 expression as predictive biomarker of mRCC. , 2017, , .		0
20	Abstract 4120: Acquisition of chemoresistance to mTORC1 inhibition due to activation of the GSK-3 $\hat{I}^2/4EBP1$ pathway might predict poor prognosis of mRCC patients. , 2017, , .		0
21	Expression of Extracellular Signal-regulated Kinase 5 and Ankyrin Repeat Domain 1 in Composite Pheochromocytoma and Ganglioneuroblastoma Detected Incidentally in the Adult Adrenal Gland. Internal Medicine, 2016, 55, 3611-3621.	0.7	3
22	Clinical relevance of seasonal changes in the prevalence of ureterolithiasis in the diagnosis of renal colic. Urolithiasis, 2016, 44, 529-537.	2.0	26
23	CSK-3 directly regulates phospho-4EBP1 in renal cell carcinoma cell-line: an intrinsic subcellular mechanism for resistance to mTORC1 inhibition. BMC Cancer, 2016, 16, 393.	2.6	37
24	ERK5 induces ankrd1 for catecholamine biosynthesis and homeostasis in adrenal medullary cells. Cellular Signalling, 2016, 28, 177-189.	3.6	12
25	MP75-19 A NEW SCORING SYSTEM FOR PREDICTING UNCOMPLICATED URETERAL STONES WITHOUT RADIOLOGICAL IMAGES IN THE EMERGENCY ROOM: A RETROSPECTIVE SINGLE-CENTER STUDY. Journal of Urology, 2015, 193, .	0.4	1
26	A GRIA2 and PAX8-positive renal solitary fibrous tumor with NAB2-STAT6 gene fusion. Diagnostic Pathology, 2015, 10, 155.	2.0	10
27	Age-related delay in urinary stone clearance in elderly patients with solitary proximal ureteral calculi treated by extracorporeal shock wave lithotripsy. Urolithiasis, 2015, 43, 419-426.	2.0	12
28	Suspicion of primary testicular germ cell tumor regressed completely before metastasis. International Cancer Conference Journal, 2014, 3, 87-90.	0.5	0
29	Stone clearance after extracorporeal shockwave lithotripsy in patients with solitary pure calcium oxalate stones smaller than 1.0 cm in the proximal ureter, with special reference to monohydrate and dihydrate content. Scandinavian Journal of Urology, 2013, 47, 131-139.	1.0	0
30	2007 ESTIMATED GFR AS A BIOMARKER OF EFFICACY IN PATIENTS WITH METASTATIC RENAL CELL CARCINOMA TREATED WITH SUNITINIB. Journal of Urology, 2012, 187, .	0.4	0
31	Nephrotoxicity induced by VEGF-target agents in patients with metastatic renal cell cancer Journal of Clinical Oncology, 2012, 30, 432-432.	1.6	0
32	Posterior Retroperitoneoscopic Partial Nephrectomy Using Microwave Tissue Coagulator for Small Renal Tumors. Journal of Endourology, 2002, 16, 367-371.	2.1	22
33	Relationship between the Shape of Passive Urethral Resistance Relation and Prostatic Histology in Patients with Bening Prostatic Hyperplasia. Urologia Internationalis, 2002, 68, 243-245.	1.3	1
34	Angiotensin II increases L-type Ca2+ current in gramicidin D-perforated adult rabbit ventricular myocytes: comparison with conventional patch-clamp method. Pflugers Archiv European Journal of Physiology, 2002, 444, 107-116.	2.8	23
35	Relationship between Urodynamic Type of Obstruction and Histological Component of the Prostate in Patients with Benign Prostatic Hyperplasia. European Urology, 1999, 36, 203-206.	1.9	6
36	Relation between urethral elasticity and bladder outlet obstruction and histologic composition of the prostate in patients with benign prostatic hyperplasia. Urology, 1999, 53, 1149-1153.	1.0	16

#	Article	IF	CITATIONS
37	Microdeletion of the DAZ (deleted in azoospermia) gene or the YRRM (Y chromosome ribonucleic acid) Tj ETQq1 Z spermatogenesis. Fertility and Sterility, 1999, 71, 746-749.	1 0.78431 1.0	4 rgBT /Ove 22
38	Silica Urolithiasis without Magnesium Trisilicate Intake. Urologia Internationalis, 1998, 61, 39-42.	1.3	14
39	Pure Silicate Fragment in a Recurrent Stone Former of Calcium Oxalate. Urologia Internationalis, 1997, 58, 192-196.	1.3	4
40	Correlations between Parameters in Pressure-Flow Analysis and Histological Compositions in Prostate in Patients with Benign Prostatic Hyperplasia. Urologia Internationalis, 1997, 59, 154-160.	1.3	7
41	Functional property, norepinephrine content and morphometric findings in human hyperplastic prostate. , 1997, 33, 183-187.		7