

Jianhua Yan

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9371274/jianhua-yan-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

7,864
citations

49
h-index

86
g-index

130
ext. papers

9,414
ext. citations

9.4
avg, IF

6.48
L-index

#	Paper	IF	Citations
129	Synthesizing Superior Flexible Oxide Perovskite Ceramic Nanofibers by Precisely Controlling Crystal Nucleation and Growth.. <i>Small</i> , 2022 , 18, e2106500	11	3
128	Platinum Cluster/Carbon Quantum Dots Derived Graphene Heterostructured Carbon Nanofibers for Efficient and Durable Solar-Driven Electrochemical Hydrogen Evolution.. <i>Small Methods</i> , 2022 , e2101470	12.8	3
127	Fabrication of Flexible Mesoporous Black Nb O Nanofiber Films for Visible-Light-Driven Photocatalytic CO Reduction into CH ₄ .. <i>Advanced Materials</i> , 2022 , e2200756	24	6
126	Flexible, self-cleaning, and high-performance ceramic nanofiber-based moist-electric generator enabled by interfacial engineering. <i>Science China Technological Sciences</i> , 2022 , 65, 450-457	3.5	0
125	Tensile Stress-Gated Electromagnetic Interference Shielding Fabrics with Real-Time Adjustable Shielding Efficiency. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 13999-14005	8.3	3
124	Facile Synthesis of Bimetallic Fluoride Heterojunctions on Defect-Enriched Porous Carbon Nanofibers for Efficient ORR Catalysts. <i>Nano Letters</i> , 2021 , 21, 2618-2624	11.5	24
123	Facile Fabrication of Flexible Carbon Nanofiber Electrodes with Both High Packing Density and Capacity for Li-Ion Batteries. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2100020	1.6	1
122	In Situ Synthesis of Mechanically Robust, Transparent Nanofiber-Reinforced Hydrogels for Highly Sensitive Multiple Sensing. <i>Advanced Functional Materials</i> , 2021 , 31, 2103117	15.6	27
121	A General Strategy to Fabricate Flexible Oxide Ceramic Nanofibers with Gradient Bending-Resilience Properties. <i>Advanced Functional Materials</i> , 2021 , 31, 2103989	15.6	8
120	g-C ₃ N ₄ encapsulated ZrO ₂ nanofibrous membrane decorated with CdS quantum dots: A hierarchically structured, self-supported electrocatalyst toward synergistic NH ₃ synthesis. <i>Nano Research</i> , 2021 , 14, 1479-1487	10	7
119	Direct Magnetic Reinforcement of Electrocatalytic ORR/OER with Electromagnetic Induction of Magnetic Catalysts. <i>Advanced Materials</i> , 2021 , 33, e2007525	24	48
118	Dynamic Regulation of Lithium Dendrite Growth with Electromechanical Coupling Effect of Soft BaTiO ₃ Ceramic Nanofiber Films. <i>ACS Nano</i> , 2021 , 15, 3161-3170	16.7	18
117	Selective nucleation and targeted deposition effect of lithium in a lithium-metal host anode. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 5381-5389	13	8
116	Microfluidic-directed biomimetic -like microfibers based on inhomogeneous viscosity rope-coil effect. <i>Lab on A Chip</i> , 2021 , 21, 2594-2604	7.2	1
115	Solid-State Lithium Metal Batteries with Extended Cycling Enabled by Dynamic Adaptive Solid-State Interfaces. <i>Advanced Materials</i> , 2021 , 33, e2008084	24	23
114	Earthworm-Inspired Ultradurable Superhydrophobic Fabrics from Adaptive Wrinkled Skin. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 6758-6766	9.5	13
113	Wearable biosensor for sensitive detection of uric acid in artificial sweat enabled by a fiber structured sensing interface. <i>Nano Energy</i> , 2021 , 85, 106031	17.1	24

112	Tailoring Nanoporous-Engineered Sponge Fiber Molecular Sieves with Ternary-Nested Architecture for Precise Molecular Separation. <i>ACS Nano</i> , 2021 ,	16.7	4
111	Facile access to highly flexible and mesoporous structured silica fibrous membranes for tetracyclines removal. <i>Chemical Engineering Journal</i> , 2021 , 417, 129211	14.7	12
110	Superior Flexibility in Oxide Ceramic Crystal Nanofibers. <i>Advanced Materials</i> , 2021 , 33, e2105011	24	6
109	Hierarchical Porous Carbon Nanofibers with Tunable Geometries and Porous Structures Fabricated by a Scalable Electrospinning Technique. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 44768-44776	9.5	5
108	Electroless Deposition of Automatically Shedded Thin Copper Foils. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 28831-28839	9.5	5
107	A novel organic-inorganic flame retardant of ammonium polyphosphate chemically coated by Schiff base-containing branched polysiloxane for polyamide 6. <i>Polymers for Advanced Technologies</i> , 2020 , 31, 2763-2774	3.2	7
106	Polymer Template Synthesis of Flexible SiO Nanofibers to Upgrade Composite Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 31439-31447	9.5	17
105	Transformation of oxide ceramic textiles from insulation to conduction at room temperature. <i>Science Advances</i> , 2020 , 6, eaay8538	14.3	19
104	Novel Eco-Friendly Flame Retardants Based on Nitrogen-Silicone Schiff Base and Application in Cellulose. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 290-301	8.3	33
103	One-step synthesis of a macroporous Cu-g/CN nanofiber electrocatalyst for efficient oxygen reduction reaction. <i>Chemical Communications</i> , 2020 , 56, 14087-14090	5.8	12
102	In-situ growth of graphene on carbon nanofiber from lignin. <i>Carbon</i> , 2020 , 169, 446-454	10.4	17
101	Highly Elastic Block Copolymer Binders for Silicon Anodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 38132-38139	9.5	17
100	Conductive and Elastic TiO ₂ Nanofibrous Aerogels: A New Concept toward Self-Supported Electrocatalysts with Superior Activity and Durability. <i>Angewandte Chemie</i> , 2020 , 132, 23452-23460	3.6	2
99	Conductive and Elastic TiO Nanofibrous Aerogels: A New Concept toward Self-Supported Electrocatalysts with Superior Activity and Durability. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 23252-23260	16.4	38
98	Inspired Electrode with Polyaniline Decorated on Porous Heteroatom-Doped Carbon Nanofibers for Flexible Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 43634-43645	9.5	26
97	Flexible heteroatom-doped porous carbon nanofiber cages for electrode scaffolds 2020 , 2, 472-481		8
96	Stable Confinement of Black Phosphorus Quantum Dots on Black Tin Oxide Nanotubes: A Robust, Double-Active Electrocatalyst toward Efficient Nitrogen Fixation. <i>Angewandte Chemie</i> , 2019 , 131, 16591-16596	3.6	34
95	Facile fabrication of fluorine-free breathable poly(methylhydrosiloxane)/polyurethane fibrous membranes with enhanced water-resistant capability. <i>Journal of Colloid and Interface Science</i> , 2019 , 556, 541-548	9.3	19

94	Self-Assembled Porous-Silica within N-Doped Carbon Nanofibers as Ultra-flexible Anodes for Soft Lithium Batteries. <i>IScience</i> , 2019 , 16, 122-132	6.1	17
93	Polymer Template Synthesis of Soft, Light, and Robust Oxide Ceramic Films. <i>IScience</i> , 2019 , 15, 185-195	6.1	21
92	Elastic and well-aligned ceramic LLZO nanofiber based electrolytes for solid-state lithium batteries. <i>Energy Storage Materials</i> , 2019 , 23, 306-313	19.4	75
91	Polymer Template Synthesis of Flexible BaTiO ₃ Crystal Nanofibers. <i>Advanced Functional Materials</i> , 2019 , 29, 1907919	15.6	72
90	Carbon-Nanoplated CoS@TiO Nanofibrous Membrane: An Interface-Engineered Heterojunction for High-Efficiency Electrocatalytic Nitrogen Reduction. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 18903-18907	16.4	80
89	Constructing Ionic Gradient and Lithiophilic Interphase for High-Rate Li-Metal Anode. <i>Small</i> , 2019 , 15, e1905171	11	28
88	Carbon-Nanoplated CoS@TiO ₂ Nanofibrous Membrane: An Interface-Engineered Heterojunction for High-Efficiency Electrocatalytic Nitrogen Reduction. <i>Angewandte Chemie</i> , 2019 , 131, 19079-19083	3.6	14
87	Stable Confinement of Black Phosphorus Quantum Dots on Black Tin Oxide Nanotubes: A Robust, Double-Active Electrocatalyst toward Efficient Nitrogen Fixation. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16439-16444	16.4	81
86	Self-Assembled Conductive Metal-Oxide Nanofiber Interface for Stable Li-Metal Anode. <i>ACS Applied Materials & Interfaces</i> , 2019 ,	9.5	11
85	Multifunctional flexible membranes from sponge-like porous carbon nanofibers with high conductivity. <i>Nature Communications</i> , 2019 , 10, 5584	17.4	87
84	Architecting a Floatable, Durable, and Scalable Steam Generator: Hydrophobic/Hydrophilic Bifunctional Structure for Solar Evaporation Enhancement. <i>Small Methods</i> , 2019 , 3, 1800176	12.8	54
83	3D Printing of Tunable Energy Storage Devices with Both High Areal and Volumetric Energy Densities. <i>Advanced Energy Materials</i> , 2019 , 9, 1802578	21.8	93
82	Polymer nanofibre composite nonwovens with metal-like electrical conductivity. <i>Npj Flexible Electronics</i> , 2018 , 2,	10.7	23
81	Mixed Ionic and Electronic Conductor for Li-Metal Anode Protection. <i>Advanced Materials</i> , 2018 , 30, 1705105	11.5	68
80	Ultralight and fire-resistant ceramic nanofibrous aerogels with temperature-invariant superelasticity. <i>Science Advances</i> , 2018 , 4, eaas8925	14.3	243
79	Numerical characterization and simulation of the three-dimensional tubular woven fabric. <i>Journal of Industrial Textiles</i> , 2018 , 47, 2112-2127	1.6	2
78	Nanofiber-Based Hydrogels: Controllable Synthesis and Multifunctional Applications. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1800058	4.8	34
77	Effects of coagulation conditions on structure and properties of cellulose-based fibers from aqueous NaOH solvent. <i>Carbohydrate Polymers</i> , 2017 , 164, 118-126	10.3	4

76	Robust Fluorine-Free Superhydrophobic Amino-Silicone Oil/SiO Modification of Electrospun Polyacrylonitrile Membranes for Waterproof-Breathable Application. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 15139-15147	9.5	107
75	Hierarchical Porous Structured SiO/SnO Nanofibrous Membrane with Superb Flexibility for Molecular Filtration. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 18966-18976	9.5	67
74	Soft Zr-doped TiO Nanofibrous Membranes with Enhanced Photocatalytic Activity for Water Purification. <i>Scientific Reports</i> , 2017 , 7, 1636	4.9	70
73	Functional modification of breathable polyacrylonitrile/polyurethane/TiO nanofibrous membranes with robust ultraviolet resistant and waterproof performance. <i>Journal of Colloid and Interface Science</i> , 2017 , 508, 508-516	9.3	65
72	Environmentally Friendly and Breathable Fluorinated Polyurethane Fibrous Membranes Exhibiting Robust Waterproof Performance. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 29302-29310	9.5	80
71	Coagulation studies for hydroxyethyl cellulose (HEC) in NaOH/H ₂ O solvent. <i>Fibers and Polymers</i> , 2017 , 18, 1091-1097	2	3
70	Polyvinyl Butyral Modified Polyvinylidene Fluoride Breathable/Waterproof Nanofibrous Membranes with Enhanced Mechanical Performance. <i>Macromolecular Materials and Engineering</i> , 2017 , 302,	3.9	27
69	Capacity Fade Analysis of Sulfur Cathodes in Lithium-Sulfur Batteries. <i>Advanced Science</i> , 2016 , 3, 16001013,6	13.6	147
68	Biodegradable poly(butylene succinate-co-terephthalate) nanofibrous membranes functionalized with cyclodextrin polymer for effective methylene blue adsorption. <i>RSC Advances</i> , 2016 , 6, 108240-108246	2.7	25
67	Brittle-flexible-brittle transition in nanocrystalline zirconia nanofibrous membranes. <i>CrystEngComm</i> , 2016 , 18, 1139-1146	3.3	24
66	Thermally induced chemical cross-linking reinforced fluorinated polyurethane/polyacrylonitrile/polyvinyl butyral nanofibers for waterproof-breathable application. <i>RSC Advances</i> , 2016 , 6, 29629-29637	3.7	34
65	Insights into the flexibility of ZrM _x O _y (M = Na, Mg, Al) nanofibrous membranes as promising infrared stealth materials. <i>Dalton Transactions</i> , 2016 , 45, 6660-6	4.3	16
64	Elastic and hierarchical porous carbon nanofibrous membranes incorporated with NiFe ₂ O ₄ nanocrystals for highly efficient capacitive energy storage. <i>Nanoscale</i> , 2016 , 8, 2195-204	7.7	44
63	Cobalt oxide nanoparticles embedded in flexible carbon nanofibers: attractive material for supercapacitor electrodes and CO ₂ adsorption. <i>RSC Advances</i> , 2016 , 6, 52171-52179	3.7	25
62	Polybenzoxazine-based highly porous carbon nanofibrous membranes hybridized by tin oxide nanoclusters: durable mechanical elasticity and capacitive performance. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 7795-7804	13	33
61	Ultralight Biomass-Derived Carbonaceous Nanofibrous Aerogels with Superelasticity and High Pressure-Sensitivity. <i>Advanced Materials</i> , 2016 , 28, 9512-9518	24	310
60	Tailoring Water-Resistant and Breathable Performance of Polyacrylonitrile Nanofibrous Membranes Modified by Polydimethylsiloxane. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 27218-27226	9.5	91
59	Efficient and reusable polyamide-56 nanofiber/nets membrane with bimodal structures for air filtration. <i>Journal of Colloid and Interface Science</i> , 2015 , 457, 203-11	9.3	124

58	Simultaneous visual detection and removal of lead(II) ions with pyromellitic dianhydride-grafted cellulose nanofibrous membranes. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 18180-18189	13	66
57	Hierarchical porous carbon nanofibrous membranes with an enhanced shape memory property for effective adsorption of proteins. <i>RSC Advances</i> , 2015 , 5, 64318-64325	3-7	19
56	Long-Life, High-Efficiency Lithium-Sulfur Battery from a Nanoassembled Cathode. <i>Chemistry of Materials</i> , 2015 , 27, 5080-5087	9-6	54
55	Highly carbonylated cellulose nanofibrous membranes utilizing maleic anhydride grafting for efficient lysozyme adsorption. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 15658-66	9-5	65
54	Constitution of a visual detection system for lead(II) on polydiacetylene-glycine embedded nanofibrous membranes. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9722-9730	13	35
53	Nanonet-structured poly(m-phenylene isophthalamide)-polyurethane membranes with enhanced thermostability and wettability for high power lithium ion batteries. <i>RSC Advances</i> , 2015 , 5, 55478-55485	3-7	49
52	Thermostable and nonflammable silica-polyetherimide-polyurethane nanofibrous separators for high power lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 10551-10558	13	51
51	The bending fatigue comparison between 3D braided rectangular composites and T-beam composites. <i>Fibers and Polymers</i> , 2015 , 16, 634-639	2	8
50	Silica nanofibrous membranes with ultra-softness and enhanced tensile strength for thermal insulation. <i>RSC Advances</i> , 2015 , 5, 6027-6032	3-7	35
49	Superelastic and superhydrophobic nanofiber-assembled cellular aerogels for effective separation of oil/water emulsions. <i>ACS Nano</i> , 2015 , 9, 3791-9	16-7	522
48	Fluorinated polyurethane macroporous membranes with waterproof, breathable and mechanical performance improved by lithium chloride. <i>RSC Advances</i> , 2015 , 5, 79807-79814	3-7	33
47	In situ synthesis of flexible hierarchical TiO ₂ nanofibrous membranes with enhanced photocatalytic activity. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 22136-22144	13	68
46	Ultra-light 3D nanofibre-nets binary structured nylon 6-polyacrylonitrile membranes for efficient filtration of fine particulate matter. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 23946-23954	13	130
45	Ready-to-use strip for L-ascorbic acid visual detection based on polyaniline/polyamide 66 nano-fibers/nets membranes. <i>Talanta</i> , 2015 , 144, 1146-54	6-2	23
44	Assembly of silica aerogels within silica nanofibers: towards a super-insulating flexible hybrid aerogel membrane. <i>RSC Advances</i> , 2015 , 5, 91813-91820	3-7	25
43	Nickel Ferrite Nanoparticles Anchored onto Silica Nanofibers for Designing Magnetic and Flexible Nanofibrous Membranes. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 20200-7	9-5	31
42	High-Performance Lithium-Sulfur Batteries with a Cost-Effective Carbon Paper Electrode and High Sulfur-Loading. <i>Chemistry of Materials</i> , 2015 , 27, 6394-6401	9-6	69
41	Electretted polyetherimide-silica fibrous membranes for enhanced filtration of fine particles. <i>Journal of Colloid and Interface Science</i> , 2015 , 439, 12-20	9-3	124

40	Carbon Nanotubes Enhanced Fluorinated Polyurethane Macroporous Membranes for Waterproof and Breathable Application. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 13538-46	9.5	139
39	Superamphiphobic nanofibrous membranes for effective filtration of fine particles. <i>Journal of Colloid and Interface Science</i> , 2014 , 428, 41-8	9.3	112
38	Hierarchically structured polysulfone/titania fibrous membranes with enhanced air filtration performance. <i>Journal of Colloid and Interface Science</i> , 2014 , 417, 18-26	9.3	128
37	Free-standing zirconia nanofibrous membranes with robust flexibility for corrosive liquid filtration. <i>RSC Advances</i> , 2014 , 4, 2756-2763	3.7	25
36	Waterproof and breathable membranes of waterborne fluorinated polyurethane modified electrospun polyacrylonitrile fibers. <i>RSC Advances</i> , 2014 , 4, 61068-61076	3.7	55
35	Large-scale fabrication of highly aligned poly(m-phenylene isophthalamide) nanofibers with robust mechanical strength. <i>RSC Advances</i> , 2014 , 4, 45760-45767	3.7	32
34	In situ cross-linked superwetting nanofibrous membranes for ultrafast oil/water separation. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 10137-10145	13	142
33	An approach for testing and predicting longitudinal tensile modulus of 3D braided composites. <i>Journal of Reinforced Plastics and Composites</i> , 2014 , 33, 775-784	2.9	11
32	Colorimetric strips for visual lead ion recognition utilizing polydiacetylene embedded nanofibers. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 18304-18312	13	46
31	Ultralight nanofibre-assembled cellular aerogels with superelasticity and multifunctionality. <i>Nature Communications</i> , 2014 , 5, 5802	17.4	675
30	Electrospun nanofibrous chitosan membranes modified with polyethyleneimine for formaldehyde detection. <i>Carbohydrate Polymers</i> , 2014 , 108, 192-9	10.3	74
29	Gravity driven separation of emulsified oil/water mixtures utilizing in situ polymerized superhydrophobic and superoleophilic nanofibrous membranes. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14071	13	149
28	Novel fluorinated polyurethane decorated electrospun silica nanofibrous membranes exhibiting robust waterproof and breathable performances. <i>RSC Advances</i> , 2013 , 3, 7562	3.7	39
27	Amphiphobic fluorinated polyurethane composite microfibrillar membranes with robust waterproof and breathable performances. <i>RSC Advances</i> , 2013 , 3, 2248-2255	3.7	68
26	Electro-spinning/netting: A strategy for the fabrication of three-dimensional polymer nano-fiber/nets. <i>Progress in Materials Science</i> , 2013 , 58, 1173-1243	42.2	375
25	Highly sensitive formaldehyde sensors based on polyvinylamine modified polyacrylonitrile nanofibers. <i>RSC Advances</i> , 2013 , 3, 22994	3.7	36
24	Sensitive metal ion sensors based on fibrous polystyrene membranes modified by polyethyleneimine. <i>RSC Advances</i> , 2012 , 2, 1373-1378	3.7	13
23	Silica nanofibrous membranes with robust flexibility and thermal stability for high-efficiency fine particulate filtration. <i>RSC Advances</i> , 2012 , 2, 12216	3.7	100

22	Novel fluorinated polybenzoxazine-silica films: chemical synthesis and superhydrophobicity. <i>RSC Advances</i> , 2012 , 2, 12804	3.7	36
21	Biomimicry via Electrospinning. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2012 , 37, 94-114	10.1	84
20	Synthesis of mesoporous magnetic Fe ₃ O ₄ @carbon nanofibers utilizing in situ polymerized polybenzoxazine for water purification. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4619		112
19	Surface modification of plasma-pretreated expanded poly (tetrafluoroethylene) films by graft copolymerization. <i>Surface and Interface Analysis</i> , 2012 , 44, 578-583	1.5	5
18	Tunable fabrication of three-dimensional polyamide-66 nano-fiber/nets for high efficiency fine particulate filtration. <i>Journal of Materials Chemistry</i> , 2012 , 22, 1445-1452		153
17	Polyacrylonitrile/polybenzoxazine-based Fe ₃ O ₄ @carbon nanofibers: hierarchical porous structure and magnetic adsorption property. <i>Journal of Materials Chemistry</i> , 2012 , 22, 15919		96
16	Enzymatic treatment of mechanochemical modified natural bamboo fibers. <i>Fibers and Polymers</i> , 2012 , 13, 600-605	2	23
15	Highly sensitive humidity sensors based on electro-spinning/netting a polyamide 6 nano-fiber/net modified by polyethyleneimine. <i>Journal of Materials Chemistry</i> , 2011 , 21, 16231		75
14	Nanoparticle decorated fibrous silica membranes exhibiting biomimetic superhydrophobicity and highly flexible properties. <i>RSC Advances</i> , 2011 , 1, 1482	3.7	61
13	Investigation of silica nanoparticle distribution in nanoporous polystyrene fibers. <i>Soft Matter</i> , 2011 , 7, 8376	3.6	59
12	Polyamide 6 composite nano-fiber/net functionalized by polyethyleneimine on quartz crystal microbalance for highly sensitive formaldehyde sensors. <i>Journal of Materials Chemistry</i> , 2011 , 21, 12784		75
11	Modification of natural bamboo fibers for textile applications. <i>Fibers and Polymers</i> , 2011 , 12, 95-103	2	30
10	Evaluation of the availability of easy cationic dyeable copolyester fibers as electrostatic flocking piles. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 195-201	2.9	10
9	Label-free ultrasensitive colorimetric detection of copper(II) ions utilizing polyaniline/polyamide-6 nano-fiber/net sensor strips. <i>Journal of Materials Chemistry</i> , 2011 , 21, 13345		56
8	Synthesis of poly(butylene succinate-co-butylene terephthalate) (PBST) copolyesters with high molecular weights via direct esterification and polycondensation. <i>Journal of Applied Polymer Science</i> , 2010 , 115, 2203-2211	2.9	59
7	Electrospun nanomaterials for ultrasensitive sensors. <i>Materials Today</i> , 2010 , 13, 16-27	21.8	502
6	Numerical analysis and experimental investigation of a multi-principle drafting system in ring spinning. <i>Textile Research Journal</i> , 004051752110738	1.7	
5	Study of yarn properties and displacement deviation of acceleration points based on the novel drafting system. <i>Journal of the Textile Institute</i> , 1-12	1.5	1

- | | | | |
|---|--|------|---|
| 4 | Time-temperature-dependent mechanical durability analysis of short (glass) fiber-reinforced polyethylene terephthalate injection molding composites with weld line. <i>Textile Reseach Journal</i> ,004051752110698 | 1.7 | 1 |
| 3 | One-step extraction of ramie cellulose fibers and reutilization of degumming solution. <i>Textile Reseach Journal</i> ,004051752210868 | 1.7 | 1 |
| 2 | Designing Thermomechanical Stable Gel-Polymer Electrolytes Mediated by Block-Copolymer Nanofibers for Quasi-Solid-State Lithium Batteries. <i>Advanced Energy and Sustainability Research</i> ,2200022 | 1.6 | 1 |
| 1 | Constructing Highly Conductive and Thermomechanical Stable Quasi-Solid Electrolytes by Self-Polymerization of Liquid Electrolytes within Porous Polyimide Nanofiber Films. <i>Advanced Functional Materials</i> ,2201496 | 15.6 | 2 |