Christine P Stewart

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/9372108/christine-p-stewart-publications-by-year.pdf
Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

98 papers	3,583 citations	29 h-index	59 g-index
110 ext. papers	4,602 ext. citations	5.4 avg, IF	5.66 L-index

#	Paper	IF	Citations
98	Longitudinal Assessment of Prenatal, Perinatal, and Early-Life Aflatoxin B Exposure in 828 Mother-Child Dyads from Bangladesh and Malawi.. *Current Developments in Nutrition*, **2022**, 6, nzab153	0.4	1
97	Plasma Choline Concentration Was Not Increased After a 6-Month Egg Intervention in 6-9-Month-Old Malawian Children: Results from a Randomized Controlled Trial.. *Current Developments in Nutrition*, **2022**, 6, nzab150	0.4	0
96	A sex- and gender-based analysis of factors associated with linear growth in infants in Ecuadorian Andes.. *Scientific Reports*, **2022**, 12, 3292	4.9	
95	Impacts of an egg intervention on nutrient adequacy among young Malawian children. *Maternal and Child Nutrition*, **2021**, 17, e13196	3.4	4
94	Eggs Introduced Early in Complementary Feeding and Egg Specific IgE Antibodies: A Randomized Controlled Trial in Ecuador. *Current Developments in Nutrition*, **2021**, 5, 730-730	0.4	78
93	The Association of Plasma Choline With Growth and Development Among Young Malawian Children Enrolled in an Egg Intervention Trial. *Current Developments in Nutrition*, **2021**, 5, 627-627	0.4	78
92	Evaluation of One Egg per Day on Iron and Anemia Status Among Young Malawian Children: A Randomized Controlled Trial. *Current Developments in Nutrition*, **2021**, 5, 697-697	0.4	0
91	Review of Existing Models to Predict Reductions in Neural Tube Defects Due to Folic Acid Fortification and Model Results Using Data from Cameroon. *Advances in Nutrition*, **2021**, 12, 2401-2414	10	0
90	Impacts of an egg complementary feeding trial on energy intake and dietary diversity in Malawi. *Maternal and Child Nutrition*, **2021**, 17, e13055	3.4	6
89	Malaria is a cause of iron deficiency in African children. *Nature Medicine*, **2021**, 27, 653-658	50.5	8
88	Characteristics that modify the effect of small-quantity lipid-based nutrient supplementation on child anemia and micronutrient status: an individual participant data meta-analysis of randomized controlled trials. *American Journal of Clinical Nutrition*, **2021**, 114, 68S-94S	7	7
87	Small-quantity lipid-based nutrient supplements for the prevention of child malnutrition and promotion of healthy development: overview of individual participant data meta-analysis and programmatic implications. *American Journal of Clinical Nutrition*, **2021**, 114, 3S-14S	7	7
86	Characteristics that modify the effect of small-quantity lipid-based nutrient supplementation on child growth: an individual participant data meta-analysis of randomized controlled trials. *American Journal of Clinical Nutrition*, **2021**, 114, 15S-42S	7	15
85	Small-quantity lipid-based nutrient supplements for children age 6-24 months: a systematic review and individual participant data meta-analysis of effects on developmental outcomes and effect modifiers. *American Journal of Clinical Nutrition*, **2021**, 114, 43S-67S	7	7
84	Effects of Water, Sanitation, Handwashing, and Nutritional Interventions on Environmental Enteric Dysfunction in Young Children: A Cluster-randomized, Controlled Trial in Rural Bangladesh. *Clinical Infectious Diseases*, **2020**, 70, 738-747	11.6	14
83	The Effect of Providing Eggs Early in Complementary Feeding on Energy Intake and Dietary Diversity: The Mazira Project Randomized Controlled Trial. *Current Developments in Nutrition*, **2020**, 4, 863-863	0.4	0
82	Snack food consumption among Bangladeshi children, supplementary data from a large RCT. *Maternal and Child Nutrition*, **2020**, 16, e12994	3.4	3

81	Lipid-Based Nutrient Supplementation Reduces Child Anemia and Increases Micronutrient Status in Madagascar: A Multiarm Cluster-Randomized Controlled Trial. *Journal of Nutrition*, **2020**, 150, 958-966	4.1	6
80	Association between Malaria Infection and Early Childhood Development Mediated by Anemia in Rural Kenya. *International Journal of Environmental Research and Public Health*, **2020**, 17,	4.6	2
79	Lipid-based nutrient supplements and all-cause mortality in children 6-24 months of age: a meta-analysis of randomized controlled trials. *American Journal of Clinical Nutrition*, **2020**, 111, 207-218	7	20
78	Effects of Individual and Combined Water, Sanitation, Handwashing, and Nutritional Interventions on Child Respiratory Infections in Rural Kenya: A Cluster-Randomized Controlled Trial. *American Journal of Tropical Medicine and Hygiene*, **2020**, 102, 1286-1295	3.2	2
77	Egg intervention effect on linear growth no longer present after two years. *Maternal and Child Nutrition*, **2020**, 16, e12925	3.4	13
76	Intake of Free Sugars Among Young Children in Rural Malawi. *Current Developments in Nutrition*, **2020**, 4, 923-923	0.4	78
75	An Egg Feeding Intervention Increased Protein Quantity and Quality Among Young Malawian Children. *Current Developments in Nutrition*, **2020**, 4, 955-955	0.4	0
74	Effect of water, sanitation, handwashing and nutrition interventions on enteropathogens in children 14 months old: a cluster-randomized controlled trial in rural Bangladesh. *Journal of Infectious Diseases*, **2020**,	7	8
73	Choline Intake in Malawian Children Aged 6–9 and 12–15 Months in an Egg Intervention Trial. *Current Developments in Nutrition*, **2020**, 4, 816-816	0.4	1
72	The double burden of malnutrition-further perspective. *Lancet, The*, **2020**, 396, 814-815	40	
71	Early Child Development Outcomes of a Randomized Trial Providing 1 Egg Per Day to Children Age 6 to 15 Months in Malawi. *Journal of Nutrition*, **2020**, 150, 1933-1942	4.1	12
70	Reply to S Rahman and S Ireen. *American Journal of Clinical Nutrition*, **2019**, 110, 520	7	
69	Effects of water, sanitation, handwashing and nutritional interventions on soil-transmitted helminth infections in young children: A cluster-randomized controlled trial in rural Bangladesh. *PLoS Neglected Tropical Diseases*, **2019**, 13, e0007323	4.8	29
68	The WASH Benefits and SHINE Trials. Interpretation of Findings on Linear Growth and Diarrhoea and Implications for Policy: Perspective of the Investigative Teams (P10-136-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	2
67	Path analyses of risk factors for linear growth faltering in four prospective cohorts of young children in Ghana, Malawi and Burkina Faso. *BMJ Global Health*, **2019**, 4, e001155	6.6	15
66	The effect of eggs on early child growth in rural Malawi: the Mazira Project randomized controlled trial. *American Journal of Clinical Nutrition*, **2019**, 110, 1026-1033	7	26
65	Effects of nutritional supplementation and home visiting on growth and development in young children in Madagascar: a cluster-randomised controlled trial. *The Lancet Global Health*, **2019**, 7, e1257-e1268	13.6	22
64	The WASH Benefits and SHINE trials: interpretation of WASH intervention effects on linear growth and diarrhoea. *The Lancet Global Health*, **2019**, 7, e1139-e1146	13.6	149

63	Are Dietary Amino Acids or Protein Quality Associated with Infant Length Gain from 6 to 12 Months in Rural Malawi? (P10-010-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	78
62	Comparison of the Nutrient Content of Eggs from Commercial and Village Chickens in Rural Malawi (P03-009-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	78
61	Effects of single and integrated water, sanitation, handwashing, and nutrition interventions on child soil-transmitted helminth and Giardia infections: A cluster-randomized controlled trial in rural Kenya. *PLoS Medicine*, **2019**, 16, e1002841	11.6	26
60	Hemoglobin Concentration and Memory Development in Malawian Children Aged 12–15 Months (P10-093-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	78
59	OpenDRS: An Open-source 24-hour Recall for Mobile Devices (P13-004-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	1
58	Moving towards transformational WASH - AuthorsTreply. *The Lancet Global Health*, **2019**, 7, e1494-e1495	13.6	1
57	A behaviour change intervention with lipid-based nutrient supplements had little impact on young child feeding indicators in rural Kenya. *Maternal and Child Nutrition*, **2019**, 15, e12660	3.4	7
56	Complementary feeding practices among rural Bangladeshi mothers: Results from WASH Benefits study. *Maternal and Child Nutrition*, **2019**, 15, e12654	3.4	16
55	Effects of lipid-based nutrient supplements and infant and young child feeding counseling with or without improved water, sanitation, and hygiene (WASH) on anemia and micronutrient status: results from 2 cluster-randomized trials in Kenya and Bangladesh. *American Journal of Clinical Nutrition*, **2019**, 109, 148-164	7	20
54	Plasma proteome correlates of lipid and lipoprotein: biomarkers of metabolic diversity and inflammation in children of rural Nepal. *Journal of Lipid Research*, **2019**, 60, 149-160	6.3	2
53	Effects of water quality, sanitation, handwashing, and nutritional interventions on child development in rural Kenya (WASH Benefits Kenya): a cluster-randomised controlled trial. *The Lancet Child and Adolescent Health*, **2018**, 2, 269-280	14.5	47
52	Effects of Water, Sanitation, Handwashing, and Nutritional Interventions on Child Enteric Protozoan Infections in Rural Bangladesh: A Cluster-Randomized Controlled Trial. *Clinical Infectious Diseases*, **2018**, 67, 1515-1522	11.6	39
51	Effects of water quality, sanitation, handwashing, and nutritional interventions on diarrhoea and child growth in rural Kenya: a cluster-randomised controlled trial. *The Lancet Global Health*, **2018**, 6, e316-e329	13.6	307
50	Infant Serum and Maternal Milk Vitamin B-12 Are Positively Correlated in Kenyan Infant-Mother Dyads at 1-6 Months Postpartum, Irrespective of Infant Feeding Practice. *Journal of Nutrition*, **2018**, 148, 86-93	4.1	2
49	Effects of water quality, sanitation, handwashing, and nutritional interventions on diarrhoea and child growth in rural Bangladesh: a cluster randomised controlled trial. *The Lancet Global Health*, **2018**, 6, e302-e315	13.6	329
48	Effect of water quality, sanitation, hand washing, and nutritional interventions on child development in rural Bangladesh (WASH Benefits Bangladesh): a cluster-randomised controlled trial. *The Lancet Child and Adolescent Health*, **2018**, 2, 255-268	14.5	36
47	Co-causation of reduced newborn size by maternal undernutrition, infections, and inflammation. *Maternal and Child Nutrition*, **2018**, 14, e12585	3.4	12
46	Cracking the Egg Potential: Traditional Knowledge, Attitudes, and Practices in a Food-Based Nutrition Intervention in Highland Ecuador. *Food and Nutrition Bulletin*, **2018**, 39, 206-218	1.8	6

45	Achieving optimal technology and behavioral uptake of single and combined interventions of water, sanitation hygiene and nutrition, in an efficacy trial (WASH benefits) in rural Bangladesh. *Trials*, **2018**, 19, 358	2.8	34
44	Stagnating trends in complementary feeding practices in Bangladesh: An analysis of national surveys from 2004-2014. *Maternal and Child Nutrition*, **2018**, 14 Suppl 4, e12624	3.4	11
43	Trends and predictors of appropriate complementary feeding practices in Nepal: An analysis of national household survey data collected between 2001 and 2014. *Maternal and Child Nutrition*, **2018**, 14 Suppl 4, e12564	3.4	25
42	Predictors of complementary feeding practices in Afghanistan: Analysis of the 2015 Demographic and Health Survey. *Maternal and Child Nutrition*, **2018**, 14 Suppl 4, e12696	3.4	14
41	Sickle Cell and β-Thalassemia Traits Influence the Association between Ferritin and Hepcidin in Rural Kenyan Children Aged 14-26 Months. *Journal of Nutrition*, **2018**, 148, 1903-1910	4.1	2
40	The potential of a simple egg to improve maternal and child nutrition. *Maternal and Child Nutrition*, **2018**, 14 Suppl 3, e12678	3.4	16
39	The Lulun Project's social marketing strategy in a trial to introduce eggs during complementary feeding in Ecuador. *Maternal and Child Nutrition*, **2018**, 14 Suppl 3, e12700	3.4	7
38	Adherence to recommendations on lipid-based nutrient supplement and iron and folic acid tablet consumption among pregnant and lactating women participating in a community health programme in northwest Bangladesh. *Maternal and Child Nutrition*, **2017**, 13,	3.4	12
37	The Plasma Proteome Is Associated with Anthropometric Status of Undernourished Nepalese School-Aged Children. *Journal of Nutrition*, **2017**, 147, 304-313	4.1	15
36	Eggs in Early Complementary Feeding and Child Growth: A Randomized Controlled Trial. *Pediatrics*, **2017**, 140,	7.4	118
35	Predictors and pathways of language and motor development in four prospective cohorts of young children in Ghana, Malawi, and Burkina Faso. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, **2017**, 58, 1264-1275	7.9	34
34	Risk factors of poor complementary feeding practices in Pakistani children aged 6-23 months: A multilevel analysis of the Demographic and Health Survey 2012-2013. *Maternal and Child Nutrition*, **2017**, 13 Suppl 2, e12463	3.4	33
33	Eggs early in complementary feeding increase choline pathway biomarkers and DHA: a randomized controlled trial in Ecuador. *American Journal of Clinical Nutrition*, **2017**, 106, 1482-1489	7	36
32	Maternal plasma cholesterol and duration of pregnancy: A prospective cohort study in Ghana. *Maternal and Child Nutrition*, **2017**, 13,	3.4	5
31	Eating down or simply eating less? The diet and health implications of these practices during pregnancy and postpartum in rural Bangladesh. *Public Health Nutrition*, **2017**, 20, 1928-1940	3.3	14
30	Effects of water, sanitation, handwashing, and nutritional interventions on telomere length among children in a cluster-randomized controlled trial in rural Bangladesh. *ELife*, **2017**, 6,	8.9	2
29	Late-Pregnancy Salivary Cortisol Concentrations of Ghanaian Women Participating in a Randomized Controlled Trial of Prenatal Lipid-Based Nutrient Supplements. *Journal of Nutrition*, **2016**, 146, 343-52	4.1	11
28	Micronutrient deficiencies in pregnancy worldwide: health effects and prevention. *Nature Reviews Endocrinology*, **2016**, 12, 274-89	15.2	250

27	Toward a Scalable and Sustainable Intervention for Complementary Food Safety. *Food and Nutrition Bulletin*, **2016**, 37, 186-201	1.8	14
26	Vitamin B-12 Concentrations in Breast Milk Are Low and Are Not Associated with Reported Household Hunger, Recent Animal-Source Food, or Vitamin B-12 Intake in Women in Rural Kenya. *Journal of Nutrition*, **2016**, 146, 1125-31	4.1	20
25	A cluster-randomized, controlled trial of nutritional supplementation and promotion of responsive parenting in Madagascar: the MAHAY study design and rationale. *BMC Public Health*, **2016**, 16, 466	4.1	16
24	The risk and burden of smoking related heart disease mortality among young people in the United States. *Tobacco Induced Diseases*, **2015**, 13, 16	3.2	16
23	Maternal cortisol and stress are associated with birth outcomes, but are not affected by lipid-based nutrient supplements during pregnancy: an analysis of data from a randomized controlled trial in rural Malawi. *BMC Pregnancy and Childbirth*, **2015**, 15, 346	3.2	23
22	Relationship between obesity and coronary heart disease among urban Bangladeshi men and women. *Integrative Obesity and Diabetes*, **2015**, 1, 49-55		4
21	Breastmilk Vitamin B12 Concentration is Low among Women in Western Kenya and is Not Associated with Animal Source Food Intake or Food Insecurity. *FASEB Journal*, **2015**, 29, 133.4	0.9	
20	Micronutrient deficiencies are common in 6- to 8-year-old children of rural Nepal, with prevalence estimates modestly affected by inflammation. *Journal of Nutrition*, **2014**, 144, 979-87	4.1	49
19	Eggs: the uncracked potential for improving maternal and young child nutrition among the world's poor. *Nutrition Reviews*, **2014**, 72, 355-68	6.4	105
18	High plasma homocysteine increases risk of metabolic syndrome in 6 to 8 year old children in rural Nepal. *Nutrients*, **2014**, 6, 1649-61	6.7	19
17	Prevalence and risk factors of elevated blood pressure, overweight, and dyslipidemia in adolescent and young adults in rural Nepal. *Metabolic Syndrome and Related Disorders*, **2013**, 11, 319-28	2.6	12
16	Cluster-randomised controlled trials of individual and combined water, sanitation, hygiene and nutritional interventions in rural Bangladesh and Kenya: the WASH Benefits study design and rationale. *BMJ Open*, **2013**, 3, e003476	3	151
15	Contextualising complementary feeding in a broader framework for stunting prevention. *Maternal and Child Nutrition*, **2013**, 9 Suppl 2, 27-45	3.4	281
14	High Plasma Homocysteine Increases Risk of Metabolic Syndrome in 6 to 8 Year Old Children in Rural Nepal. *FASEB Journal*, **2013**, 27, 107.1	0.9	
13	Low maternal vitamin B-12 status is associated with offspring insulin resistance regardless of antenatal micronutrient supplementation in rural Nepal. *Journal of Nutrition*, **2011**, 141, 1912-7	4.1	80
12	Low maternal B12 status is associated with offspring insulin resistance but B12 or folate supplementation does not alter that risk. *FASEB Journal*, **2011**, 25,	0.9	1
11	Prevalence and risk factors of hypertension in rural Nepali women. *FASEB Journal*, **2011**, 25, 780.13	0.9	
10	Maternal micronutrient deficiency, fetal development, and the risk of chronic disease. *Journal of Nutrition*, **2010**, 140, 437-45	4.1	158

9	Antenatal supplementation with folic acid + iron + zinc improves linear growth and reduces peripheral adiposity in school-age children in rural Nepal. *American Journal of Clinical Nutrition*, **2009**, 90, 132-40	7	74
8	Antenatal and postnatal iron supplementation and childhood mortality in rural Nepal: a prospective follow-up in a randomized, controlled community trial. *American Journal of Epidemiology*, **2009**, 170, 1127-36	3.8	75
7	Antenatal micronutrient supplementation reduces metabolic syndrome in 6- to 8-year-old children in rural Nepal. *Journal of Nutrition*, **2009**, 139, 1575-81	4.1	90
6	Preterm delivery but not intrauterine growth retardation is associated with young maternal age among primiparae in rural Nepal. *Maternal and Child Nutrition*, **2007**, 3, 174-85	3.4	42
5	Risk of small-for-gestational age and preterm among primiparous adolescents in rural Nepal. *FASEB Journal*, **2006**, 20, A615	0.9	
4	Integrating water, sanitation, handwashing, and nutrition interventions to reduce child soil-transmitted helminth and Giardia infections: a cluster-randomized controlled trial in rural Kenya		4
3	Can individual and integrated water, sanitation, and handwashing interventions reduce fecal contamination in the household environment? Evidence from the WASH Benefits cluster-randomized trial in rural Kenya		6
2	Characteristics that modify the effect of small-quantity lipid-based nutrient supplementation on child growth: an individual participant data meta-analysis of randomized controlled trials		2
1	Small-quantity lipid-based nutrient supplements for prevention of child malnutrition and promotion of healthy development: Overview of individual participant data meta-analysis and programmatic implications		2