

Susanne E Ahmari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9372203/publications.pdf>

Version: 2024-02-01

47
papers

3,707
citations

304743

22
h-index

254184

43
g-index

58
all docs

58
docs citations

58
times ranked

5505
citing authors

#	ARTICLE	IF	CITATIONS
1	Distinct Patterns of Abnormal Lateral Orbitofrontal Cortex Activity During Compulsive Grooming and Reversal Learning Normalize After Fluoxetine. <i>Biological Psychiatry</i> , 2023, 93, 989-999.	1.3	7
2	The prefrontal cortex and OCD. <i>Neuropsychopharmacology</i> , 2022, 47, 211-224.	5.4	29
3	Developmental impact of glutamate transporter overexpression on dopaminergic neuron activity and stereotypic behavior. <i>Molecular Psychiatry</i> , 2022, 27, 1515-1526.	7.9	6
4	A double-blind study assessing the impact of orbitofrontal theta burst stimulation on goal-directed behavior.., 2022, 131, 287-300.		1
5	Lower excitatory synaptic gene expression in orbitofrontal cortex and striatum in an initial study of subjects with obsessive compulsive disorder. <i>Molecular Psychiatry</i> , 2021, 26, 986-998.	7.9	26
6	Animal Models for OCD Research. <i>Current Topics in Behavioral Neurosciences</i> , 2021, 49, 55-96.	1.7	9
7	Serotonin 5-HT1B receptor-mediated behavior and binding in mice with the overactive and dysregulated serotonin transporter Ala56 variant. <i>Psychopharmacology</i> , 2021, 238, 1111-1120.	3.1	7
8	Transcriptome alterations are enriched for synapse-associated genes in the striatum of subjects with obsessive-compulsive disorder. <i>Translational Psychiatry</i> , 2021, 11, 171.	4.8	13
9	Effect of Experimental Manipulation of the Orbitofrontal Cortex on Short-Term Markers of Compulsive Behavior: A Theta Burst Stimulation Study. <i>American Journal of Psychiatry</i> , 2021, 178, 459-468.	7.2	25
10	Disruption of prepulse inhibition is associated with compulsive behavior severity and nucleus accumbens dopamine receptor changes in Sapap3 knockout mice. <i>Scientific Reports</i> , 2021, 11, 9442.	3.3	15
11	27.2 Selective Overexpression of EAAT3 in Midbrain Dopamine Neurons Leads to Increased OCD-like Behaviors. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2020, 59, S202.	0.5	0
12	Investigating the Effects of EAAT3 Overexpression on OCD-Relevant Behaviors in Mice. <i>Biological Psychiatry</i> , 2020, 87, S299-S300.	1.3	0
13	Altered baseline and amphetamine-mediated behavioral profiles in dopamine transporter Cre (DAT-Ires-Cre) mice compared to tyrosine hydroxylase Cre (TH-Cre) mice. <i>Psychopharmacology</i> , 2020, 237, 3553-3568.	3.1	16
14	The two-step task, avoidance, and OCD. <i>Journal of Neuroscience Research</i> , 2020, 98, 1007-1019.	2.9	7
15	Neuronal excitatory amino acid transporter EAAT3: Emerging functions in health and disease. <i>Neurochemistry International</i> , 2019, 123, 69-76.	3.8	16
16	212. Dissecting Lateral Orbitofrontal Cortex Contributions to Distinct Perseverative Behaviors Using In Vivo Calcium Imaging in a Preclinical Mouse Model Relevant to OCD. <i>Biological Psychiatry</i> , 2019, 85, S88.	1.3	0
17	A Model of Restraint: Nucleus Accumbens Fast-Spiking Interneurons Inhibit Unwanted Actions. <i>Biological Psychiatry</i> , 2019, 86, 804-806.	1.3	1
18	Impaired instrumental reversal learning is associated with increased medial prefrontal cortex activity in Sapap3 knockout mouse model of compulsive behavior. <i>Neuropsychopharmacology</i> , 2019, 44, 1494-1504.	5.4	48

#	ARTICLE	IF	CITATIONS
19	Strengthened Inputs from Secondary Motor Cortex to Striatum in a Mouse Model of Compulsive Behavior. <i>Journal of Neuroscience</i> , 2019, 39, 2965-2975.	3.6	58
20	Monoamine abnormalities in the SAPAP3 knockout model of obsessive-compulsive disorder-related behaviour. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170023.	4.0	27
21	How can preclinical mouse models be used to gain insight into prefrontal cortex dysfunction in obsessive-compulsive disorder?. <i>Brain and Neuroscience Advances</i> , 2018, 2, 239821281878389.	3.4	7
22	The Role of Response Inhibition in Medicated and Unmedicated Obsessive-Compulsive Disorder Patients: Evidence from the Stop-Signal Task. <i>Depression and Anxiety</i> , 2017, 34, 301-306.	4.1	32
23	Obsessive-compulsive disorder: Insights from animal models. <i>Neuroscience and Biobehavioral Reviews</i> , 2017, 76, 254-279.	6.1	69
24	OCD candidate gene <i>SLC1A1</i> / <i>EAAT3</i> impacts basal ganglia-mediated activity and stereotypic behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 5719-5724.	7.1	46
25	Genetic and Modeling Approaches Reveal Distinct Components of Impulsive Behavior. <i>Neuropsychopharmacology</i> , 2017, 42, 1182-1191.	5.4	29
26	A Corticostriatal Balancing Act Supports Skill Learning. <i>Neuron</i> , 2017, 96, 253-255.	8.1	6
27	PREPULSE INHIBITION DEFICITS ONLY IN FEMALES WITH OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2016, 33, 238-246.	4.1	20
28	Prepulse Inhibition Deficits in Obsessive-Compulsive Disorder are More Pronounced in Females. <i>Neuropsychopharmacology</i> , 2016, 41, 2963-2964.	5.4	16
29	A Lack of Serotonin 1B Autoreceptors Results in Decreased Anxiety and Depression-Related Behaviors. <i>Neuropsychopharmacology</i> , 2016, 41, 2941-2950.	5.4	44
30	Using mice to model Obsessive Compulsive Disorder: From genes to circuits. <i>Neuroscience</i> , 2016, 321, 121-137.	2.3	55
31	A Novel Framework for Improving Psychiatric Diagnostic Nosology. , 2016, , .		2
32	Using Optogenetics to Dissect the Neural Circuits Underlying OCD and Related Disorders. <i>Current Treatment Options in Psychiatry</i> , 2015, 2, 297-311.	1.9	10
33	DISSECTING OCD CIRCUITS: FROM ANIMAL MODELS TO TARGETED TREATMENTS. <i>Depression and Anxiety</i> , 2015, 32, 550-562.	4.1	99
34	A Framework for Understanding the Emerging Role of Corticolimbic-Ventral Striatal Networks in OCD-Associated Repetitive Behaviors. <i>Frontiers in Systems Neuroscience</i> , 2015, 9, 171.	2.5	73
35	Hippocampal "prefrontal input supports spatial encoding in working memory. <i>Nature</i> , 2015, 522, 309-314.	27.8	554
36	Distinct Circuits Underlie the Effects of 5-HT1B Receptors on Aggression and Impulsivity. <i>Neuron</i> , 2015, 86, 813-826.	8.1	87

#	ARTICLE	IF	CITATIONS
37	Dopamine D2 Receptors Regulate the Anatomical and Functional Balance of Basal Ganglia Circuitry. <i>Neuron</i> , 2014, 81, 153-164.	8.1	194
38	Assessing neurocognitive function in psychiatric disorders: A roadmap for enhancing consensus. <i>Neurobiology of Learning and Memory</i> , 2014, 115, 10-20.	1.9	19
39	Genetic approaches for understanding the role of serotonin receptors in mood and behavior. <i>Current Opinion in Neurobiology</i> , 2013, 23, 399-406.	4.2	39
40	Differential Control of Learning and Anxiety along the Dorsoventral Axis of the Dentate Gyrus. <i>Neuron</i> , 2013, 77, 955-968.	8.1	582
41	Repeated Cortico-Striatal Stimulation Generates Persistent OCD-Like Behavior. <i>Science</i> , 2013, 340, 1234-1239.	12.6	420
42	Impaired Sensorimotor Gating in Unmedicated Adults with Obsessive-Compulsive Disorder. <i>Neuropsychopharmacology</i> , 2012, 37, 1216-1223.	5.4	166
43	Flexible Accelerated STOP Tetracycline Operator-Knockin (FAST): A Versatile and Efficient New Gene Modulating System. <i>Biological Psychiatry</i> , 2010, 67, 770-773.	1.3	101
44	Myocarditis During Clozapine Treatment. <i>American Journal of Psychiatry</i> , 2006, 163, 204-208.	7.2	75
45	Knowing a Nascent Synapse When You See It. <i>Neuron</i> , 2002, 34, 333-336.	8.1	60
46	Assembly of presynaptic active zones from cytoplasmic transport packets. <i>Nature Neuroscience</i> , 2000, 3, 445-451.	14.8	529
47	Estriol: A potent regulator of TNF and IL-6 expression in a murine model of endotoxemia. <i>Inflammation</i> , 1996, 20, 581-597.	3.8	48