

Xiping Deng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9373100/xiping-deng-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

3,205

citations

26

h-index

56

g-index

67

ext. papers

4,245

ext. citations

6.4

avg, IF

5.2

L-index

#	Paper	IF	Citations
67	Reducing greenhouse gas emissions and increasing yield through manure substitution and supplemental irrigation in dryland of northwest China. <i>Agriculture, Ecosystems and Environment</i> , 2022 , 332, 107937	5.7	1
66	Nitrogen supply improved plant growth and Cd translocation in maize at the silking and physiological maturity under moderate Cd stress.. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 230, 113137	7	2
65	Characterization of Root System Architecture Traits in Diverse Soybean Genotypes Using a Semi-Hydroponic System.. <i>Plants</i> , 2021 , 10,	4.5	2
64	Soil Water Availability Changes in Amount and Timing Favor the Growth and Competitiveness of Grass Than a Co-dominant Legume in Their Mixtures. <i>Frontiers in Plant Science</i> , 2021 , 12, 723839	6.2	0
63	Arbuscular mycorrhizal symbioses alleviating salt stress in maize is associated with a decline in root-to-leaf gradient of Na/K ratio. <i>BMC Plant Biology</i> , 2021 , 21, 457	5.3	4
62	Liquor Flavour Is Associated With the Physicochemical Property and Microbial Diversity of Fermented Grains in Waxy and Non-waxy Sorghum () During Fermentation. <i>Frontiers in Microbiology</i> , 2021 , 12, 618458	5.7	0
61	Meta-analysis of green manure effects on soil properties and crop yield in northern China. <i>Field Crops Research</i> , 2021 , 266, 108146	5.5	15
60	Sustainable high yields can be achieved in drylands on the Loess Plateau by changing water use patterns through integrated agronomic management. <i>Agricultural and Forest Meteorology</i> , 2021 , 296, 108210	5.8	9
59	Increasing rainfed wheat yield by optimizing agronomic practices to consume more subsoil water in the loess plateau. <i>Crop Journal</i> , 2021 , 9, 1418-1418	4.6	5
58	Root morphology and rhizosheath acid phosphatase activity in legume and graminoid species respond differently to low phosphorus supply. <i>Rhizosphere</i> , 2021 , 19, 100391	3.5	4
57	The efficient use of radiation, water, and nitrogen uptake by low-nitrogen-tolerant broomcorn millet (<i>Panicum miliaceum</i> L.) increased grain yield in the Loess Plateau, China. <i>Agricultural and Forest Meteorology</i> , 2021 , 308-309, 108616	5.8	0
56	Comprehensive evaluation of physiological traits under nitrogen stress and participation of linolenic acid in nitrogen-deficiency response in wheat seedlings. <i>BMC Plant Biology</i> , 2020 , 20, 501	5.3	6
55	Exogenous Melatonin Improves Salt Tolerance by Mitigating Osmotic, Ion, and Oxidative Stresses in Maize Seedlings. <i>Agronomy</i> , 2020 , 10, 663	3.6	15
54	Exogenous melatonin alleviates PEG-induced short-term water deficiency in maize by increasing hydraulic conductance. <i>BMC Plant Biology</i> , 2020 , 20, 218	5.3	18
53	Low-nitrogen tolerance comprehensive evaluation and physiological response to nitrogen stress in broomcorn millet (<i>Panicum miliaceum</i> L.) seedling. <i>Plant Physiology and Biochemistry</i> , 2020 , 151, 233-242 ^{5.4}	5.4	18
52	Linkages between nutrient ratio and the microbial community in rhizosphere soil following fertilizer management. <i>Environmental Research</i> , 2020 , 184, 109261	7.9	23
51	Combined application of silicon and nitric oxide jointly alleviated cadmium accumulation and toxicity in maize. <i>Journal of Hazardous Materials</i> , 2020 , 395, 122679	12.8	25

50	Overexpression of the potato StEPF2 gene confers enhanced drought tolerance in Arabidopsis. <i>Plant Biotechnology Reports</i> , 2020 , 14, 479-490	2.5	
49	Coordinated regulation of carbon and nitrogen assimilation confers drought tolerance in maize (<i>Zea mays</i> L.). <i>Environmental and Experimental Botany</i> , 2020 , 176, 104086	5.9	5
48	Seed Pre-Soaking with Melatonin Improves Wheat Yield by Delaying Leaf Senescence and Promoting Root Development. <i>Agronomy</i> , 2020 , 10, 84	3.6	9
47	Winter wheat yield and water use efficiency response to organic fertilization in northern China: A meta-analysis. <i>Agricultural Water Management</i> , 2020 , 229, 105934	5.9	19
46	Arabidopsis mgd mutants with reduced monogalactosyldiacylglycerol contents are hypersensitive to aluminium stress. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 203, 110999	7	4
45	Physiological and Differential Proteomic Analyses of Imitation Drought Stress Response in Root at the Seedling Stage. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	7
44	Plastic mulching reduces nitrogen footprint of food crops in China: A meta-analysis. <i>Science of the Total Environment</i> , 2020 , 748, 141479	10.2	9
43	Maize genotypes with deep root systems tolerate salt stress better than those with shallow root systems during early growth. <i>Journal of Agronomy and Crop Science</i> , 2020 , 206, 711-721	3.9	11
42	The spike weight contribution of the photosynthetic area above the upper internode in a winter wheat under different nitrogen and mulching regimes. <i>Crop Journal</i> , 2019 , 7, 89-100	4.6	14
41	Plant lipid remodeling in response to abiotic stresses. <i>Environmental and Experimental Botany</i> , 2019 , 165, 174-184	5.9	48
40	Nitrogen Vertical Distribution Differed in Foliar and Nonfoliar Organs of Dryland Wheat during Grain Filling. <i>Agronomy Journal</i> , 2019 , 111, 1218-1228	2.2	1
39	Melatonin promotes plant growth by increasing nitrogen uptake and assimilation under nitrogen deficient condition in winter wheat. <i>Plant Physiology and Biochemistry</i> , 2019 , 139, 342-349	5.4	46
38	Mulching-Induced Changes in Tuber Yield and Nitrogen Use Efficiency in Potato in China: A Meta-Analysis. <i>Agronomy</i> , 2019 , 9, 793	3.6	12
37	Dissecting root trait variability in maize genotypes using the semi-hydroponic phenotyping platform. <i>Plant and Soil</i> , 2019 , 439, 75-90	4.2	18
36	Down-regulation of lycopene β-cyclase expression in transgenic sweetpotato plants increases the carotenoid content and tolerance to abiotic stress. <i>Plant Science</i> , 2019 , 281, 52-60	5.3	22
35	Pursuing sustainable productivity with millions of smallholder farmers. <i>Nature</i> , 2018 , 555, 363-366	50.4	408
34	Galactolipid remodeling is involved in drought-induced leaf senescence in maize. <i>Environmental and Experimental Botany</i> , 2018 , 150, 57-68	5.9	24
33	Identification, evolution and expression analyses of Ribulose-1,5-bisphosphate carboxylase/oxygenase small subunit gene family in wheat (<i>Triticum aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2018 , 40, 1	2.6	2

32	How Does Silicon Mediate Plant Water Uptake and Loss Under Water Deficiency?. <i>Frontiers in Plant Science</i> , 2018 , 9, 281	6.2	55
31	Melatonin Mitigates Salt Stress in Wheat Seedlings by Modulating Polyamine Metabolism. <i>Frontiers in Plant Science</i> , 2018 , 9, 914	6.2	91
30	Nitrogen fertilization improved water-use efficiency of winter wheat through increasing water use during vegetative rather than grain filling. <i>Agricultural Water Management</i> , 2018 , 197, 41-53	5.9	49
29	Exogenous application of gibberellic acid participates in up-regulation of lipid biosynthesis under salt stress in rice. <i>Theoretical and Experimental Plant Physiology</i> , 2018 , 30, 335-345	2.4	8
28	Stress-induced expression of the sweetpotato gene IbLEA14 in poplar confers enhanced tolerance to multiple abiotic stresses. <i>Environmental and Experimental Botany</i> , 2018 , 156, 261-270	5.9	4
27	High level of reduced glutathione contributes to detoxification of lipid peroxide-derived reactive carbonyl species in transgenic <i>Arabidopsis</i> overexpressing glutathione reductase under aluminum stress. <i>Physiologia Plantarum</i> , 2017 , 161, 211-223	4.6	39
26	Suppression of the β -carotene hydroxylase gene increases β -carotene content and tolerance to abiotic stress in transgenic sweetpotato plants. <i>Plant Physiology and Biochemistry</i> , 2017 , 117, 24-33	5.4	38
25	Expression analysis and promoter methylation under osmotic and salinity stress of TaGAPC1 in wheat (<i>Triticum aestivum</i> L). <i>Protoplasma</i> , 2017 , 254, 987-996	3.4	16
24	Down-regulation of GIGANTEA-like genes increases plant growth and salt stress tolerance in poplar. <i>Plant Biotechnology Journal</i> , 2017 , 15, 331-343	11.6	33
23	IbOr Regulates Photosynthesis under Heat Stress by Stabilizing IbPsbP in Sweetpotato. <i>Frontiers in Plant Science</i> , 2017 , 8, 989	6.2	28
22	Physiological mechanisms contributing to increased water-use efficiency in winter wheat under organic fertilization. <i>PLoS ONE</i> , 2017 , 12, e0180205	3.7	8
21	Silicon moderated the K deficiency by improving the plant-water status in sorghum. <i>Scientific Reports</i> , 2016 , 6, 22882	4.9	68
20	Transgenic poplar expressing codA exhibits enhanced growth and abiotic stress tolerance. <i>Plant Physiology and Biochemistry</i> , 2016 , 100, 75-84	5.4	28
19	Genome-wide identification and characterization of Glyceraldehyde-3-phosphate dehydrogenase genes family in wheat (<i>Triticum aestivum</i>). <i>BMC Genomics</i> , 2016 , 17, 240	4.5	43
18	Melatonin increased maize (<i>Zea mays</i> L.) seedling drought tolerance by alleviating drought-induced photosynthetic inhibition and oxidative damage. <i>Acta Physiologiae Plantarum</i> , 2016 , 38, 1	2.6	102
17	Regulation Effects of Water and Nitrogen on the Source-Sink Relationship in Potato during the Tuber Bulking Stage. <i>PLoS ONE</i> , 2016 , 11, e0146877	3.7	24
16	Regulation of Galactolipid Biosynthesis by Overexpression of the Rice MGD Gene Contributes to Enhanced Aluminum Tolerance in Tobacco. <i>Frontiers in Plant Science</i> , 2016 , 7, 337	6.2	17
15	Silicon-moderated K-deficiency-induced leaf chlorosis by decreasing putrescine accumulation in sorghum. <i>Annals of Botany</i> , 2016 , 118, 305-15	4.1	41

14	Transgenic poplar expressing Arabidopsis YUCCA6 exhibits auxin-overproduction phenotypes and increased tolerance to abiotic stress. <i>Plant Physiology and Biochemistry</i> , 2015 , 94, 19-27	5.4	85
13	Enhanced root hydraulic conductance by aquaporin regulation accounts for silicon alleviated salt-induced osmotic stress in Sorghum bicolor L. <i>Environmental and Experimental Botany</i> , 2015 , 111, 42-51	5.9	136
12	Transgenic alfalfa plants expressing the sweetpotato Orange gene exhibit enhanced abiotic stress tolerance. <i>PLoS ONE</i> , 2015 , 10, e0126050	3.7	36
11	Carbon/Nitrogen Imbalance Associated with Drought-Induced Leaf Senescence in Sorghum bicolor. <i>PLoS ONE</i> , 2015 , 10, e0137026	3.7	61
10	Silicon enhanced salt tolerance by improving the root water uptake and decreasing the ion toxicity in cucumber. <i>Frontiers in Plant Science</i> , 2015 , 6, 759	6.2	78
9	Genotypic Variation in Growth and Physiological Response to Drought Stress and Re-Watering Reveals the Critical Role of Recovery in Drought Adaptation in Maize Seedlings. <i>Frontiers in Plant Science</i> , 2015 , 6, 1241	6.2	122
8	Producing more grain with lower environmental costs. <i>Nature</i> , 2014 , 514, 486-9	50.4	860
7	Maintenance of Chloroplast Structure and Function by Overexpression of the Rice MONOGALACTOSYLDIACYLGLYCEROL SYNTHASE Gene Leads to Enhanced Salt Tolerance in Tobacco. <i>Plant Physiology</i> , 2014 , 165, 1144-1155	6.6	54
6	Silicon increases salt tolerance by influencing the two-phase growth response to salinity in wheat (<i>Triticum aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2014 , 36, 2531-2535	2.6	29
5	Silicon-mediated changes in polyamine and 1-aminocyclopropane-1-carboxylic acid are involved in silicon-induced drought resistance in Sorghum bicolor L. <i>Plant Physiology and Biochemistry</i> , 2014 , 80, 268-77	5.4	78
4	Aquaporin-mediated increase in root hydraulic conductance is involved in silicon-induced improved root water uptake under osmotic stress in Sorghum bicolor L. <i>Journal of Experimental Botany</i> , 2014 , 65, 4747-56	7	143
3	Recovery of <i>Populus tremuloides</i> seedlings following severe drought causing total leaf mortality and extreme stem embolism. <i>Physiologia Plantarum</i> , 2010 , 140, 246-57	4.6	20
2	Seedling biomass partition and water use efficiency of switchgrass and milkvetch in monocultures and mixtures in response to various water availabilities. <i>Environmental Management</i> , 2010 , 46, 599-609	3.1	5
1	Highly efficient use of limited water in wheat production of semiarid area. <i>Progress in Natural Science: Materials International</i> , 2003 , 13, 881-888	3.6	