

# Yun-Jung Kim

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9373399/yun-jung-kim-publications-by-year.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158  
papers

5,953  
citations

37  
h-index

72  
g-index

167  
ext. papers

6,846  
ext. citations

9.1  
avg, IF

5.92  
L-index

#	Paper	IF	Citations
158	Enhancing the durability of hydrocarbon-membrane-based polymer electrolyte water electrolysis using a radical scavenger-embedded interlocking interfacial layer. <i>Journal of Materials Chemistry A</i> , <b>2022</b> , 10, 789-798	13	2
157	Current status and challenges for practical flowless ZnBr batteries. <i>Current Opinion in Electrochemistry</i> , <b>2022</b> , 32, 100898	7.2	1
156	Tailoring catalyst layer structures for anion exchange membrane fuel cells by controlling the size of ionomer aggregates in dispersion. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 131737	14.7	5
155	Oligomeric chain extender-derived poly(p-phenylene)-based multi-block polymer membranes for a wide operating current density range in polymer electrolyte membrane water electrolysis. <i>Journal of Power Sources</i> , <b>2022</b> , 526, 231146	8.9	2
154	Modulation of Solvation Structure and Electrode Work Function by an Ultrathin Layer of Polymer of Intrinsic Microporosity in Zinc Ion Batteries.. <i>Small</i> , <b>2022</b> , e2201163	11	3
153	Single-Step Fabrication of a Multiscale Porous Catalyst Layer by the Emulsion Template Method for Low Pt-Loaded Proton Exchange Membrane Fuel Cells. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 4012-4020	6.1	3
152	Ditch-Structured Sulfur Cathode: Enhancing the Uniformity of Sulfur Redox Reaction in a Thick Sulfur Electrode. <i>ChemElectroChem</i> , <b>2021</b> , 8, 1621-1625	4.3	
151	Preferential Protection of Low Coordinated Sites in Pt Nanoparticles for Enhancing Durability of Pt/C Catalyst. <i>Energies</i> , <b>2021</b> , 14, 1419	3.1	1
150	Alkyl Spacer Grafted ABPBI Membranes with Enhanced Acid-Absorption Capabilities for Use in Vanadium Redox Flow Batteries. <i>ACS Applied Energy Materials</i> , <b>2021</b> , 4, 4672-4685	6.1	2
149	Electrokinetic-Driven Fast Ion Delivery for Reversible Aqueous Zinc Metal Batteries with High Capacity. <i>Small</i> , <b>2021</b> , 17, e2008059	11	7
148	Light-Designed Shark Skin-Mimetic Surfaces. <i>Nano Letters</i> , <b>2021</b> , 21, 5500-5507	11.5	5
147	Highly Ordered Ultrathin Perfluorinated Sulfonic Acid Ionomer Membranes for Vanadium Redox Flow Battery. <i>ACS Energy Letters</i> , <b>2021</b> , 6, 184-192	20.1	16
146	An electron-deficient carbon current collector for anode-free Li-metal batteries. <i>Nature Communications</i> , <b>2021</b> , 12, 5537	17.4	15
145	Modulated Zn Deposition by Glass Fiber Interlayers for Enhanced Cycling Stability of ZnBr Redox Flow Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2021</b> , 9, 12242-12251	8.3	2
144	Degradation study for the membrane electrode assembly of anion exchange membrane fuel cells at a single-cell level. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 18546-18556	13	2
143	Redox Flow ZnBr <b>2020</b> , 1-38		1
142	Dendrite-free Zn electrodeposition triggered by interatomic orbital hybridization of Zn and single vacancy carbon defects for aqueous Zn-based flow batteries. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 2839-2848	35.4	50

141	Light-induced surface patterning of alumina.. <i>RSC Advances</i> , <b>2020</b> , 10, 20197-20201	3.7	
140	Achieving Fast Proton Transport and High Vanadium Ion Rejection with Uniformly Mesoporous Composite Membranes for High-Efficiency Vanadium Redox Flow Batteries. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 5874-5881	6.1	5
139	Controlling Ionomer Film Morphology through Altering Pt Catalyst Surface Properties for Polymer Electrolyte Membrane Fuel Cells. <i>ACS Applied Polymer Materials</i> , <b>2020</b> , 2, 1807-1818	4.3	16
138	Hydrociper: Bioinspired Dynamic Structural Color-Based Cryptographic Surface. <i>Advanced Optical Materials</i> , <b>2020</b> , 8, 1901259	8.1	30
137	Programmable Fabrication of Submicrometer Bent Pillar Structures Enabled by a Photoreconfigurable Azopolymer. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 5058-5064	9.5	13
136	Detrimental effect of Ce <sup>4+</sup> ion on the Pt/C catalyst in polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , <b>2020</b> , 448, 227447	8.9	3
135	Lithium Dendrite Suppression with a Silica Nanoparticle-Dispersed Colloidal Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 37188-37196	9.5	17
134	Nanostructures of Nafion Film at Platinum/Carbon Surface in Catalyst Layer of PEMFC: Molecular Dynamics Simulation Approach. <i>Journal of Physical Chemistry C</i> , <b>2020</b> , 124, 21386-21395	3.8	11
133	Sustainable Formation of Sulfur-Enriched Solid Electrolyte Interface on a Li Metal Electrode by Sulfur Chain-Containing Polymer Electrolyte Interfacial Layers. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 10070-10079	6.1	1
132	Unraveling the Dual Functionality of High-Donor-Number Anion in Lean-Electrolyte Lithium-Sulfur Batteries. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2000493	21.8	40
131	Magnetic Field-Induced Through-Plane Alignment of the Proton Highway in a Proton Exchange Membrane. <i>ACS Applied Energy Materials</i> , <b>2020</b> , 3, 4619-4628	6.1	11
130	Nano-scale control of the ionomer distribution by molecular masking of the Pt surface in PEMFCs. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 13004-13013	13	19
129	Ditch-structured microporous layers fabricated by nanosecond-pulse laser ablation for enhancing water transport in polymer electrolyte membrane fuel cells. <i>Materials Advances</i> , <b>2020</b> , 1, 254-261	3.3	3
128	Catalytic production of impurity-free V electrolyte for vanadium redox flow batteries. <i>Nature Communications</i> , <b>2019</b> , 10, 4412	17.4	14
127	External reinforcement of hydrocarbon membranes by a three-dimensional interlocking interface for mechanically durable polymer electrolyte membrane fuel cells. <i>Journal of Power Sources</i> , <b>2019</b> , 415, 44-49	8.9	7
126	Catalytic performance of graphene quantum dot supported manganese phthalocyanine for efficient oxygen reduction: density functional theory approach. <i>New Journal of Chemistry</i> , <b>2019</b> , 43, 348-355	3.6	13
125	Polydopamine-treated three-dimensional carbon fiber-coated separator for achieving high-performance lithium metal batteries. <i>Journal of Power Sources</i> , <b>2019</b> , 430, 130-136	8.9	26
124	Tuning Two Interfaces with Fluoroethylene Carbonate Electrolytes for High-Performance Li/LCO Batteries. <i>ACS Omega</i> , <b>2019</b> , 4, 3220-3227	3.9	13

123	High-Rate Cycling of Lithium-Metal Batteries Enabled by Dual-Salt Electrolyte-Assisted Micropatterned Interfaces. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 31777-31785	9.5	13
122	Tuning sodium nucleation and stripping by the mixed surface of carbon nanotube-sodium composite electrodes for improved reversibility. <i>Journal of Power Sources</i> , <b>2019</b> , 438, 227005	8.9	7
121	Rational Design of Highly Packed, Crack-Free Sulfur Electrodes by Scaffold-Supported Drying for Ultrahigh-Sulfur-Loaded Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 29849-29857	8.5	5
120	High-Energy Efficiency Membraneless Flowless Zn-Br Battery: Utilizing the Electrochemical-Chemical Growth of Polybromides. <i>Advanced Materials</i> , <b>2019</b> , 31, e1904524	24	37
119	Facet selectivity of Cu current collector for Li electrodeposition. <i>Energy Storage Materials</i> , <b>2019</b> , 19, 154-162	16.2	28
118	Understanding the redox reaction mechanism of vanadium electrolytes in all-vanadium redox flow batteries. <i>Journal of Energy Storage</i> , <b>2019</b> , 21, 321-327	7.8	17
117	In-situ observation of the degradation of all-vanadium redox flow batteries with dynamic hydrogen reference electrode under real operation conditions. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2019</b> , 70, 355-362	6.3	7
116	Cobalt oxide-porous carbon composite derived from CO <sub>2</sub> for the enhanced performance of lithium-ion battery. <i>Journal of CO<sub>2</sub> Utilization</i> , <b>2019</b> , 30, 28-37	7.6	17
115	Achieving three-dimensional lithium sulfide growth in lithium-sulfur batteries using high-donor-number anions. <i>Nature Communications</i> , <b>2019</b> , 10, 188	17.4	120
114	Size Tunable Zeolite-Templated Carbon as Microporous Sulfur Host for Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , <b>2019</b> , 6, 558-565	4.3	11
113	An electrode-supported fabrication of thin polybenzimidazole membrane-based polymer electrolyte membrane fuel cell. <i>Electrochimica Acta</i> , <b>2018</b> , 270, 402-408	6.7	7
112	Enhanced Stability of Coated Carbon Electrode for Li-O <sub>2</sub> Batteries and Its Limitations. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1702661	21.8	49
111	In-Plane Channel-Structured Catalyst Layer for Polymer Electrolyte Membrane Fuel Cells. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 4682-4688	9.5	11
110	Photo-Reconfigurable Azopolymer Etch Mask: Photofluidization-Driven Reconfiguration and Edge Rectangularization. <i>Small</i> , <b>2018</b> , 14, e1703250	11	7
109	Pore-Size-Tuned Graphene Oxide Frameworks as Ion-Selective and Protective Layers on Hydrocarbon Membranes for Vanadium Redox-Flow Batteries. <i>Nano Letters</i> , <b>2018</b> , 18, 3962-3968	11.5	74
108	Tuning the Ionomer Distribution in the Fuel Cell Catalyst Layer with Scaling the Ionomer Aggregate Size in Dispersion. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 17835-17841	9.5	49
107	Rugged catalyst layer supported on a Nafion fiber mat for enhancing mass transport of polymer electrolyte membrane fuel cells. <i>Electrochimica Acta</i> , <b>2018</b> , 268, 469-475	6.7	10
106	Li <sub>2</sub> S/carbon nanocomposite strips from a low-temperature conversion of Li <sub>2</sub> SO <sub>4</sub> as high-performance lithium-sulfur cathodes. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 6617-6624	13	30

105	Guided Lithium Deposition by Surface Micro-Patterning of Lithium-Metal Electrodes. <i>ChemElectroChem</i> , <b>2018</b> , 5, 3169-3175	4.3	14
104	Dispersion-Solvent Control of Ionomer Aggregation in a Polymer Electrolyte Membrane Fuel Cell. <i>Scientific Reports</i> , <b>2018</b> , 8, 10739	4.9	32
103	An Ultrahigh Capacity Graphite/LiS Battery with Holey-LiS Nanoarchitectures. <i>Advanced Science</i> , <b>2018</b> , 5, 1800139	13.6	19
102	Scaling the water cluster size of Nafion membranes for a high performance Zn/Br redox flow battery. <i>Journal of Membrane Science</i> , <b>2018</b> , 564, 852-858	9.6	24
101	Propylene carbonate-derived size modulation of water cluster in pore-filled Nafion/polypropylene composite membrane for the use in vanadium redox flow batteries. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2018</b> , 60, 401-406	6.3	18
100	Detrimental Effects of Chemical Crossover from the Lithium Anode to Cathode in Rechargeable Lithium Metal Batteries. <i>ACS Energy Letters</i> , <b>2018</b> , 3, 2921-2930	20.1	51
99	Ionic transportation and chemical stability of high-endurance porous polyethylene separator for vanadium redox flow batteries. <i>Solid State Ionics</i> , <b>2018</b> , 327, 110-116	3.3	5
98	Molecular Dynamics Simulation to Reveal Effects of Binder Content on Pt/C Catalyst Coverage in a High-Temperature Polymer Electrolyte Membrane Fuel Cell. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 3251-3258	5.6	16
97	Dimensional effects of nanostructured Mg/MgH <sub>2</sub> for hydrogen storage applications: A review. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 72, 523-534	16.2	177
96	Direct Fabrication of Micro/Nano-Patterned Surfaces by Vertical-Directional Photofluidization of Azobenzene Materials. <i>ACS Nano</i> , <b>2017</b> , 11, 1320-1327	16.7	44
95	Enhancing the Cycling Stability of Sodium Metal Electrodes by Building an Inorganic-Organic Composite Protective Layer. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 6000-6006	9.5	88
94	Plasticized Polymer Interlayer for Low-Temperature Fabrication of a High-Quality Silver Nanowire-Based Flexible Transparent and Conductive Film. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 15114-15121	9.5	20
93	A Nanophase-Separated, Quasi-Solid-State Polymeric Single-Ion Conductor: Polysulfide Exclusion for Lithium-Sulfur Batteries. <i>ACS Energy Letters</i> , <b>2017</b> , 2, 1232-1239	20.1	35
92	Suppressing Lithium Dendrite Growth by Metallic Coating on a Separator. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1704391	15.6	104
91	Silica-embedded hydrogel nanofiller for enhancing low humidity proton conduction of a hydrocarbon-based polymer electrolyte membrane. <i>Journal of Membrane Science</i> , <b>2017</b> , 543, 106-113	9.6	9
90	Ultrathin Nafion-filled porous membrane for zinc/bromine redox flow batteries. <i>Scientific Reports</i> , <b>2017</b> , 7, 10503	4.9	22
89	Flexible and Robust Superomniphobic Surfaces Created by Localized Photofluidization of Azopolymer Pillars. <i>ACS Nano</i> , <b>2017</b> , 11, 7821-7828	16.7	88
88	A hydrocarbon/Nafion bilayer membrane with a mechanical nano-fastener for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 17279-17286	13	37

87	Low permeable composite membrane based on sulfonated poly(phenylene oxide) (sPPO) and silica for vanadium redox flow battery. <i>International Journal of Hydrogen Energy</i> , <b>2017</b> , 42, 19035-19043	6.7	29
86	Three-Dimensional Interlocking Interface: Mechanical Nanofastener for High Interfacial Robustness of Polymer Electrolyte Membrane Fuel Cells. <i>Advanced Materials</i> , <b>2017</b> , 29, 1603056	24	23
85	A review of vanadium electrolytes for vanadium redox flow batteries. <i>Renewable and Sustainable Energy Reviews</i> , <b>2017</b> , 69, 263-274	16.2	226
84	Chemical Degradation of Commercial Polymer Electrolyte Membrane for Vanadium Redox Flow Battery (VRFB). <i>Journal of Nanoscience and Nanotechnology</i> , <b>2017</b> , 17, 5788-5791	1.3	3
83	Resistor Design for the Use of Dynamic Hydrogen Electrode in Vanadium Redox Flow Batteries. <i>Electrochimica Acta</i> , <b>2016</b> , 213, 490-495	6.7	12
82	Tuning the Carbon Crystallinity for Highly Stable LiO <sub>2</sub> Batteries. <i>Chemistry of Materials</i> , <b>2016</b> , 28, 8160-8169	16.9	40
81	Tuning selectivity of electrochemical reactions by atomically dispersed platinum catalyst. <i>Nature Communications</i> , <b>2016</b> , 7, 10922	17.4	509
80	Lithium-Oxygen Batteries: Sustainable Redox Mediation for Lithium-Oxygen Batteries by a Composite Protective Layer on the Lithium-Metal Anode (Adv. Mater. 5/2016). <i>Advanced Materials</i> , <b>2016</b> , 28, 786-786	24	
79	Homogeneously Dispersed Silver Nanoparticles in EVA Laminating Film for Efficiency Enhancement of Silicon Photovoltaic Cells. <i>Macromolecular Research</i> , <b>2016</b> , 24, 436-440	1.9	3
78	Electro-Spun Poly(vinylidene fluoride) Nanofiber Web as Separator for Lithium Ion Batteries: Effect of Pore Structure and Thickness. <i>Journal of Nanoscience and Nanotechnology</i> , <b>2016</b> , 16, 956-61	1.3	4
77	Plasma-assisted water-based Al <sub>2</sub> O <sub>3</sub> ceramic coating for polyethylene-based microporous separators for lithium metal secondary batteries. <i>Electrochimica Acta</i> , <b>2016</b> , 212, 649-656	6.7	57
76	Sustainable Redox Mediation for Lithium-Oxygen Batteries by a Composite Protective Layer on the Lithium-Metal Anode. <i>Advanced Materials</i> , <b>2016</b> , 28, 857-63	24	199
75	Structural modulation of lithium metal-electrolyte interface with three-dimensional metallic interlayer for high-performance lithium metal batteries. <i>Scientific Reports</i> , <b>2016</b> , 6, 30830	4.9	64
74	In situ coating of Poly(3,4-ethylenedioxythiophene) on sulfur cathode for high performance lithium-sulfur batteries. <i>Journal of Power Sources</i> , <b>2016</b> , 332, 72-78	8.9	26
73	Temperature-dependent 51V nuclear magnetic resonance spectroscopy for the positive electrolyte of vanadium redox flow batteries. <i>RSC Advances</i> , <b>2016</b> , 6, 96847-96852	3.7	8
72	Silver nanowire networks embedded in a cure-controlled optical adhesive film for a transparent and highly conductive electrode. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 9834-9840	7.1	23
71	Compatibility of platinum with alkaline sulfide fuel: Effectiveness and stability of platinum as an anode catalyst in direct alkaline sulfide fuel cell. <i>International Journal of Hydrogen Energy</i> , <b>2015</b> , 40, 4141-4145	6.7	5
70	Fuel Cells: Interlocking Membrane/Catalyst Layer Interface for High Mechanical Robustness of Hydrocarbon-Membrane-Based Polymer Electrolyte Membrane Fuel Cells (Adv. Mater. 19/2015). <i>Advanced Materials</i> , <b>2015</b> , 27, 3096-3096	24	1

69	Interlocking membrane/catalyst layer interface for high mechanical robustness of hydrocarbon-membrane-based polymer electrolyte membrane fuel cells. <i>Advanced Materials</i> , <b>2015</b> , 27, 2974-80	24	29
68	Analysis of Oxygen Transport in Cathode Catalyst Layer of Low-Pt-Loaded Fuel Cells. <i>ChemElectroChem</i> , <b>2015</b> , 2, 382-388	4.3	26
67	Light-Induced Surface Patterning of Silica. <i>ACS Nano</i> , <b>2015</b> , 9, 9837-48	16.7	13
66	Enhanced Durability of Linker-Containing Carbon Nanotube Functionalized via Diazonium Reaction. <i>Electrochimica Acta</i> , <b>2015</b> , 154, 63-69	6.7	8
65	Polysulfide rejection layer from alpha-lipoic acid for high performance lithium-sulfur battery. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 323-330	13	36
64	Reduction of Charge and Discharge Polarization by Cobalt Nanoparticles-Embedded Carbon Nanofibers for LiO <sub>2</sub> Batteries. <i>ChemSusChem</i> , <b>2015</b> , 8, 2422-2422	8.3	1
63	Ionomer-Liquid Electrolyte Hybrid Ionic Conductor for High Cycling Stability of Lithium Metal Electrodes. <i>Scientific Reports</i> , <b>2015</b> , 5, 14458	4.9	67
62	Reduction of charge and discharge polarization by cobalt nanoparticles-embedded carbon nanofibers for Li-O <sub>2</sub> batteries. <i>ChemSusChem</i> , <b>2015</b> , 8, 2496-502	8.3	20
61	A new insight on capacity fading of lithium-sulfur batteries: The effect of Li <sub>2</sub> S phase structure. <i>Journal of Power Sources</i> , <b>2015</b> , 293, 329-335	8.9	34
60	A simple composite protective layer coating that enhances the cycling stability of lithium metal batteries. <i>Journal of Power Sources</i> , <b>2015</b> , 284, 103-108	8.9	182
59	Multilayered separator based on porous polyethylene layer, Al <sub>2</sub> O <sub>3</sub> layer, and electro-spun PVdF nanofiber layer for lithium batteries. <i>Journal of Solid State Electrochemistry</i> , <b>2014</b> , 18, 1807-1814	2.6	32
58	A Simple Diazonium Coupling Reaction Enhances Durability of Modified Graphitic Carbons Used as Catalyst Supports for Polymer Electrolyte Membrane Fuel Cell. <i>Electrochimica Acta</i> , <b>2014</b> , 134, 418-425	6.7	10
57	Glucosamine-derived encapsulation of silicon nanoparticles for high-performance lithium ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 14557	13	25
56	Modulated ionomer distribution in the catalyst layer of polymer electrolyte membrane fuel cells for high temperature operation. <i>ChemSusChem</i> , <b>2014</b> , 7, 2335-41	8.3	19
55	Partially Perfluorinated Hydrocarbon Ionomer for Cathode Catalyst Layer of Polymer Electrolyte Membrane Fuel Cell. <i>Electrochimica Acta</i> , <b>2014</b> , 125, 314-319	6.7	7
54	Defect-free, size-tunable graphene for high-performance lithium ion battery. <i>Nano Letters</i> , <b>2014</b> , 14, 4306-13	11.5	67
53	Highly durable electrocatalyst with graphitized carbon supports modified by diazonium reaction for polymer electrolyte membrane fuel cell. <i>Carbon</i> , <b>2014</b> , 77, 525-537	10.4	13
52	Directly grown Co <sub>3</sub> O <sub>4</sub> nanowire arrays on Ni-foam: structural effects of carbon-free and binder-free cathodes for lithium-oxygen batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 11891	13	89

51	Wearable Devices: Light-Powered Healing of a Wearable Electrical Conductor (Adv. Funct. Mater. 46/2014). <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 7272-7272	15.6	
50	Light-Powered Healing of a Wearable Electrical Conductor. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 7273-7283	15.6	66
49	Perfluorinated ionomer-enveloped sulfur cathodes for lithium-sulfur batteries. <i>ChemSusChem</i> , <b>2014</b> , 7, 3341-6	8.3	24
48	Composite protective layer for Li metal anode in high-performance lithium-oxygen batteries. <i>Electrochemistry Communications</i> , <b>2014</b> , 40, 45-48	5.1	111
47	Effect of air purging and dry operation on durability of PEMFC under freeze/thaw cycles. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 12417-12426	6.7	24
46	Effect of the porous carbon layer in the cathode gas diffusion media on direct methanol fuel cell performances. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 8257-8262	6.7	14
45	Deterioration of Nafion 115 membrane in direct methanol fuel cells. <i>Journal of Power Sources</i> , <b>2009</b> , 191, 312-319	8.9	20
44	Electrochemical analysis of polymer electrolyte membrane fuel cell operated with dry-air feed. <i>Journal of Power Sources</i> , <b>2009</b> , 193, 515-522	8.9	26
43	Basic model for membrane electrode assembly design for direct methanol fuel cells. <i>Journal of Power Sources</i> , <b>2008</b> , 175, 760-772	8.9	22
42	Platinum-sputtered electrode based on blend of carbon nanotubes and carbon black for polymer electrolyte fuel cell. <i>Journal of Power Sources</i> , <b>2008</b> , 180, 191-194	8.9	33
41	Cathode catalyst layer using supported Pt catalyst on ordered mesoporous carbon for direct methanol fuel cell. <i>Journal of Power Sources</i> , <b>2008</b> , 180, 724-732	8.9	33
40	Modification of cathode structure by introduction of CNT for air-breathing DMFC. <i>Electrochimica Acta</i> , <b>2008</b> , 53, 3043-3049	6.7	37
39	The Effect of the Anode Loading and Method of MEA Fabrication on DMFC Performance. <i>Fuel Cells</i> , <b>2007</b> , 7, 238-245	2.9	42
38	MEA design for low water crossover in air-breathing DMFC. <i>Electrochimica Acta</i> , <b>2007</b> , 53, 637-643	6.7	66
37	Cathode structure optimization for air-breathing DMFC by application of pore-forming agents. <i>Journal of Power Sources</i> , <b>2007</b> , 171, 433-440	8.9	47
36	Microstructured Membrane Electrode Assembly for Direct Methanol Fuel Cell. <i>Journal of the Electrochemical Society</i> , <b>2007</b> , 154, B1034	3.9	22
35	Performance of a direct methanol fuel cell (DMFC) at low temperature: Cathode optimization. <i>Journal of Power Sources</i> , <b>2006</b> , 160, 925-932	8.9	45
34	Determination of DMFC deterioration during long-term operation. <i>Journal of Power Sources</i> , <b>2006</b> , 160, 440-445	8.9	39



33	Electrochemical characteristics of phase-separated polymer electrolyte based on poly(vinylidene fluoride)-hexafluoropropane) and ethylene carbonate. <i>Electrochimica Acta</i> , <b>2003</b> , 48, 1339-1346	6.7	32
32	Rechargeable Lithium Sulfur Battery. <i>Journal of the Electrochemical Society</i> , <b>2003</b> , 150, A796	3.9	441
31	Rechargeable Lithium Sulfur Battery. <i>Journal of the Electrochemical Society</i> , <b>2003</b> , 150, A800	3.9	371
30	Binary electrolyte based on tetra(ethylene glycol) dimethyl ether and 1,3-dioxolane for lithium-sulfur battery. <i>Journal of Power Sources</i> , <b>2002</b> , 112, 452-460	8.9	173
29	Phase-separated polymer electrolyte based on poly(vinyl chloride)/poly(ethyl methacrylate) blend. <i>Journal of Power Sources</i> , <b>2002</b> , 112, 461-468	8.9	58
28	Photo-induced liquid crystal alignment on polyimide containing fluorinated groups. <i>Liquid Crystals</i> , <b>2002</b> , 29, 243-250	2.3	16
27	Structural Factors of Sulfur Cathodes with Poly(ethylene oxide) Binder for Performance of Rechargeable Lithium Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , <b>2002</b> , 149, A1437	3.9	99
26	Mechanism of Photo-Induced Liquid Crystal Alignment on a Poly(vinyl cinnamate) Thin Layer. <i>Polymer Journal</i> , <b>2001</b> , 33, 9-12	2.7	13
25	Characteristics of a lithium-polymer battery based on a lithium powder anode. <i>Journal of Power Sources</i> , <b>2001</b> , 93, 145-150	8.9	32
24	Relationship between pretilt angle and surface energy of the blended films based on poly(vinyl cinnamate) and alkanoyl cinnamic acid. <i>Synthetic Metals</i> , <b>2001</b> , 117, 267-269	3.6	12
23	Photo-induced liquid crystal alignment on polyimide containing fluorine group. <i>Synthetic Metals</i> , <b>2001</b> , 117, 277-279	3.6	8
22	Li-ion polymer battery based on phase-separated gel polymer electrolyte. <i>Electrochimica Acta</i> , <b>2000</b> , 45, 4001-4007	6.7	39
21	Effect of binary conductive agents in LiCoO <sub>2</sub> cathode on performances of lithium ion polymer battery. <i>Electrochimica Acta</i> , <b>2000</b> , 46, 599-605	6.7	50
20	Effect of side chain length on the separation performance of poly(alkyl methacrylate) ionomer membrane. <i>Journal of Membrane Science</i> , <b>2000</b> , 167, 67-77	9.6	3
19	Azimuthal Anchoring Energy and Pretilt angle of Photo-aligned Nematic Liquid Crystals on a Polyimide and Poly(vinyl cinnamate) Blend Alignment Layer. <i>Molecular Crystals and Liquid Crystals</i> , <b>2000</b> , 338, 99-115		11
18	Synthesis, photo-reaction and photo-induced liquid crystal alignment of soluble polyimide with pendant cinnamate group. <i>Liquid Crystals</i> , <b>2000</b> , 27, 1343-1356	2.3	20
17	Preparation, Characterization, and Photo-induced Liquid Crystal Alignment of Polyimide and Poly(vinyl cinnamate) Blend Alignment Layer. <i>Japanese Journal of Applied Physics</i> , <b>1999</b> , 38, 201-208	1.4	7
16	Development of In-Plane Orientation in Pyromellitic Dianhydride-Oxydianiline Polyimide Film on Substrate during Thermal Imidization. <i>Polymer Journal</i> , <b>1999</b> , 31, 154-159	2.7	8

15	Thermal and electrochemical characteristics of plasticized polymer electrolytes based on poly(acrylonitrile-co-methyl methacrylate). <i>Journal of Solid State Electrochemistry</i> , <b>1998</b> , 3, 1-6	2.6	14
14	Thermal degradation of poly(vinyl cinnamate). <i>Polymer Bulletin</i> , <b>1998</b> , 41, 325-331	2.4	14
13	Effects of Thermal Curing on the Structure of Polyimide Film. <i>Polymer Journal</i> , <b>1998</b> , 30, 229-233	2.7	7
12	Effect of Imidization Temperature and Spinning Condition on Structure of Polyimide Film Derived from Cyclobutanedianhydride and 2,2-Bis(4-aminophenoxyphenyl)propane. <i>Polymer Journal</i> , <b>1997</b> , 29, 1002-1006	2.7	17
11	Effects of cations on ionic states of poly(oligo-oxyethylene methacrylate-co-alkali metal acrylamidocaproate) single-ion conductor. <i>Solid State Ionics</i> , <b>1997</b> , 98, 237-244	3.3	18
10	Ionic conduction in plasticized blend polymer electrolytes. <i>Electrochimica Acta</i> , <b>1997</b> , 42, 1571-1579	6.7	201
9	Preparation and ionic conductivities of the plasticized polymer electrolytes based on poly(methyl methacrylate-co-alkali metal methacrylate). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1996</b> , 34, 2709-2714	2.6	15
8	Novel electrolyte system: Porous polymeric support filled with liquid electrolyte. <i>Journal of Applied Polymer Science</i> , <b>1996</b> , 60, 1773-1778	2.9	4
7	Preparation, characterization, and performance of poly(acrylamidocaproic acid) partially neutralized with calcium for use in nanofiltration. <i>Journal of Applied Polymer Science</i> , <b>1996</b> , 60, 1811-1819	3.9	3
6	Impedance spectroscopic study on ionic transport in a pH sensitive membrane. <i>Journal of Membrane Science</i> , <b>1996</b> , 115, 207-215	9.6	11
5	Poly(oligo-oxyethylene methacrylate-co-alkali metal acrylamidocaproate) as a single ion conductor. <i>Polymer Bulletin</i> , <b>1996</b> , 36, 427-433	2.4	1
4	Spontaneous gelation of poly(oligo-oxyethylene methacrylate). <i>Polymer Bulletin</i> , <b>1996</b> , 36, 73-78	2.4	
3	Multiplet formation in calcium partially neutralized poly(acrylamidocaproic acid). <i>Journal of Polymer Science, Part B: Polymer Physics</i> , <b>1995</b> , 33, 1585-1591	2.6	
2	Suppressing Charge Disproportionation of MnO <sub>2</sub> Cathodes in Rechargeable Zinc Ion Batteries via Cooperative Jahn-Teller Distortion. <i>Batteries and Supercaps</i> ,	5.6	1
1	Regional Control of Multistimuli-Responsive Structural Color-Switching Surfaces by a Micropatterned DNA-Hydrogel Assembly. <i>Nano Letters</i> ,	11.5	2