

Guo-Ping Sheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9373709/publications.pdf>

Version: 2024-02-01

215
papers

16,453
citations

15495

65
h-index

18115

120
g-index

218
all docs

218
docs citations

218
times ranked

13486
citing authors

#	ARTICLE	IF	CITATIONS
1	Extracellular polymeric substances (EPS) of microbial aggregates in biological wastewater treatment systems: A review. <i>Biotechnology Advances</i> , 2010, 28, 882-894.	6.0	2,305
2	Characterization of extracellular polymeric substances of aerobic and anaerobic sludge using three-dimensional excitation and emission matrix fluorescence spectroscopy. <i>Water Research</i> , 2006, 40, 1233-1239.	5.3	629
3	FTIR and Synchronous Fluorescence Heterospectral Two-Dimensional Correlation Analyses on the Binding Characteristics of Copper onto Dissolved Organic Matter. <i>Environmental Science & Technology</i> , 2015, 49, 2052-2058.	4.6	389
4	Contribution of Extracellular Polymeric Substances (EPS) to the Sludge Aggregation. <i>Environmental Science & Technology</i> , 2010, 44, 4355-4360.	4.6	378
5	Polyethylenimine modified biochar adsorbent for hexavalent chromium removal from the aqueous solution. <i>Bioresource Technology</i> , 2014, 169, 403-408.	4.8	344
6	Thermodynamic analysis on the binding of heavy metals onto extracellular polymeric substances (EPS) of activated sludge. <i>Water Research</i> , 2013, 47, 607-614.	5.3	289
7	Roles of extracellular polymeric substances (EPS) in the migration and removal of sulfamethazine in activated sludge system. <i>Water Research</i> , 2013, 47, 5298-5306.	5.3	264
8	Fouling of proton exchange membrane (PEM) deteriorates the performance of microbial fuel cell. <i>Water Research</i> , 2012, 46, 1817-1824.	5.3	254
9	Identification of Key Constituents and Structure of the Extracellular Polymeric Substances Excreted by <i>Bacillus megaterium</i> TF10 for Their Flocculation Capacity. <i>Environmental Science & Technology</i> , 2011, 45, 1152-1157.	4.6	248
10	A novel adsorbent TEMPO-mediated oxidized cellulose nanofibrils modified with PEI: Preparation, characterization, and application for Cu(II) removal. <i>Journal of Hazardous Materials</i> , 2016, 316, 11-18.	6.5	241
11	pH Dependence of Structure and Surface Properties of Microbial EPS. <i>Environmental Science & Technology</i> , 2012, 46, 737-744.	4.6	225
12	Removal of antibiotic resistance genes from wastewater treatment plant effluent by coagulation. <i>Water Research</i> , 2017, 111, 204-212.	5.3	219
13	Bioelectrochemical Chromium(VI) Removal in Plant-Microbial Fuel Cells. <i>Environmental Science & Technology</i> , 2016, 50, 3882-3889.	4.6	199
14	Physicochemical characteristics of microbial granules. <i>Biotechnology Advances</i> , 2009, 27, 1061-1070.	6.0	195
15	An MEC-MFC-Coupled System for Biohydrogen Production from Acetate. <i>Environmental Science & Technology</i> , 2008, 42, 8095-8100.	4.6	193
16	Extraction of extracellular polymeric substances from the photosynthetic bacterium <i>Rhodospseudomonas acidophila</i> . <i>Applied Microbiology and Biotechnology</i> , 2005, 67, 125-130.	1.7	185
17	Production of extracellular polymeric substances from <i>Rhodospseudomonas acidophila</i> in the presence of toxic substances. <i>Applied Microbiology and Biotechnology</i> , 2005, 69, 216-222.	1.7	180
18	Phosphorus Removal in an Enhanced Biological Phosphorus Removal Process: Roles of Extracellular Polymeric Substances. <i>Environmental Science & Technology</i> , 2013, 47, 11482-11489.	4.6	167

#	ARTICLE	IF	CITATIONS
19	Characterization of extracellular polymeric substances produced by mixed microorganisms in activated sludge with gel-permeating chromatography, excitation-emission matrix fluorescence spectroscopy measurement and kinetic modeling. <i>Water Research</i> , 2009, 43, 1350-1358.	5.3	163
20	Development of a Novel Bioelectrochemical Membrane Reactor for Wastewater Treatment. <i>Environmental Science & Technology</i> , 2011, 45, 9256-9261.	4.6	163
21	Activating peroxydisulfate with Co ₃ O ₄ /NiCo ₂ O ₄ double-shelled nanocages to selectively degrade bisphenol A – A nonradical oxidation process. <i>Applied Catalysis B: Environmental</i> , 2021, 282, 119585.	10.8	158
22	Synthesis and characterization of a novel cationic chitosan-based flocculant with a high water-solubility for pulp mill wastewater treatment. <i>Water Research</i> , 2009, 43, 5267-5275.	5.3	153
23	A microbial fuel cell-membrane bioreactor integrated system for cost-effective wastewater treatment. <i>Applied Energy</i> , 2012, 98, 230-235.	5.1	153
24	Characterization of adsorption properties of extracellular polymeric substances (EPS) extracted from sludge. <i>Colloids and Surfaces B: Biointerfaces</i> , 2008, 62, 83-90.	2.5	151
25	Calcium spatial distribution in aerobic granules and its effects on granule structure, strength and bioactivity. <i>Water Research</i> , 2008, 42, 3343-3352.	5.3	150
26	A gold-sputtered carbon paper as an anode for improved electricity generation from a microbial fuel cell inoculated with <i>Shewanella oneidensis</i> MR-1. <i>Biosensors and Bioelectronics</i> , 2010, 26, 338-343.	5.3	139
27	Nano-structured manganese oxide as a cathodic catalyst for enhanced oxygen reduction in a microbial fuel cell fed with a synthetic wastewater. <i>Water Research</i> , 2010, 44, 5298-5305.	5.3	138
28	Physical and chemical characteristics of granular activated sludge from a sequencing batch airlift reactor. <i>Process Biochemistry</i> , 2005, 40, 645-650.	1.8	137
29	Microbe-Assisted Sulfide Oxidation in the Anode of a Microbial Fuel Cell. <i>Environmental Science & Technology</i> , 2009, 43, 3372-3377.	4.6	137
30	Microbial and Physicochemical Characteristics of Compact Anaerobic Ammonium-Oxidizing Granules in an Upflow Anaerobic Sludge Blanket Reactor. <i>Applied and Environmental Microbiology</i> , 2010, 76, 2652-2656.	1.4	131
31	Stability of sludge flocs under shear conditions: Roles of extracellular polymeric substances (EPS). <i>Biotechnology and Bioengineering</i> , 2006, 93, 1095-1102.	1.7	127
32	Microbial fuel cell driving electrokinetic remediation of toxic metal contaminated soils. <i>Journal of Hazardous Materials</i> , 2016, 318, 9-14.	6.5	125
33	Fractionating soluble microbial products in the activated sludge process. <i>Water Research</i> , 2010, 44, 2292-2302.	5.3	120
34	Conductive Carbon Nanotube Hydrogel as a Bioanode for Enhanced Microbial Electrocatalysis. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 8158-8164.	4.0	118
35	Carbon nanotube/chitosan nanocomposite as a biocompatible biocathode material to enhance the electricity generation of a microbial fuel cell. <i>Energy and Environmental Science</i> , 2011, 4, 1422.	15.6	116
36	Characterizing the extracellular and intracellular fluorescent products of activated sludge in a sequencing batch reactor. <i>Water Research</i> , 2008, 42, 3173-3181.	5.3	115

#	ARTICLE	IF	CITATIONS
37	DLVO Approach to the Flocculability of a Photosynthetic H ₂ -Producing Bacterium, <i>Rhodospseudomonas acidophila</i> . <i>Environmental Science & Technology</i> , 2007, 41, 4620-4625.	4.6	114
38	Quantification of the interactions between Ca ²⁺ , Hg ²⁺ and extracellular polymeric substances (EPS) of sludge. <i>Chemosphere</i> , 2013, 93, 1436-1441.	4.2	112
39	Anaerobic biodecolorization mechanism of methyl orange by <i>Shewanella oneidensis</i> MR-1. <i>Applied Microbiology and Biotechnology</i> , 2012, 93, 1769-1776.	1.7	107
40	Nitrate formation from atmospheric nitrogen and oxygen photocatalysed by nano-sized titanium dioxide. <i>Nature Communications</i> , 2013, 4, 2249.	5.8	107
41	Manipulating the hydrogen production from acetate in a microbial electrolysis cell—microbial fuel cell-coupled system. <i>Journal of Power Sources</i> , 2009, 191, 338-343.	4.0	105
42	Roles of extracellular polymeric substances in enhanced biological phosphorus removal process. <i>Water Research</i> , 2015, 86, 85-95.	5.3	103
43	In-situ utilization of generated electricity in an electrochemical membrane bioreactor to mitigate membrane fouling. <i>Water Research</i> , 2013, 47, 5794-5800.	5.3	102
44	A new cathodic electrode deposit with palladium nanoparticles for cost-effective hydrogen production in a microbial electrolysis cell. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 2773-2776.	3.8	101
45	Coagulation Kinetics of Humic Aggregates in Mono- and Di-Valent Electrolyte Solutions. <i>Environmental Science & Technology</i> , 2013, 47, 5042-5049.	4.6	100
46	Complete mineralization of perfluorooctanoic acid (PFOA) by ¹³⁷ Ir-irradiation in aqueous solution. <i>Scientific Reports</i> , 2014, 4, 7418.	1.6	96
47	Light-induced reduction of silver ions to silver nanoparticles in aquatic environments by microbial extracellular polymeric substances (EPS). <i>Water Research</i> , 2016, 106, 242-248.	5.3	96
48	Nitrogen removal from eutrophic water by floating-bed-grown water spinach (<i>Ipomoea aquatica</i>) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3	5.3	90
49	A bio-photoelectrochemical cell with a MoS ₃ -modified silicon nanowire photocathode for hydrogen and electricity production. <i>Energy and Environmental Science</i> , 2014, 7, 3033-3039.	15.6	89
50	Nutrient removal and energy production in a urine treatment process using magnesium ammonium phosphate precipitation and a microbial fuel cell technique. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 1978.	1.3	85
51	High-sensitivity infrared attenuated total reflectance sensors for in situ multicomponent detection of volatile organic compounds in water. <i>Nature Protocols</i> , 2016, 11, 377-386.	5.5	85
52	Degradation of Organic Pollutants in a Photoelectrocatalytic System Enhanced by a Microbial Fuel Cell. <i>Environmental Science & Technology</i> , 2010, 44, 5575-5580.	4.6	82
53	Redox properties of extracellular polymeric substances (EPS) from electroactive bacteria. <i>Scientific Reports</i> , 2016, 6, 39098.	1.6	81
54	Electricity generation from mixed volatile fatty acids using microbial fuel cells. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 2365-2372.	1.7	80

#	ARTICLE	IF	CITATIONS
55	Lead Toxicity to the Performance, Viability, And Community Composition of Activated Sludge Microorganisms. <i>Environmental Science & Technology</i> , 2015, 49, 824-830.	4.6	80
56	Enhanced Photodegradation of Extracellular Antibiotic Resistance Genes by Dissolved Organic Matter Photosensitization. <i>Environmental Science & Technology</i> , 2019, 53, 10732-10740.	4.6	80
57	Tetracycline exposure shifted microbial communities and enriched antibiotic resistance genes in the aerobic granular sludge. <i>Environment International</i> , 2019, 130, 104902.	4.8	78
58	A Photometric High-Throughput Method for Identification of Electrochemically Active Bacteria Using a WO ₃ Nanocluster Probe. <i>Scientific Reports</i> , 2013, 3, 1315.	1.6	76
59	Enhanced nitrogen and phosphorus removal from eutrophic lake water by <i>Ipomoea aquatica</i> with low-energy ion implantation. <i>Water Research</i> , 2009, 43, 1247-1256.	5.3	75
60	Characterization of autotrophic and heterotrophic soluble microbial product (SMP) fractions from activated sludge. <i>Water Research</i> , 2012, 46, 6210-6217.	5.3	73
61	Enhanced electricity production from microbial fuel cells with plasma-modified carbon paper anode. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 9966.	1.3	73
62	Integration of a microbial fuel cell with activated sludge process for energy-saving wastewater treatment: Taking a sequencing batch reactor as an example. <i>Biotechnology and Bioengineering</i> , 2011, 108, 1260-1267.	1.7	72
63	Enhancement of methyl orange degradation and power generation in a photoelectrocatalytic microbial fuel cell. <i>Applied Energy</i> , 2017, 204, 382-389.	5.1	71
64	Microbial communities involved in electricity generation from sulfide oxidation in a microbial fuel cell. <i>Biosensors and Bioelectronics</i> , 2010, 26, 470-476.	5.3	70
65	Impact of a static magnetic field on the electricity production of <i>Shewanella</i> -inoculated microbial fuel cells. <i>Biosensors and Bioelectronics</i> , 2011, 26, 3987-3992.	5.3	69
66	A plate-based electrochromic approach for the high-throughput detection of electrochemically active bacteria. <i>Nature Protocols</i> , 2014, 9, 112-119.	5.5	69
67	A Novel Electrochemical Membrane Bioreactor as a Potential Net Energy Producer for Sustainable Wastewater Treatment. <i>Scientific Reports</i> , 2013, 3, 1864.	1.6	68
68	Different non-radical oxidation processes of persulfate and peroxymonosulfate activation by nitrogen-doped mesoporous carbon. <i>Chinese Chemical Letters</i> , 2020, 31, 2614-2618.	4.8	67
69	FTIR-spectral analysis of two photosynthetic H ₂ -producing strains and their extracellular polymeric substances. <i>Applied Microbiology and Biotechnology</i> , 2006, 73, 204-210.	1.7	65
70	China's wastewater discharge standards in urbanization. <i>Environmental Science and Pollution Research</i> , 2012, 19, 1422-1431.	2.7	65
71	Operation of a sequencing batch reactor for cultivating autotrophic nitrifying granules. <i>Bioresource Technology</i> , 2010, 101, 2960-2964.	4.8	63
72	A white-rot fungus is used as a biocathode to improve electricity production of a microbial fuel cell. <i>Applied Energy</i> , 2012, 98, 594-596.	5.1	63

#	ARTICLE	IF	CITATIONS
73	Evaluating the influence of process parameters on soluble microbial products formation using response surface methodology coupled with grey relational analysis. <i>Water Research</i> , 2011, 45, 674-680.	5.3	62
74	Quantifying the occurrence and transformation potential of extracellular polymeric substances (EPS)-associated antibiotic resistance genes in activated sludge. <i>Journal of Hazardous Materials</i> , 2021, 408, 124428.	6.5	62
75	Hydrogen production in a light-driven photoelectrochemical cell. <i>Applied Energy</i> , 2014, 113, 164-168.	5.1	61
76	A modeling approach to describe ZVI-based anaerobic system. <i>Water Research</i> , 2013, 47, 6007-6013.	5.3	60
77	Warming increases methylmercury production in an Arctic soil. <i>Environmental Pollution</i> , 2016, 214, 504-509.	3.7	60
78	Quantification and kinetic characterization of soluble microbial products from municipal wastewater treatment plants. <i>Water Research</i> , 2016, 88, 703-710.	5.3	60
79	Mitigated membrane fouling and enhanced removal of extracellular antibiotic resistance genes from wastewater effluent via an integrated pre-coagulation and microfiltration process. <i>Water Research</i> , 2019, 159, 145-152.	5.3	60
80	Monitoring the restart-up of an upflow anaerobic sludge blanket (UASB) reactor for the treatment of a soybean processing wastewater. <i>Bioresource Technology</i> , 2010, 101, 1722-1726.	4.8	59
81	Direct Electricity Recovery from <i>Canna indica</i> by an Air-Cathode Microbial Fuel Cell Inoculated with Rumen Microorganisms. <i>Environmental Science & Technology</i> , 2010, 44, 2715-2720.	4.6	59
82	Quorum quenching is responsible for the underestimated quorum sensing effects in biological wastewater treatment reactors. <i>Bioresource Technology</i> , 2014, 171, 472-476.	4.8	58
83	Anodic Fenton process assisted by a microbial fuel cell for enhanced degradation of organic pollutants. <i>Water Research</i> , 2012, 46, 4371-4378.	5.3	56
84	Species of phosphorus in the extracellular polymeric substances of EBPR sludge. <i>Bioresource Technology</i> , 2013, 142, 714-718.	4.8	56
85	A novel efficient cationic flocculant prepared through grafting two monomers onto chitosan induced by Gamma radiation. <i>RSC Advances</i> , 2012, 2, 494-500.	1.7	55
86	Photochemical reactions between mercury (Hg) and dissolved organic matter decrease Hg bioavailability and methylation. <i>Environmental Pollution</i> , 2017, 220, 1359-1365.	3.7	53
87	An innovative miniature microbial fuel cell fabricated using photolithography. <i>Biosensors and Bioelectronics</i> , 2011, 26, 2841-2846.	5.3	52
88	Advances in the Characterization Methods of Biomass Pyrolysis Products. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 12639-12655.	3.2	51
89	Visible-light-enhanced Cr(VI) reduction at Pd-decorated silicon nanowire photocathode in photoelectrocatalytic microbial fuel cell. <i>Science of the Total Environment</i> , 2018, 639, 1512-1519.	3.9	50
90	Fractional characterization of a bio-oil derived from rice husk. <i>Biomass and Bioenergy</i> , 2011, 35, 671-678.	2.9	49

#	ARTICLE	IF	CITATIONS
91	Synthesis of Layered MnO ₂ Nanosheets for Enhanced Oxygen Reduction Reaction Catalytic Activity. <i>Electrochimica Acta</i> , 2014, 132, 239-243.	2.6	49
92	Redox state of microbial extracellular polymeric substances regulates reduction of selenite to elemental selenium accompanying with enhancing microbial detoxification in aquatic environments. <i>Water Research</i> , 2020, 172, 115538.	5.3	49
93	Relationship between the extracellular polymeric substances and surface characteristics of <i>Rhodospseudomonas acidophila</i> . <i>Applied Microbiology and Biotechnology</i> , 2006, 72, 126-131.	1.7	48
94	Photomineralization of Effluent Organic Phosphorus to Orthophosphate under Simulated Light Illumination. <i>Environmental Science & Technology</i> , 2019, 53, 4997-5004.	4.6	48
95	Mercury/silver resistance genes and their association with antibiotic resistance genes and microbial community in a municipal wastewater treatment plant. <i>Science of the Total Environment</i> , 2019, 657, 1014-1022.	3.9	48
96	Filtration behaviors and biocake formation mechanism of mesh filters used in membrane bioreactors. <i>Separation and Purification Technology</i> , 2011, 81, 472-479.	3.9	47
97	Enhanced reductive degradation of methyl orange in a microbial fuel cell through cathode modification with redox mediators. <i>Applied Microbiology and Biotechnology</i> , 2011, 89, 201-208.	1.7	47
98	Heterotrophs grown on the soluble microbial products (SMP) released by autotrophs are responsible for the nitrogen loss in nitrifying granular sludge. <i>Biotechnology and Bioengineering</i> , 2011, 108, 2844-2852.	1.7	47
99	A pilot investigation into membrane bioreactor using mesh filter for treating low-strength municipal wastewater. <i>Bioresource Technology</i> , 2012, 122, 17-21.	4.8	47
100	Insights into the interactions between triclosan (TCS) and extracellular polymeric substance (EPS) of activated sludge. <i>Journal of Environmental Management</i> , 2019, 232, 219-225.	3.8	47
101	Quantifying the surface characteristics and flocculability of <i>Ralstonia eutropha</i> . <i>Applied Microbiology and Biotechnology</i> , 2008, 79, 187-194.	1.7	45
102	Kinetic analysis on the two-step processes of AOB and NOB in aerobic nitrifying granules. <i>Applied Microbiology and Biotechnology</i> , 2009, 83, 1159-1169.	1.7	45
103	Superparamagnetic mesoporous ferrite nanocrystal clusters for efficient removal of arsenite from water. <i>CrystEngComm</i> , 2013, 15, 7895.	1.3	45
104	Calcium effect on the metabolic pathway of phosphorus accumulating organisms in enhanced biological phosphorus removal systems. <i>Water Research</i> , 2015, 84, 171-180.	5.3	45
105	In situ formation of NiCoP@phosphate nanocages as an efficient bifunctional electrocatalyst for overall water splitting. <i>Electrochimica Acta</i> , 2020, 337, 135799.	2.6	44
106	Highly efficient removal and detoxification of phenolic compounds using persulfate activated by MnO _x @OMC: Synergistic mechanism and kinetic analysis. <i>Journal of Hazardous Materials</i> , 2021, 402, 123846.	6.5	44
107	Chitin degradation and electricity generation by <i>Aeromonas hydrophila</i> in microbial fuel cells. <i>Chemosphere</i> , 2017, 168, 293-299.	4.2	43
108	Electricity generation and in situ phosphate recovery from enhanced biological phosphorus removal sludge by electrodialysis membrane bioreactor. <i>Bioresource Technology</i> , 2018, 247, 471-476.	4.8	43

#	ARTICLE	IF	CITATIONS
109	Determination of Chlorinated Hydrocarbons in Water Using Highly Sensitive Mid-Infrared Sensor Technology. <i>Scientific Reports</i> , 2013, 3, 2525.	1.6	42
110	Experimental and Theoretical Demonstrations for the Mechanism behind Enhanced Microbial Electron Transfer by CNT Network. <i>Scientific Reports</i> , 2014, 4, 3732.	1.6	42
111	Denitrification in an integrated bioelectro-photocatalytic system. <i>Water Research</i> , 2017, 109, 88-93.	5.3	42
112	Kinetics and thermodynamics of interaction between sulfonamide antibiotics and humic acids: Surface plasmon resonance and isothermal titration microcalorimetry analysis. <i>Journal of Hazardous Materials</i> , 2016, 302, 262-266.	6.5	41
113	Robust performance of a novel anaerobic biofilm membrane bioreactor with mesh filter and carbon fiber (ABMBR) for low to high strength wastewater treatment. <i>Chemical Engineering Journal</i> , 2017, 313, 56-64.	6.6	41
114	Microbial extracellular polymeric substances (EPS) acted as a potential reservoir in responding to high concentrations of sulfonamides shocks during biological wastewater treatment. <i>Bioresource Technology</i> , 2020, 313, 123654.	4.8	40
115	Tracking the activity of the Anammox-DAMO process using excitation-emission matrix (EEM) fluorescence spectroscopy. <i>Water Research</i> , 2017, 122, 624-632.	5.3	38
116	Formation of extracellular polymeric substances from acidogenic sludge in H ₂ -producing process. <i>Applied Microbiology and Biotechnology</i> , 2007, 74, 208-214.	1.7	37
117	Rapid and accurate determination of VFAs and ethanol in the effluent of an anaerobic H ₂ -producing bioreactor using near-infrared spectroscopy. <i>Water Research</i> , 2009, 43, 1823-1830.	5.3	37
118	Integration of aerobic granular sludge and mesh filter membrane bioreactor for cost-effective wastewater treatment. <i>Bioresource Technology</i> , 2012, 122, 22-26.	4.8	37
119	Evaluation on factors influencing the heterotrophic growth on the soluble microbial products of autotrophs. <i>Biotechnology and Bioengineering</i> , 2011, 108, 804-812.	1.7	35
120	Anaerobic reduction of 2,6-dinitrotoluene by <i>Shewanella oneidensis</i> : Roles of Mtr respiratory pathway and NfnB. <i>Biotechnology and Bioengineering</i> , 2017, 114, 761-768.	1.7	35
121	Reversing Electron Transfer Chain for Light-Driven Hydrogen Production in Biotic-Abiotic Hybrid Systems. <i>Journal of the American Chemical Society</i> , 2022, 144, 6434-6441.	6.6	35
122	In-situ biogas sparging enhances the performance of an anaerobic membrane bioreactor (AnMBR) with mesh filter in low-strength wastewater treatment. <i>Applied Microbiology and Biotechnology</i> , 2016, 100, 6081-6089.	1.7	33
123	In situ utilization of generated electricity for nutrient recovery in urine treatment using a selective electro dialysis membrane bioreactor. <i>Chemical Engineering Science</i> , 2017, 171, 451-458.	1.9	33
124	Application of membrane bioreactor for sulfamethazine-contained wastewater treatment. <i>Chemosphere</i> , 2018, 193, 840-846.	4.2	33
125	Novel Online Monitoring and Alert System for Anaerobic Digestion Reactors. <i>Environmental Science & Technology</i> , 2011, 45, 9093-9100.	4.6	31
126	Hydrogen production from propionate in a biocatalyzed system with in-situ utilization of the electricity generated from a microbial fuel cell. <i>International Biodeterioration and Biodegradation</i> , 2010, 64, 378-382.	1.9	30

#	ARTICLE	IF	CITATIONS
127	Characterizing the interactions between polycyclic aromatic hydrocarbons and fulvic acids in water. <i>Environmental Science and Pollution Research</i> , 2013, 20, 2220-2225.	2.7	30
128	Phenothiazine Derivative-Accelerated Microbial Extracellular Electron Transfer in Bioelectrochemical System. <i>Scientific Reports</i> , 2013, 3, 1616.	1.6	30
129	Determination of autoinducer-2 in biological samples by high-performance liquid chromatography with fluorescence detection using pre-column derivatization. <i>Journal of Chromatography A</i> , 2014, 1361, 162-168.	1.8	30
130	Silver nanoparticles formation by extracellular polymeric substances (EPS) from electroactive bacteria. <i>Environmental Science and Pollution Research</i> , 2016, 23, 8627-8633.	2.7	30
131	Quantitative determination of AI-2 quorum-sensing signal of bacteria using high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Environmental Sciences</i> , 2017, 52, 204-209.	3.2	30
132	Impact of heavy metals on the formation and properties of solvable microbiological products released from activated sludge in biological wastewater treatment. <i>Water Research</i> , 2020, 179, 115895.	5.3	30
133	Stability of sludge flocs under shear conditions. <i>Biochemical Engineering Journal</i> , 2008, 38, 302-308.	1.8	29
134	Antibiotic resistance and microbiota in the gut of Chinese four major freshwater carp from retail markets. <i>Environmental Pollution</i> , 2019, 255, 113327.	3.7	29
135	Uptake, accumulation and metabolization of 1-butyl-3-methylimidazolium bromide by ryegrass from water: Prospects for phytoremediation. <i>Water Research</i> , 2019, 156, 82-91.	5.3	29
136	Photoautotrophic cathodic oxygen reduction catalyzed by a green alga, <i>Chlamydomonas reinhardtii</i> . <i>Biotechnology and Bioengineering</i> , 2013, 110, 173-179.	1.7	28
137	Developing a solar photothermal method for peroxydisulfate activation for water purification: Taking degradation of sulfamethoxazole as an example. <i>Chemical Engineering Journal</i> , 2021, 403, 126324.	6.6	28
138	A rapid quantitative method for humic substances determination in natural waters. <i>Analytica Chimica Acta</i> , 2007, 592, 162-167.	2.6	27
139	Enhancement of nitrogen and phosphorus removal from eutrophic water by economic plant annual ryegrass (<i>Lolium multiflorum</i>) with ion implantation. <i>Environmental Science and Pollution Research</i> , 2014, 21, 9617-9625.	2.7	27
140	Thermal/alkaline pretreatment of waste activated sludge combined with a microbial fuel cell operated at alkaline pH for efficient energy recovery. <i>Applied Energy</i> , 2020, 275, 115291.	5.1	27
141	Molecular insight into the variation of dissolved organic phosphorus in a wastewater treatment plant. <i>Water Research</i> , 2021, 203, 117529.	5.3	27
142	Coexistence of silver ion and tetracycline at environmentally relevant concentrations greatly enhanced antibiotic resistance gene development in activated sludge bioreactor. <i>Journal of Hazardous Materials</i> , 2022, 423, 127088.	6.5	27
143	Chemical-Equilibrium-Based Model for Describing the Strength of Sludge: Taking Hydrogen-Producing Sludge as an Example. <i>Environmental Science & Technology</i> , 2006, 40, 1280-1285.	4.6	26
144	Fluorescence spectral characteristics of the supernatants from an anaerobic hydrogen-producing bioreactor. <i>Applied Microbiology and Biotechnology</i> , 2011, 89, 217-224.	1.7	26

#	ARTICLE	IF	CITATIONS
145	Concentration- and nutrient-dependent cellular responses of microalgae <i>Chlorella pyrenoidosa</i> to perfluorooctanoic acid. <i>Water Research</i> , 2020, 185, 116248.	5.3	26
146	Determination of proteins and carbohydrates in the effluents from wastewater treatment bioreactors using resonance light-scattering method. <i>Water Research</i> , 2008, 42, 3464-3472.	5.3	25
147	Improving electricity generation and substrate removal of a MFC-SBR system through optimization of COD loading distribution. <i>Biochemical Engineering Journal</i> , 2014, 85, 15-20.	1.8	25
148	Spectroscopic insights into photochemical transformation of effluent organic matter from biological wastewater treatment plants. <i>Science of the Total Environment</i> , 2019, 649, 1260-1268.	3.9	25
149	Haloarchaea, excellent candidates for removing pollutants from hypersaline wastewater. <i>Trends in Biotechnology</i> , 2022, 40, 226-239.	4.9	25
150	Extracellular polymeric substances (EPS) associated extracellular antibiotic resistance genes in activated sludge along the AAO process: Distribution and microbial secretors. <i>Science of the Total Environment</i> , 2022, 816, 151575.	3.9	25
151	Co-doping polymethyl methacrylate and copper tailings to improve the performances of sludge-derived particle electrode. <i>Water Research</i> , 2019, 165, 115016.	5.3	24
152	Dissolved organic matter dominating the photodegradation of free DNA bases in aquatic environments. <i>Water Research</i> , 2020, 179, 115885.	5.3	24
153	Unrecognized Contributions of Dissolved Organic Matter Inducing Photodamages to the Decay of Extracellular DNA in Waters. <i>Environmental Science & Technology</i> , 2020, 54, 1614-1622.	4.6	24
154	Electricity generation from dissolved organic matter in polluted lake water using a microbial fuel cell (MFC). <i>Biochemical Engineering Journal</i> , 2013, 71, 57-61.	1.8	23
155	Application of a weak magnetic field to improve microbial fuel cell performance. <i>Ecotoxicology</i> , 2015, 24, 2175-2180.	1.1	23
156	Development of an energy-saving anaerobic hybrid membrane bioreactors for 2-chlorophenol-contained wastewater treatment. <i>Chemosphere</i> , 2015, 140, 79-84.	4.2	23
157	Mixture toxicity and uptake of 1-butyl-3-methylimidazolium bromide and cadmium co-contaminants in water by perennial ryegrass (<i>Lolium perenne</i> L.). <i>Journal of Hazardous Materials</i> , 2020, 386, 121972.	6.5	23
158	Probing the biotransformation of hematite nanoparticles and magnetite formation mediated by <i>Shewanella oneidensis</i> MR-1 at the molecular scale. <i>Environmental Science: Nano</i> , 2017, 4, 2395-2404.	2.2	22
159	Experimental and Theoretical Approaches for the Surface Interaction between Copper and Activated Sludge Microorganisms at Molecular Scale. <i>Scientific Reports</i> , 2014, 4, 7078.	1.6	21
160	Rapidly probing the interaction between sulfamethazine antibiotics and fulvic acids. <i>Environmental Pollution</i> , 2018, 243, 752-757.	3.7	21
161	A Novel Approach to Evaluate the Production Kinetics of Extracellular Polymeric Substances (EPS) by Activated Sludge Using Weighted Nonlinear Least-Squares Analysis. <i>Environmental Science & Technology</i> , 2009, 43, 3743-3750.	4.6	20
162	Evaluation of the stability of hydrogen production and microbial diversity by anaerobic sludge with chloroform treatment. <i>Renewable Energy</i> , 2012, 38, 253-257.	4.3	20

#	ARTICLE	IF	CITATIONS
163	Synergistic Effect of Permanganate and in Situ Synthesized Hydrated Manganese Oxide for Removing Antibiotic Resistance Genes from Wastewater Treatment Plant Effluent. <i>Environmental Science & Technology</i> , 2019, 53, 13374-13381.	4.6	20
164	Long-term impact of heavy metals on the performance of biological wastewater treatment processes during shock-adaptation-restoration phases. <i>Journal of Hazardous Materials</i> , 2019, 373, 152-159.	6.5	20
165	Chemical speciation of ciprofloxacin in aqueous solution regulates its phytotoxicity and uptake by rice (<i>Oryza sativa</i> L.). <i>Science of the Total Environment</i> , 2021, 771, 144787.	3.9	20
166	Hydrodynamics of an Electrochemical Membrane Bioreactor. <i>Scientific Reports</i> , 2015, 5, 10387.	1.6	19
167	Spatial configuration of extracellular polymeric substances of <i>Bacillus megaterium</i> TF10 in aqueous solution. <i>Water Research</i> , 2012, 46, 3490-3496.	5.3	18
168	Multiple response optimization of the coagulation process for upgrading the quality of effluent from municipal wastewater treatment plant. <i>Scientific Reports</i> , 2016, 6, 26115.	1.6	18
169	Effective flocculation of <i>Microcystis aeruginosa</i> with simultaneous nutrient precipitation from hydrolyzed human urine. <i>Chemosphere</i> , 2018, 193, 472-478.	4.2	18
170	Evaluating the interaction of soil microorganisms and gut of soil fauna on the fate and spread of antibiotic resistance genes in digested sludge-amended soil ecosystem. <i>Journal of Hazardous Materials</i> , 2021, 420, 126672.	6.5	18
171	Characterization of Multiporous Structure and Oxygen Transfer Inside Aerobic Granules with the Percolation Model. <i>Environmental Science & Technology</i> , 2010, 44, 8535-8540.	4.6	17
172	Undiscovered Multiple Roles of Multivalent Cations in the Pollutant Removal from Actual Water by Persulfate Activated by Carbon Materials. <i>ACS ES&T Engineering</i> , 2021, 1, 1227-1235.	3.7	17
173	A novel pathway for the anaerobic biotransformation of microcystin-LR using enrichment cultures. <i>Environmental Pollution</i> , 2019, 247, 1064-1070.	3.7	16
174	Alkyl chain length affecting uptake of imidazolium based ionic liquids by ryegrass (<i>Lolium perenne</i> L.). <i>Journal of Hazardous Materials</i> , 2021, 401, 123376.	6.5	16
175	Model-evaluation of the erosion behavior of activated sludge under shear conditions using a chemical-equilibrium-based model. <i>Chemical Engineering Journal</i> , 2008, 140, 241-246.	6.6	15
176	A dead-end filtration method to rapidly and quantitatively evaluate the fouling resistance of nylon mesh for membrane bioreactors. <i>Separation and Purification Technology</i> , 2012, 89, 107-111.	3.9	15
177	Quantitative Simulation of the Granulation Process of Activated Sludge for Wastewater Treatment. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 2864-2873.	1.8	14
178	Simultaneous carbon and nitrogen removals in membrane bioreactor with mesh filter: An experimental and modeling approach. <i>Chemical Engineering Science</i> , 2013, 95, 78-84.	1.9	14
179	Spectroscopic characterization of the complexes between Fe/Mn and natural organic matters by electron paramagnetic resonance and synchrotron-based techniques. <i>Ecotoxicology</i> , 2015, 24, 2207-2212.	1.1	14
180	An MFC-Based Online Monitoring and Alert System for Activated Sludge Process. <i>Scientific Reports</i> , 2014, 4, 6779.	1.6	14

#	ARTICLE	IF	CITATIONS
181	Fluorescence approach for investigating binding properties between metals and soluble microbial products from a biological wastewater treatment plant. <i>Process Biochemistry</i> , 2015, 50, 636-642.	1.8	14
182	Evaluating the effect of gradient applied voltages on antibiotic resistance genes proliferation and biogas production in anaerobic electrochemical membrane bioreactor. <i>Journal of Hazardous Materials</i> , 2021, 416, 125865.	6.5	14
183	Formation of soluble microbial products by activated sludge under anoxic conditions. <i>Applied Microbiology and Biotechnology</i> , 2010, 87, 373-382.	1.7	13
184	Photothermal Nanoconfinement Reactor: Boosting Chemical Reactivity with Locally High Temperature in a Confined Space. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	13
185	Quantification of the interactions between a cationic dye and humic substances in aqueous solutions. <i>Journal of Colloid and Interface Science</i> , 2009, 331, 15-20.	5.0	12
186	Effects of a transient external voltage application on the bioanode performance of microbial fuel cells. <i>Electrochimica Acta</i> , 2010, 55, 3048-3054.	2.6	12
187	Dynamic Modeling the Anaerobic Reactor Startup Process. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 7193-7200.	1.8	12
188	Self-Driven Bioelectrochemical Mineralization of Azobenzene by Coupling Cathodic Reduction with Anodic Intermediate Oxidation. <i>Electrochimica Acta</i> , 2015, 154, 294-299.	2.6	12
189	Synchronous reduction-oxidation of 2,4,6-tribromophenol using bifunctional AgPd@CDs in a three dimensional electrochemical reactor. <i>Applied Catalysis B: Environmental</i> , 2021, 297, 120467.	10.8	12
190	Selectively Tracking Nanoparticles in Aquatic Plant Using Core-Shell Nanoparticle-Enhanced Raman Spectroscopy Imaging. <i>ACS Nano</i> , 2021, 15, 19828-19837.	7.3	12
191	Probing the redox process of p-benzoquinone in dimethyl sulphoxide by using fluorescence spectroelectrochemistry. <i>Frontiers of Environmental Science and Engineering</i> , 2017, 11, 1.	3.3	11
192	Accurately quantifying the reductive capacity of microbial extracellular polymeric substance by mediated electrochemical oxidation method. <i>Science of the Total Environment</i> , 2019, 673, 541-545.	3.9	11
193	Degradation and detoxification of 1-butyl-3-methylimidazolium bromide by γ -irradiation in aqueous solution. <i>Chemical Engineering Journal</i> , 2019, 364, 440-447.	6.6	11
194	Quantitative evaluation of noncovalent interactions between polyphosphate and dissolved humic acids in aqueous conditions. <i>Environmental Pollution</i> , 2015, 207, 123-129.	3.7	10
195	Immobilizing enzyme-like ligand in the ultrafiltration membrane to remove the micropollutant for the ultrafast water purification. <i>Journal of Membrane Science</i> , 2021, 636, 119566.	4.1	10
196	Simultaneous effective carbon and nitrogen removals and phosphorus recovery in an intermittently aerated membrane bioreactor integrated system. <i>Scientific Reports</i> , 2015, 5, 16281.	1.6	9
197	Approaching the binding between Cu(II) and aerobic granules by a modified titration and μ -XRF. <i>Frontiers of Environmental Science and Engineering</i> , 2016, 10, 362-367.	3.3	9
198	Phosphorus-Accumulating Organism Assisted Phosphorization of Ni-Fe Nanocomposites for Efficient Oxygen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 11456-11464.	3.2	9

#	ARTICLE	IF	CITATIONS
199	Nitrogen and phosphorous recycling from human urine by household electrochemical fixed bed in sparsely populated regions. <i>Water Research</i> , 2022, 218, 118467.	5.3	9
200	Experimental and numerical analysis of the hydrodynamic behaviors of aerobic granules. <i>AIChE Journal</i> , 2011, 57, 2909-2916.	1.8	8
201	Determination of main components in the extracellular polymeric substances extracted from activated sludge using a spectral probing method. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 94, 151-156.	2.5	8
202	Coating ligand-mediated dynamic formation of natural organic matter (NOM) corona on engineered nanoparticles in natural environments. <i>Environmental Science: Nano</i> , 2021, 8, 1029-1041.	2.2	8
203	Characterization, Modeling and Application of Aerobic Granular Sludge for Wastewater Treatment. , 2009, 113, 275-303.		7
204	Microbial Fuel Cells in Power Generation and Extended Applications. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2011, 128, 165-197.	0.6	7
205	Degradation and mineralization of 2-chlorophenol in a single-stage anaerobic fixed-bed bioreactor. <i>Science China Technological Sciences</i> , 2020, 63, 86-95.	2.0	6
206	In-situ alkaline pretreatment of waste activated sludge in microbial fuel cell enhanced power production. <i>Journal of Power Sources</i> , 2021, 491, 229616.	4.0	5
207	Photothermal Nanoconfinement Reactor: Boosting Chemical Reactivity with Locally High Temperature in a Confined Space. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	4
208	Observing the Biologically Induced Phosphate Precipitation by Sludge Extracellular Polymeric Substances in Enhanced Biological Phosphorus Removal. <i>ACS ES&T Engineering</i> , 2022, 2, 1514-1522.	3.7	4
209	Near-infrared spectroscopy-based quantification of substrate and aqueous products in wastewater anaerobic fermentation processes. <i>Science Bulletin</i> , 2009, 54, 1918-1922.	4.3	3
210	Revealing Dissolved Organic Nitrogen Transformation and Microbial Evolution at Microscale in a Solid Carbon Source-Coordinated Simultaneous Partial Nitrification, Anammox, and Denitrification Bioreactor. <i>ACS ES&T Engineering</i> , 2022, 2, 2066-2075.	3.7	3
211	Surface characteristics of acidogenic sludge in H ₂ -producing process. <i>Journal of Water and Environment Technology</i> , 2007, 5, 1-12.	0.3	2
212	A Novel Integrated Approach to the Enhanced Production of Polyhydrobutyrate with Mixed Culture in Activated Sludge. <i>Industrial & Engineering Chemistry Research</i> , 2010, 49, 7478-7483.	1.8	2
213	Electricity Generation from Food Industry Wastewater Using Microbial Fuel Cell Technology. , 2013, , 249-261.		2
214	Titelbild: IR-ATR Chemical Sensors Based on Planar Silver Halide Waveguides Coated with an Ethylene/Propylene Copolymer for Detection of Multiple Organic Contaminants in Water (Angew.) Tj ETQq0 0 0 rgBk/Overlook 10 Tf 50		
215	Experimental and Theoretical Approaches for the Surface Interaction between Copper and Activated Sludge Microorganisms at Molecular Scale. , 2016, , 3-22.		0