Annette E Hay, Mb Chb

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9374758/publications.pdf

Version: 2024-02-01

48 papers 1,811 citations

840776 11 h-index 289244 40 g-index

48 all docs

48 docs citations

48 times ranked

2761 citing authors

#	Article	IF	Citations
1	Outcomes in refractory diffuse large B-cell lymphoma: results from the international SCHOLAR-1 study. Blood, 2017, 130, 1800-1808.	1.4	1,084
2	Randomized Comparison of Gemcitabine, Dexamethasone, and Cisplatin Versus Dexamethasone, Cytarabine, and Cisplatin Chemotherapy Before Autologous Stem-Cell Transplantation for Relapsed and Refractory Aggressive Lymphomas: NCIC-CTG LY.12. Journal of Clinical Oncology, 2014, 32, 3490-3496.	1.6	358
3	CAR T-cells: costs, comparisons, and commentary. Journal of Medical Economics, 2019, 22, 613-615.	2.1	42
4	The CDK inhibitor AT7519M in patients with relapsed or refractory chronic lymphocytic leukemia (CLL) and mantle cell lymphoma. A Phase II study of the Canadian Cancer Trials Group. Leukemia and Lymphoma, 2017, 58, 1358-1365.	1.3	35
5	A phase II study of AT9283, an aurora kinase inhibitor, in patients with relapsed or refractory multiple myeloma: NCIC clinical trials group IND.191. Leukemia and Lymphoma, 2016, 57, 1463-1466.	1.3	26
6	Salvage chemotherapy and autologous stem cell transplantation for peripheral T-cell lymphoma: a subset analysis of the Canadian Cancer Trials Group LY.12 randomized phase 3 study. Leukemia and Lymphoma, 2017, 58, 2319-2327.	1.3	23
7	Gemcitabine/Dexamethasone/Cisplatin vs Cytarabine/Dexamethasone/Cisplatin for Relapsed or Refractory Aggressive-Histology Lymphoma: Cost-Utility Analysis of NCIC CTG LY.12. Journal of the National Cancer Institute, 2015, 107, .	6.3	20
8	A phase I study of romidepsin, gemcitabine, dexamethasone and cisplatin combination therapy in the treatment of peripheral T-cell and diffuse large B-cell lymphoma; the Canadian cancer trials group LY.15 studyâ€. Leukemia and Lymphoma, 2019, 60, 912-919.	1.3	18
9	Biomarker Driven Phase II Clinical Trial of Trametinib in Relapsed/Refractory Multiple Myeloma with Sequential Addition of the AKT Inhibitor, GSK2141795 at Time of Disease Progression to Overcome Treatment Failure: A Trial of the Princess Margaret Phase II Consortium. Blood, 2016, 128, 4526-4526.	1.4	17
10	Linkage of Clinical Trial and Administrative Data: A Survey of Cancer Patient Preferences. Current Oncology, 2017, 24, 161-167.	2.2	16
11	Intergroup LEAP trial (S1612): A randomized phase 2/3 platform trial to test novel therapeutics in medically less fit older adults with acute myeloid leukemia. American Journal of Hematology, 2018, 93, E49-E52.	4.1	14
12	Understanding the patient perspective on research access to national health records databases for conduct of randomized registry trials. International Journal of Cardiology, 2018, 262, 110-116.	1.7	13
13	The conditional survival analysis of relapsed DLBCL after autologous transplant: a subgroup analysis of LY.12 and CORAL. Blood Advances, 2020, 4, 2011-2017.	5.2	12
14	Effect of the addition of rituximab to salvage chemotherapy prior to autologous stem cell transplant in aggressive CD20+ lymphoma: a cohort comparison from the NCIC Clinical Trials Group Study LY.12*. Leukemia and Lymphoma, 2017, 58, 64-69.	1.3	11
15	Weekly carfilzomib plus cyclophosphamide and dexamethasone in the treatment of relapsed/refractory multiple myeloma: Final results from the <scp>MCRN</scp> â€003/ <scp>MYX</scp> .1 single arm phase <scp>II</scp> trial. American Journal of Hematology, 2021, 96, 552-560.	4.1	11
16	Can Administrative Data Improve the Performance of Cancer Clinical Trial Economic Analyses?. Journal of Oncology Practice, 2019, 15, e807-e824.	2.5	10
17	Drug-induced Thrombotic Microangiopathy with Concurrent Proteasome Inhibitor Use in the Treatment of Multiple Myeloma: A Case Series and Review of the Literature. Clinical Lymphoma, Myeloma and Leukemia, 2020, 20, e791-e800.	0.4	10
18	Hepatitis B, Rituximab, Screening, and Prophylaxis: Effectiveness and Cost Effectiveness. Journal of Clinical Oncology, 2012, 30, 3155-3157.	1.6	9

#	Article	IF	CITATIONS
19	Validation, Implementation, and Clinical Impact of the Oncomine Myeloid Targeted-Amplicon DNA and RNA Ion Semiconductor Sequencing Assay. Journal of Molecular Diagnostics, 2021, 23, 1292-1305.	2.8	8
20	Accrual Barriers and Detection of Early Toxicity Signal in Older Less-Fit Patients Treated with Azacitidine and Nivolumab for Newly Diagnosed Acute Myeloid Leukemia (AML) or High-Risk Myelodysplastic Syndrome (MDS) in the SWOG 1612 Platform Randomized Phase II/III Clinical Trial. Blood, 2019, 134, 3905-3905.	1.4	7
21	A Randomized Trial Of Rituximab Vs Observation Following Autologous Stem Cell Transplantation (ASCT) For Relapsed Or Refractory CD20-Positive B Cell Lymphoma: Final Results Of NCIC CTG LY.12. Blood, 2013, 122, 155-155.	1.4	7
22	Pilot study of the ability to probabilistically link clinical trial patients to administrative data and determine long-term outcomes. Clinical Trials, 2019, 16, 14-17.	1.6	6
23	IND.216: a phase II study of buparlisib and associated biomarkers, raptor and p70S6K, in patients with relapsed and refractory chronic lymphocytic leukemia. Leukemia and Lymphoma, 2020, 61, 1653-1659.	1.3	6
24	Unusual Carfilzomib Toxicity: Three Cases of Drug-induced Thrombotic Microangiopathy (TMA) after Treatment with High-dose weekly Carfilzomib, Cyclophosphamide, and Dexamethasone (wCCD). Clinical Lymphoma, Myeloma and Leukemia, 2019, 19, e272-e273.	0.4	5
25	Addition of Rituximab to Salvage Chemotherapy in Aggressive CD20+ Lymphoma Prior to Autologous Stem Cell Transplant (ASCT): A Cohort Comparison from the NCIC CTG Study LY.12. Blood, 2014, 124, 1712-1712.	1.4	5
26	A Prospective Economic Analysis of Early Outcome Data From the Alliance A041202/ CCTG CLC.2 Randomized Phase III Trial Of Bendamustine-Rituximab Compared With Ibrutinib-Based Regimens in Untreated Older Patients With Chronic Lymphocytic Leukemia. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 766-774.	0.4	4
27	Treatment of Stage I-II A Non-Bulky Hodgkin's Lymphoma (HL): An Individual Patient-Data Comparison of German Hodgkin Study Group (GHSG) HD10 and HD11 Combined-Modality Therapy (CMT) and NCIC Clinical Trials Group (NCIC CTG) HD.6 ABVD Alone. Blood, 2012, 120, 548-548.	1.4	4
28	Gemcitabine, Dexamethasone, Cisplatin (GDP) Compared to Dexamethasone, Cytarabine, Cisplatin (DHAP) Chemotherapy Prior to Autologous Stem Cell Transplantation for Relapsed and Refractory Aggressive Lymphomas: Final Results of the Randomized Phase III NCIC CTG Study LY12. Blood, 2012, 120, 745-745.	1.4	4
29	Latency of onset of de novo myelodysplastic syndromes. Haematologica, 2004, 89, 1392-4.	3.5	4
30	A Canadian Prospective Study of Linkage of Randomized Clinical Trial to Cancer and Mortality Registry Data. Current Oncology, 2021, 28, 1153-1160.	2.2	3
31	Overall and Progression Free Survival from the Mcrn-003/Myx.1 Trial: A Single Arm Phase II Study of High-Dose Weekly Carfilzomib Plus Cyclophosphamide and Dexamethasone in the Treatment of Relapsed Multiple Myeloma. Blood, 2019, 134, 1871-1871.	1.4	3
32	A Phase II Study of AT7519M, a CDK Inhibitor, in Patients with Chronic Lymphocytic Leukemia: NCIC CTG Trial IND.193. Blood, 2014, 124, 5670-5670.	1.4	3
33	Evaluating the Indirect Costs of Care Associated with Salvage Chemotherapy for Relapsed and Refractory Aggressive-Histology Lymphoma: A Subset Analysis of the Canadian Cancer Trials Group (CCTG) LY.12 Clinical Trial. Current Oncology, 2021, 28, 1256-1261.	2.2	2
34	Minimization of resource utilization data collected within cost-effectiveness analyses conducted alongside Canadian Cancer Trials Group phase III trials. Clinical Trials, 2021, 18, 500-504.	1.6	2
35	Event-Free Survival As a Surrogate for Overall Survival in Relapsed DLBCL after Autologous Transplant: A Subgroup Analysis of LY.12 and Coral. Blood, 2019, 134, 768-768.	1.4	2
36	Risk Factors for the Development of Skin Cancers in Patients with Chronic Lymphocytic Leukemia: A Retrospective Cohort Study. Blood, 2020, 136, 15-16.	1.4	2

#	Article	IF	CITATIONS
37	Application of Value Frameworks to the Design of Clinical Trials: The Canadian Cancer Trials Group Experience. Journal of the National Cancer Institute, 2021, 113, 1422-1428.	6.3	1
38	Cancer, Clinical Trials, and Canada: Our Contribution to Worldwide Randomized Controlled Trials. Current Oncology, 2021, 28, 1518-1527.	2.2	1
39	MCRNÂ ⁻ 003/MYX·1: A Single Arm Phase II Study of High-Dose Weekly Carfilzomib Plus Cyclophosphamide and Dexamethasone in the Treatment of Relapsed Multiple Myeloma after 1-3 Prior Therapies. Blood, 2018, 132, 1984-1984.	1.4	1
40	Impact of Wait Times for Autologous Stem Cell Transplantation in Patients with Aggressive Non-Hodgkin Lymphoma, a Subset Analysis of the Canadian Cancer Trials Group (CCTG) LY.12 Clinical Trial. Blood, 2016, 128, 690-690.	1.4	1
41	Diagnosing Absolute Iron-Deficiency Anemia in Patients on Hemodialysis in a Tertiary Care Centre: A Retrospective Chart Review. Blood, 2019, 134, 4814-4814.	1.4	1
42	A descriptive costâ€analysis of MYX.1/MCRN003, a phase 2 clinical trial evaluating highâ€dose weekly carfilzomib, cyclophosphamide, and dexamethasone in relapsed and refractory multiple myeloma. European Journal of Haematology, 2021, 107, 333-342.	2.2	0
43	The Past, Present, and Future of Economic Evaluations of Precision Medicine at the Committee for Economic Analyses of the Canadian Cancer Trials Group. Current Oncology, 2021, 28, 3649-3658.	2.2	0
44	A Phase II Study of AT9283, an Aurora Kinase Inhibitor, in Patients with Relapased or Refractory Multiple Myloma; NCIC Clinical Trials Group IND.191. Blood, 2014, 124, 5734-5734.	1.4	0
45	A Pharmacogenetic Study of the NCIC CTG Clinical Trial My.10: Single Nucleotide Polymorphisms, Prognosis, and Predicting Benefit from IMiD® Compound Maintenance Therapy Following Autologous Stem Cell Transplant for Multiple Myeloma. Blood, 2015, 126, 2960-2960.	1.4	0
46	Testing for Heparin Induced Thrombocytopenia: Comparison of Practice at an Academic Center with Choosing Wisely Guidelines. Blood, 2015, 126, 3469-3469.	1.4	0
47	Prognostic Significance of Neutrophil to Lymphocyte Ratio (NLR) in Relapsed/Refractory Aggressive Lymphoma Salvage Chemotherapy — Analysis of Canadian Cancer Trials Group (CCTG) ly.10 Trial. Blood, 2018, 132, 2980-2980.	1.4	0
48	Development and Testing of a Lymphoma Clinical Trials Specific Frailty Index: A Secondary Analysis of the LY.12 Clinical Trial. Blood, 2021, 138, 4076-4076.	1.4	0