

Ricardo A Torres

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9375977/ricardo-a-torres-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

81
papers

4,003
citations

38
h-index

62
g-index

82
ext. papers

4,470
ext. citations

8.2
avg, IF

5.74
L-index

#	Paper	IF	Citations
81	An Initial Approach to the Presence of Pharmaceuticals in Wastewater from Hospitals in Colombia and Their Environmental Risk. <i>Water (Switzerland)</i> , 2022 , 14, 950	3	1
80	Evaluating the Removal of the Antibiotic Cephalexin from Aqueous Solutions Using an Adsorbent Obtained from Palm Oil Fiber. <i>Molecules</i> , 2021 , 26,	4.8	6
79	Improvement of solar photo-Fenton by extracts of amazonian fruits for the degradation of pharmaceuticals in municipal wastewater. <i>Environmental Science and Pollution Research</i> , 2021 , 1	5.1	2
78	Use of CdS from Teaching-Laboratory Wastes as a Photocatalyst for the Degradation of Fluoroquinolone Antibiotics in Water. <i>Water (Switzerland)</i> , 2021 , 13, 2154	3	
77	Understanding the Role of Complexation of Fluoroquinolone and β -Lactam Antibiotics with Iron (III) on the Photodegradation under Solar Light and UVC Light. <i>Water (Switzerland)</i> , 2021 , 13, 2603	3	1
76	Degradation of Losartan in Fresh Urine by Sonochemical and Photochemical Advanced Oxidation Processes. <i>Water (Switzerland)</i> , 2020 , 12, 3398	3	11
75	Dataset on the degradation of losartan by TiO-photocatalysis and UVC/persulfate processes. <i>Data in Brief</i> , 2020 , 31, 105692	1.2	3
74	Data on treatment of nafcillin and ampicillin antibiotics in water by sonochemistry. <i>Data in Brief</i> , 2020 , 29, 105361	1.2	4
73	Arcillas activadas para el blanqueamiento del aceite de palma y remoci3n del colorante azul 6digo carm3 del agua. <i>Produccion Y Limpia</i> , 2020 , 14, 21-29	0.1	
72	Dataset on application of electrochemical and photochemical processes for sulfacetamide antibiotic elimination in water. <i>Data in Brief</i> , 2020 , 29, 105158	1.2	5
71	Elimination of representative fluoroquinolones, penicillins, and cephalosporins by solar photo-Fenton: degradation routes, primary transformations, degradation improvement by citric acid addition, and antimicrobial activity evolution. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 11201-11208	5.1	16
70	Elimination of carbapenem resistant <i>Klebsiella pneumoniae</i> in water by UV-C, UV-C/persulfate and UV-C/H ₂ O ₂ . Evaluation of response to antibiotic, residual effect of the processes and removal of resistance gene. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 102196	6.8	17
69	Inactivation of carbapenem-resistant <i>Klebsiella pneumoniae</i> by photo-Fenton: Residual effect, gene evolution and modifications with citric acid and persulfate. <i>Water Research</i> , 2019 , 161, 354-363	12.5	27
68	Bench-scale reactor for Cefadroxil oxidation and elimination of its antibiotic activity using electro-generated active chlorine. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 103173	6.8	14
67	Effective elimination of fifteen relevant pharmaceuticals in hospital wastewater from Colombia by combination of a biological system with a sonochemical process. <i>Science of the Total Environment</i> , 2019 , 670, 623-632	10.2	56
66	Degradation of seventeen contaminants of emerging concern in municipal wastewater effluents by sonochemical advanced oxidation processes. <i>Water Research</i> , 2019 , 154, 349-360	12.5	85
65	Efficient cephalexin degradation using active chlorine produced on ruthenium and iridium oxide anodes: Role of bath composition, analysis of degradation pathways and degradation extent. <i>Science of the Total Environment</i> , 2019 , 648, 377-387	10.2	28

64	Selective removal of acetaminophen in urine with activated carbons from rice (<i>Oryza sativa</i>) and coffee (<i>Coffea arabica</i>) husk: Effect of activating agent, activation temperature and analysis of physical-chemical interactions. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 103318	6.8	24
63	Evaluation of process influencing factors, degradation products, toxicity evolution and matrix-related effects during electro-Fenton removal of piroxicam from waters. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 103400	6.8	13
62	Kinetics, Isotherms and Thermodynamic Modeling of Liquid Phase Adsorption of Crystal Violet Dye onto Shrimp-Waste in Its Raw, Pyrolyzed Material and Activated Charcoals. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 5337	2.6	12
61	Sonochemical degradation of antibiotics from representative classes-Considerations on structural effects, initial transformation products, antimicrobial activity and matrix. <i>Ultrasonics Sonochemistry</i> , 2019 , 50, 157-165	8.9	40
60	Removal of norfloxacin in deionized, municipal water and urine using rice (<i>Oryza sativa</i>) and coffee (<i>Coffea arabica</i>) husk wastes as natural adsorbents. <i>Journal of Environmental Management</i> , 2018 , 213, 98-108	7.9	30
59	The effect of different operational parameters on the electrooxidation of indigo carmine on Ti/IrO ₂ -SnO ₂ -Sb ₂ O ₃ . <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 3010-3017	6.8	20
58	Effective removal of the antibiotic Nafcillin from water by combining the Photoelectro-Fenton process and Anaerobic Biological Digestion. <i>Science of the Total Environment</i> , 2018 , 624, 1095-1105	10.2	33
57	Fe and Cu in humic acid extracts modify bacterial inactivation pathways during solar disinfection and photo-Fenton processes in water. <i>Applied Catalysis B: Environmental</i> , 2018 , 235, 75-83	21.8	30
56	Removal of β -lactam antibiotics from pharmaceutical wastewaters using photo-Fenton process at near-neutral pH. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 20293-20303	5.1	25
55	Photo-electro-Fenton process applied to the degradation of valsartan: Effect of parameters, identification of degradation routes and mineralization in combination with a biological system. <i>Journal of Environmental Chemical Engineering</i> , 2018 , 6, 7302-7311	6.8	28
54	Photoinduced disinfection in sunlit natural waters: Measurement of the second order inactivation rate constants between <i>E. coli</i> and photogenerated transient species. <i>Water Research</i> , 2018 , 147, 242-253	12.5	19
53	Removal of antibiotic cloxacillin by means of electrochemical oxidation, TiO photocatalysis, and photo-Fenton processes: analysis of degradation pathways and effect of the water matrix on the elimination of antimicrobial activity. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 6339-6352	5.1	40
52	Structure-reactivity relationship in the degradation of three representative fluoroquinolone antibiotics in water by electrogenerated active chlorine. <i>Chemical Engineering Journal</i> , 2017 , 315, 552-561	14.7	41
51	Electrochemical advanced oxidation processes for <i>Staphylococcus aureus</i> disinfection in municipal WWTP effluents. <i>Journal of Environmental Management</i> , 2017 , 198, 256-265	7.9	25
50	Comparative Evaluation of Photo-Chemical AOPs for Ciprofloxacin Degradation: Elimination in Natural Waters and Analysis of pH Effect, Primary Degradation By-Products, and the Relationship with the Antibiotic Activity. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	20
49	Degradation of highly consumed fluoroquinolones, penicillins and cephalosporins in distilled water and simulated hospital wastewater by UV and UV/persulfate processes. <i>Water Research</i> , 2017 , 122, 128-138	12.5	95
48	Remarkable enhancement of bacterial inactivation in wastewater through promotion of solar photo-Fenton at near-neutral pH by natural organic acids. <i>Applied Catalysis B: Environmental</i> , 2017 , 205, 219-227	21.8	40
47	Selecting the best AOP for isoxazolyl penicillins degradation as a function of water characteristics: Effects of pH, chemical nature of additives and pollutant concentration. <i>Journal of Environmental Management</i> , 2017 , 190, 72-79	7.9	30

46	Role of sulfate, chloride, and nitrate anions on the degradation of fluoroquinolone antibiotics by photoelectro-Fenton. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 28175-28189	5.1	22
45	Degradation of Recalcitrant Safranin T Through an Electrochemical Process and Three Photochemical Advanced Oxidation Technologies. <i>Water, Air, and Soil Pollution</i> , 2017 , 228, 1	2.6	5
44	Electrochemical treatment of penicillin, cephalosporin, and fluoroquinolone antibiotics via active chlorine: evaluation of antimicrobial activity, toxicity, matrix, and their correlation with the degradation pathways. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 23771-23782	5.1	25
43	Elimination of the antibiotic norfloxacin in municipal wastewater, urine and seawater by electrochemical oxidation on IrO anodes. <i>Science of the Total Environment</i> , 2017 , 575, 1228-1238	10.2	87
42	Tratamiento de aguas contaminadas con colorantes mediante fotocatalisis con TiO ₂ usando luz artificial y solar. <i>Produccion Y Limpia</i> , 2017 , 12, 50-60	0.1	1
41	Comparison of route, mechanism and extent of treatment for the degradation of a β -lactam antibiotic by TiO ₂ photocatalysis, sonochemistry, electrochemistry and the photo-Fenton system. <i>Chemical Engineering Journal</i> , 2016 , 284, 953-962	14.7	75
40	The Effects of ZrO ₂ on the Electrocatalysis to Yield Active Chlorine Species on Sb ₂ O ₅ -Doped Ti/RuO ₂ Anodes. <i>Journal of the Electrochemical Society</i> , 2016 , 163, H818-H825	3.9	19
39	Degradation of a Toxic Mixture of the Pesticides Carbofuran and Iprodione by UV/H ₂ O ₂ : Evaluation of Parameters and Implications of the Degradation Pathways on the Synergistic Effects. <i>Water, Air, and Soil Pollution</i> , 2016 , 227, 1	2.6	15
38	High frequency ultrasound as a selective advanced oxidation process to remove penicillinic antibiotics and eliminate its antimicrobial activity from water. <i>Ultrasonics Sonochemistry</i> , 2016 , 31, 276-83	8.9	76
37	Role of humic substances in the degradation pathways and residual antibacterial activity during the photodecomposition of the antibiotic ciprofloxacin in water. <i>Water Research</i> , 2016 , 94, 1-9	12.5	79
36	Comparative study of the effect of pharmaceutical additives on the elimination of antibiotic activity during the treatment of oxacillin in water by the photo-Fenton, TiO ₂ -photocatalysis and electrochemical processes. <i>Science of the Total Environment</i> , 2016 , 541, 1431-1438	10.2	58
35	Synergistic Coupling Between Electrochemical and Ultrasound Treatments for Organic Pollutant Degradation as a Function of the Electrode Material (IrO ₂ and BDD) and the Ultrasonic frequency (20 and 800 kHz). <i>International Journal of Electrochemical Science</i> , 2016 , 7380-7394	2.2	4
34	Microstructural and electrochemical analysis of Sb ₂ O ₅ doped-Ti/RuO ₂ -ZrO ₂ to yield active chlorine species for ciprofloxacin degradation. <i>Electrochimica Acta</i> , 2016 , 213, 740-751	6.7	42
33	TiO ₂ photocatalysis applied to the degradation and antimicrobial activity removal of oxacillin: Evaluation of matrix components, experimental parameters, degradation pathways and identification of organics by-products. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2015 , 311, 95-103	4.7	36
32	The abatement of indigo carmine using active chlorine electrogenerated on ternary Sb ₂ O ₅ -doped Ti/RuO ₂ -ZrO ₂ anodes in a filter-press FM01-LC reactor. <i>Electrochimica Acta</i> , 2015 , 174, 735-744	6.7	35
31	Sonochemical degradation of the pharmaceutical fluoxetine: Effect of parameters, organic and inorganic additives and combination with a biological system. <i>Science of the Total Environment</i> , 2015 , 524-525, 354-60	10.2	64
30	Evaluation of water matrix effects, experimental parameters, and the degradation pathway during the TiO ₂ photocatalytical treatment of the antibiotic dicloxacillin. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2015 , 50, 40-8	2.3	28
29	Enhancement and inhibition effects of water matrices during the sonochemical degradation of the antibiotic dicloxacillin. <i>Ultrasonics Sonochemistry</i> , 2015 , 22, 211-9	8.9	62

28	Degradation of the antibiotic oxacillin in water by anodic oxidation with Ti/IrO ₂ anodes: Evaluation of degradation routes, organic by-products and effects of water matrix components. <i>Chemical Engineering Journal</i> , 2015 , 279, 103-114	14.7	66
27	Removal of polycyclic aromatic hydrocarbons in aqueous environment by chemical treatments: a review. <i>Science of the Total Environment</i> , 2014 , 478, 201-25	10.2	194
26	Ultrasonic degradation of acetaminophen in water: effect of sonochemical parameters and water matrix. <i>Ultrasonics Sonochemistry</i> , 2014 , 21, 1763-9	8.9	88
25	Humic substances enhance chlorothalonil phototransformation via photoreduction and energy transfer. <i>Environmental Science & Technology</i> , 2014 , 48, 2218-25	10.3	30
24	Comparative degradation of indigo carmine by electrochemical oxidation and advanced oxidation processes. <i>Electrochimica Acta</i> , 2014 , 140, 427-433	6.7	68
23	Relationship between anode material, supporting electrolyte and current density during electrochemical degradation of organic compounds in water. <i>Journal of Hazardous Materials</i> , 2014 , 278, 221-6	12.8	49
22	Low-frequency ultrasound induces oxygen vacancies formation and visible light absorption in TiO ₂ P-25 nanoparticles. <i>Ultrasonics Sonochemistry</i> , 2012 , 19, 383-6	8.9	34
21	Solar photo-Fenton treatment of carbofuran: analysis of mineralization, toxicity, and organic by-products. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 2141-50	2.3	15
20	Solar photocatalytic treatment of carbofuran at lab and pilot scale: effect of classical parameters, evaluation of the toxicity and analysis of organic by-products. <i>Journal of Hazardous Materials</i> , 2011 , 191, 196-203	12.8	51
19	Effects of sonochemical parameters and inorganic ions during the sonochemical degradation of crystal violet in water. <i>Ultrasonics Sonochemistry</i> , 2011 , 18, 440-6	8.9	86
18	An innovative ultrasound, Fe(2+) and TiO(2) photoassisted process for bisphenol A mineralization. <i>Water Research</i> , 2010 , 44, 2245-52	12.5	80
17	Degradation of the antibiotic oxolinic acid by photocatalysis with TiO ₂ in suspension. <i>Water Research</i> , 2010 , 44, 5158-67	12.5	154
16	Electrochemical degradation of crystal violet with BDD electrodes: effect of electrochemical parameters and identification of organic by-products. <i>Chemosphere</i> , 2010 , 81, 26-32	8.4	75
15	Experimental design approach applied to the elimination of crystal violet in water by electrocoagulation with Fe or Al electrodes. <i>Journal of Hazardous Materials</i> , 2010 , 179, 120-6	12.8	38
14	Enhanced sonochemical degradation of bisphenol-A by bicarbonate ions. <i>Ultrasonics Sonochemistry</i> , 2010 , 17, 111-5	8.9	100
13	Experimental design approach to the optimization of ultrasonic degradation ofalachlor and enhancement of treated water biodegradability. <i>Ultrasonics Sonochemistry</i> , 2009 , 16, 425-30	8.9	47
12	Mineralization enhancement of a recalcitrant pharmaceutical pollutant in water by advanced oxidation hybrid processes. <i>Water Research</i> , 2009 , 43, 3984-91	12.5	95
11	Distribution of Nitrogen Ions Generated in the Electrochemical Oxidation of Nitrogen Containing Organic Compounds. <i>Portugaliae Electrochimica Acta</i> , 2009 , 27, 203-213	2.4	3

10	Ultrasonic treatment of water contaminated with ibuprofen. <i>Water Research</i> , 2008 , 42, 4243-8	12.5	218
9	Gliding Arc Discharge (GAD) assisted catalytic degradation of bisphenol A in solution with ferrous ions. <i>Separation and Purification Technology</i> , 2008 , 63, 30-37	8.3	47
8	Sequential helio-photo-Fenton and sonication processes for the treatment of bisphenol A. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2008 , 199, 197-203	4.7	42
7	Influence of TiO ₂ concentration on the synergistic effect between photocatalysis and high-frequency ultrasound for organic pollutant mineralization in water. <i>Applied Catalysis B: Environmental</i> , 2008 , 80, 168-175	21.8	115
6	Bacterial inactivation and organic oxidation via immobilized photo-Fenton reagent on structured silica surfaces. <i>Applied Catalysis B: Environmental</i> , 2008 , 84, 577-583	21.8	33
5	Ultrasonic cavitation applied to the treatment of bisphenol A. Effect of sonochemical parameters and analysis of BPA by-products. <i>Ultrasonics Sonochemistry</i> , 2008 , 15, 605-611	8.9	202
4	Bisphenol A mineralization by integrated ultrasound-UV-iron (II) treatment. <i>Environmental Science & Technology</i> , 2007 , 41, 297-302	10.3	163
3	A comparative study of ultrasonic cavitation and Fenton's reagent for bisphenol A degradation in deionised and natural waters. <i>Journal of Hazardous Materials</i> , 2007 , 146, 546-51	12.8	139
2	Electrochemical degradation of p-substituted phenols of industrial interest on Pt electrodes. Attempt of a structure-reactivity relationship assessment. <i>Chemosphere</i> , 2003 , 50, 97-104	8.4	124
1	Electrochemical treatment of industrial wastewater containing 5-amino-6-methyl-2-benzimidazolone: toward an electrochemical-biological coupling. <i>Water Research</i> , 2003 , 37, 3118-24	12.5	71