

# Kyung Chul Oh

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9376106/kyung-chul-oh-publications-by-citations.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38

papers

159

citations

8

h-index

11

g-index

42

ext. papers

269

ext. citations

2.6

avg, IF

3.77

L-index

#	Paper	IF	Citations
38	Effects of Scanning Strategy and Scanner Type on the Accuracy of Intraoral Scans: A New Approach for Assessing the Accuracy of Scanned Data. <i>Journal of Prosthodontics</i> , <b>2020</b> , 29, 518-523	3.9	28
37	Assessment of metal sleeve-free 3D-printed implant surgical guides. <i>Dental Materials</i> , <b>2019</b> , 35, 468-476	5.7	17
36	Evaluation of the fit of zirconia copings fabricated by direct and indirect digital scanning procedures. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 120, 225-231	4	14
35	Integration of intraoral digital scans with a 3D facial scan for anterior tooth rehabilitation. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 394-397	4	14
34	Tissue surface adaptation of CAD-CAM maxillary and mandibular complete denture bases manufactured by digital light processing: A clinical study. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 682-689	4.89	13
33	Effects of ultraviolet treatment and alendronate immersion on osteoblast-like cells and human gingival fibroblasts cultured on titanium surfaces. <i>Scientific Reports</i> , <b>2019</b> , 9, 2581	4.9	11
32	Digital workflow to provide an immediate interim restoration after single-implant placement by using a surgical guide and a matrix-positioning device. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 17-21	4	9
31	Accuracy of Three Digitization Methods for the Dental Arch with Various Tooth Preparation Designs: An In Vitro Study. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, 195-201	3.9	9
30	Treatment of a mandibular discontinuity defect by using a fibula free flap and an implant-supported fixed complete denture fabricated with a PEKK framework: A clinical report. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 1021-1024	4	7
29	Evaluation of Zirconia Surfaces after Strong-Acid Etching and Its Effects on the Shear Bond Strength of Dental Resin Cement. <i>International Journal of Dentistry</i> , <b>2019</b> , 2019, 3564275	1.9	7
28	In Vitro Comparison between Metal Sleeve-Free and Metal Sleeve-Incorporated 3D-Printed Computer-Assisted Implant Surgical Guides. <i>Materials</i> , <b>2021</b> , 14,	3.5	4
27	Effects of Alendronate on Bone Remodeling Around Osseointegrated Implants in Rats. <i>Implant Dentistry</i> , <b>2017</b> , 26, 46-53	2.4	3
26	Combining digital photography with cylinder-type magnets to record the screw access hole in a cement-retained implant prosthesis. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 643-4	4	3
25	Effects of photofunctionalization on early osseointegration of titanium dental implants in the maxillary posterior region: a randomized double-blinded clinical trial. <i>International Journal of Implant Dentistry</i> , <b>2021</b> , 7, 37	2.8	3
24	Two-visit placement of immediate dentures with the aid of digital technologies. <i>Journal of the American Dental Association</i> , <b>2019</b> , 150, 618-623	1.9	2
23	Accuracy of Customized Prefabricated Screw-Type Immediate Provisional Restorations after Single-Implant Placement. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	2
22	Digital preparation-evaluation tool. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 816-817	4	2

21	Fabrication of a removable partial denture combining conventional and digital techniques. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 588-591	4	2
20	Esthetic Rehabilitation of Maxillary Anterior Teeth, Including an Immediate Provisionalization with an Implant-Supported Fixed Dental Prosthesis. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	1
19	Fabrication of immediate complete denture using Campagna tray technique. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2017</b> , 55, 331	0.2	1
18	Accuracy of metal 3D printed frameworks for removable partial dentures evaluated by digital superimposition.. <i>Dental Materials</i> , <b>2021</b> , 38, 309-309	5.7	1
17	A Review of the Digital Impression Taking Technique of Implants by Using a Coded Healing Abutment. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2017</b> , 21, 128-136	0.3	1
16	Use of Model-Free and Zero-Setup ComputerGuided Implant Surgical Template for Partial Edentulous Cases. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2019</b> , 23, 220-228	0.3	1
15	Digital Workflow to Fabricate Complete Dentures for Edentulous Patients Using a Reversing and Superimposing Technique. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 5786	2.6	1
14	Rehabilitation with implant-supported fixed dental prostheses using digital duplication technique on customized artificial tooth, interim denture and implant surgical template: A case report. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2019</b> , 57, 397	0.2	1
13	Accuracy of impression-making methods in edentulous arches: An in vitro study encompassing conventional and digital methods. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> ,	4	1
12	Improvement of Osseointegration by Ultraviolet and/or Simvastatin Treatment on Titanium Implants with or without Bone Graft Materials. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
11	Influence of shoulder coverage difference of abutment on stress distribution and screw stability in tissue-level internal connection implants: A finite element analysis and in vitro study. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 682.e1-682.e10	4	0
10	A case of digital maxillary complete denture and mandibular implant overdenture fabricated by CAD-CAM technique. <i>The Journal of Korean Academy of Prosthodontics</i> , <b>2021</b> , 59, 442	0.2	
9	Maxillary Implant-supported Hybrid Prosthesis Fabricated using a Polyetherketoneketone Framework: A Case Report. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2020</b> , 24, 40-50	0.3	
8	A Review of the Digital Impression Taking Technique of Implants by Using a Coded Healing Abutment A Review of the Digital Impression Taking Technique of Implants by Using a Coded Healing Abutment. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2017</b> , 21, 128-136	0.3	
7	Placement of a Retro-fitted Single Crown Restoration Under an Existing Denture by Employing Digital Technology: A Case Report. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2018</b> , 22, 100-105	0.3	
6	Use of an Extraoral Transfer Jig and a Handheld Face Scanner App for Integrating Face Scan Data into Prosthesis Design. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2019</b> , 23, 106-110	0.3	
5	Integration of Intraoral Scanner-based Mandibular Movement Data for An Anterior Single-implant Restoration. <i>The Korean Academy of Oral and Maxillofacial Implantology</i> , <b>2020</b> , 24, 212-218	0.3	
4	Denture-reversing technique for assessing the soft tissue dimensional changes according to artificial tooth position in completely edentulous patients. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 157-160	4	

- 3 Full-mouth rehabilitation with implant-supported fixed dental prostheses for the edentulous maxilla and partially edentulous mandible: A case report. *The Journal of Korean Academy of Prosthodontics*, **2019**, 57, 374 0.2
- 2 Comparative evaluation of two sets of complete dentures fabricated by digital and conventional workflow in a single patient: A case report. *The Journal of Korean Academy of Prosthodontics*, **2021**, 59, 350 0.2
- 1 Accuracy of Additively Manufactured Dental Casts Compared with That of Virtual Scan Data Obtained with an Intraoral Scanner: An In Vitro Study. *Applied Sciences (Switzerland)*, **2022**, 12, 4348 2.6