

Alejandro Garrido-Maestu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9377801/publications.pdf>

Version: 2024-02-01

76
papers

2,079
citations

236612

25
h-index

253896

43
g-index

77
all docs

77
docs citations

77
times ranked

2467
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a Panfungal Recombinase Polymerase Amplification (RPA) Method Coupled with Lateral Flow Strips for the Detection of Spoilage Fungi. <i>Food Analytical Methods</i> , 2023, 16, 997-1006.	1.3	4
2	Combination of Recombinase Polymerase Amplification with SYBR Green I for naked-eye, same-day detection of <i>Escherichia coli</i> O157:H7 in ground meat. <i>Food Control</i> , 2022, 132, 108494.	2.8	7
3	Next-day detection of viable <i>Listeria monocytogenes</i> by multiplex reverse transcriptase real-time PCR. <i>Food Control</i> , 2022, 133, 108593.	2.8	7
4	Short pre-enrichment and modified matrix lysis. A comparative study towards same-day detection of <i>Listeria monocytogenes</i> . <i>LWT - Food Science and Technology</i> , 2022, 154, 112900.	2.5	3
5	Development and evaluation of a real-time fluorescence, and naked-eye colorimetric, loop-mediated isothermal amplification-based method for the rapid detection of spoilage fungi in fruit preparations. <i>Food Control</i> , 2022, 135, 108784.	2.8	4
6	Development of a real-time PCR assay with an internal amplification control for the detection of spoilage fungi in fruit preparations. <i>Food Control</i> , 2022, 135, 108783.	2.8	1
7	An Evaluation of the Pathogenic Potential, and the Antimicrobial Resistance, of <i>Salmonella</i> Strains Isolated from Mussels. <i>Microorganisms</i> , 2022, 10, 126.	1.6	4
8	Naked-eye detection strategies coupled with isothermal nucleic acid amplification techniques for the detection of human pathogens. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2022, 21, 1913-1939.	5.9	23
9	Rapid Same-Day Detection of <i>Listeria monocytogenes</i> , <i>Salmonella</i> spp., and <i>Escherichia coli</i> O157 by Colorimetric LAMP in Dairy Products. <i>Food Analytical Methods</i> , 2022, 15, 2959-2971.	1.3	7
10	Single-use microfluidic device for purification and concentration of environmental DNA from river water. <i>Talanta</i> , 2021, 226, 122109.	2.9	6
11	Optimization and Clinical Evaluation of a Multi-Target Loop-Mediated Isothermal Amplification Assay for the Detection of SARS-CoV-2 in Nasopharyngeal Samples. <i>Viruses</i> , 2021, 13, 940.	1.5	8
12	Faster monitoring of the invasive alien species (IAS) <i>Dreissena polymorpha</i> in river basins through isothermal amplification. <i>Scientific Reports</i> , 2021, 11, 10175.	1.6	10
13	Loop-mediated isothermal amplification combined with immunomagnetic separation and propidium monoazide for the specific detection of viable <i>Listeria monocytogenes</i> in milk products, with an internal amplification control. <i>Food Control</i> , 2021, 125, 107975.	2.8	13
14	Detection, molecular characterization, and antimicrobial susceptibility, of <i>Campylobacter</i> spp. isolated from shellfish. <i>Microbial Risk Analysis</i> , 2021, 18, 100176.	1.3	4
15	Evaluation of simple sequence repeats (SSR) and single nucleotide polymorphism (SNP)-based methods in olive varieties from the Northwest of Spain and potential for miniaturization. <i>Food Chemistry Molecular Sciences</i> , 2021, 3, 100038.	0.9	4
16	Semi-industrial development of nutritious and healthy seafood dishes from sustainable species. <i>Food and Chemical Toxicology</i> , 2021, 155, 112431.	1.8	3
17	Suitability of the MinION long read sequencer for semi-targeted detection of foodborne pathogens. <i>Analytica Chimica Acta</i> , 2021, 1184, 339051.	2.6	8
18	Optimized sample treatment, combined with real-time PCR, for same-day detection of <i>E. coli</i> O157 in ground beef and leafy greens. <i>Food Control</i> , 2020, 108, 106790.	2.8	18

#	ARTICLE	IF	CITATIONS
19	Green synthesis of lignin nano- and micro-particles: Physicochemical characterization, bioactive properties and cytotoxicity assessment. <i>International Journal of Biological Macromolecules</i> , 2020, 163, 1798-1809.	3.6	46
20	Application of Short Pre-enrichment, and Double Chemistry Real-Time PCR, Combining Fluorescent Probes and an Intercalating Dye, for Same-Day Detection and Confirmation of <i>Salmonella</i> spp. and <i>Escherichia coli</i> O157 in Ground Beef and Chicken Samples. <i>Frontiers in Microbiology</i> , 2020, 11, 591041.	1.5	8
21	Multiplex Detection of <i>Salmonella</i> spp., <i>E. coli</i> O157 and <i>L. monocytogenes</i> by qPCR Melt Curve Analysis in Spiked Infant Formula. <i>Microorganisms</i> , 2020, 8, 1359.	1.6	15
22	Application of Recombinase Polymerase Amplification with Lateral Flow for a Naked-Eye Detection of <i>Listeria monocytogenes</i> on Food Processing Surfaces. <i>Foods</i> , 2020, 9, 1249.	1.9	13
23	Detoxification of paralytic shellfish poisoning toxins in naturally contaminated mussels, clams and scallops by an industrial procedure. <i>Food and Chemical Toxicology</i> , 2020, 141, 111386.	1.8	8
24	Comparative study of multiplex real-time recombinase polymerase amplification and ISO 11290-1 methods for the detection of <i>Listeria monocytogenes</i> in dairy products. <i>Food Microbiology</i> , 2020, 92, 103570.	2.1	15
25	Profiling DNA mutation patterns by SERS fingerprinting for supervised cancer classification. <i>Biosensors and Bioelectronics</i> , 2020, 165, 112392.	5.3	32
26	A smart microfluidic platform for rapid multiplexed detection of foodborne pathogens. <i>Food Control</i> , 2020, 114, 107242.	2.8	20
27	Evaluation and implementation of commercial antibodies for improved nanoparticle-based immunomagnetic separation and real-time PCR for faster detection of <i>Listeria monocytogenes</i> . <i>Journal of Food Science and Technology</i> , 2020, 57, 4143-4151.	1.4	5
28	Multifunctional Gold Nanoparticles for the SERS Detection of Pathogens Combined with a LAMP- <i>in situ</i> Microdroplets Approach. <i>Materials</i> , 2020, 13, 1934.	1.3	28
29	Occurrence of Tetrodotoxin in Bivalves and Gastropods from Harvesting Areas and Other Natural Spaces in Spain. <i>Toxins</i> , 2019, 11, 331.	1.5	11
30	Combination of Immunomagnetic Separation and Real-Time Recombinase Polymerase Amplification (IMS-qRPA) for Specific Detection of <i>Listeria monocytogenes</i> in Smoked Salmon Samples. <i>Journal of Food Science</i> , 2019, 84, 1881-1887.	1.5	33
31	Gold Nanostars for the Detection of Foodborne Pathogens via Surface-Enhanced Raman Scattering Combined with Microfluidics. <i>ACS Applied Nano Materials</i> , 2019, 2, 6081-6086.	2.4	47
32	Amplification-free SERS analysis of DNA mutation in cancer cells with single-base sensitivity. <i>Nanoscale</i> , 2019, 11, 7781-7789.	2.8	37
33	Specific detection of viable <i>Salmonella</i> Enteritidis by phage amplification combined with qPCR (PAA-qPCR) in spiked chicken meat samples. <i>Food Control</i> , 2019, 99, 79-83.	2.8	31
34	Study of ceramic membrane behavior for okadaic acid and heavy-metal determination in filtered seawater. <i>Journal of Environmental Management</i> , 2019, 232, 564-573.	3.8	5
35	The Use of Multiplex Real-Time PCR for the Simultaneous Detection of Foodborne Bacterial Pathogens. <i>Methods in Molecular Biology</i> , 2019, 1918, 35-45.	0.4	8
36	Rapid and sensitive detection of viable <i>Listeria monocytogenes</i> in food products by a filtration-based protocol and qPCR. <i>Food Microbiology</i> , 2018, 73, 254-263.	2.1	60

#	ARTICLE	IF	CITATIONS
37	Novel approach for accurate minute DNA quantification on microvolumetric solutions. <i>Microchemical Journal</i> , 2018, 138, 540-549.	2.3	8
38	Highly efficient DNA extraction and purification from olive oil on a washable and reusable miniaturized device. <i>Analytica Chimica Acta</i> , 2018, 1020, 30-40.	2.6	18
39	Application of real-time PCR for early diagnosis of diseases caused by <i>Aeromonas salmonicida</i> , <i>Vibrio anguillarum</i> , and <i>Tenacibaculum maritimum</i> in turbot: A field study. <i>Journal of Applied Aquaculture</i> , 2018, 30, 76-89.	0.7	10
40	Development and evaluation of loop-mediated isothermal amplification, and Recombinase Polymerase Amplification methodologies, for the detection of <i>Listeria monocytogenes</i> in ready-to-eat food samples. <i>Food Control</i> , 2018, 86, 27-34.	2.8	34
41	Highly sensitive detection of gluten-containing cereals in food samples by real-time Loop-mediated isothermal AMPlification (qLAMP) and real-time polymerase chain reaction (qPCR). <i>Food Chemistry</i> , 2018, 246, 156-163.	4.2	24
42	Comprehensive in vitro and in vivo risk assessments of chitosan microparticles using human epithelial cells and <i>Caenorhabditis elegans</i> . <i>Journal of Hazardous Materials</i> , 2018, 341, 248-256.	6.5	25
43	Data on minute DNA quantification on microvolumetric solutions: comparison of mathematical models and effect of some compounds on the DNA quantification accuracy. <i>Data in Brief</i> , 2018, 21, 424-431.	0.5	0
44	Active bi-layer cellulose-based films: development and characterization. <i>Cellulose</i> , 2018, 25, 6361-6375.	2.4	18
45	Evaluation of Different Genetic Targets for <i>Salmonella enterica</i> Serovar Enteritidis and Typhimurium, Using Loop-Mediated Isothermal AMPlification for Detection in Food Samples. <i>Frontiers in Sustainable Food Systems</i> , 2018, 2, .	1.8	14
46	Development of a multiplex real-time PCR method for early diagnosis of three bacterial diseases in fish: A real-case study in trout aquaculture. <i>Aquaculture</i> , 2018, 496, 255-261.	1.7	10
47	Engineering of chitosan-derived nanoparticles to enhance antimicrobial activity against foodborne pathogen <i>Escherichia coli</i> O157:H7. <i>Carbohydrate Polymers</i> , 2018, 197, 623-630.	5.1	52
48	Systematic loop-mediated isothermal amplification assays for rapid detection and characterization of <i>Salmonella</i> spp., Enteritidis and Typhimurium in food samples. <i>Food Control</i> , 2017, 80, 297-306.	2.8	37
49	Application, mode of action, and in vivo activity of chitosan and its micro- and nanoparticles as antimicrobial agents: A review. <i>Carbohydrate Polymers</i> , 2017, 176, 257-265.	5.1	299
50	Investigation and characterization of Shiga toxin-producing <i>Escherichia coli</i> present in mussels from harvesting areas in Galician southern Rias (NW Spain). <i>Journal of Food Safety</i> , 2017, 37, e12367.	1.1	3
51	Combination of Microfluidic Loop-Mediated Isothermal Amplification with Gold Nanoparticles for Rapid Detection of <i>Salmonella</i> spp. in Food Samples. <i>Frontiers in Microbiology</i> , 2017, 8, 2159.	1.5	48
52	Presence of pathogenic <i>Vibrio</i> species in fresh mussels harvested in the southern Rias of Galicia (NW Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.8	17
53	Tetrodotoxin, an Extremely Potent Marine Neurotoxin: Distribution, Toxicity, Origin and Therapeutical Uses. <i>Marine Drugs</i> , 2015, 13, 6384-6406.	2.2	179
54	Detection of foodborne pathogens by qPCR: A practical approach for food industry applications. <i>Cogent Food and Agriculture</i> , 2015, 1, 1013771.	0.6	37

#	ARTICLE	IF	CITATIONS
55	Re-evaluation of Enhanced qPCR Prevalidated Method for Next-day Detection of <i>Salmonella</i> spp., <i>Shigella</i> spp., <i>Escherichia coli</i> O157 and <i>Listeria monocytogenes</i> . Food Biotechnology, 2015, 29, 317-335.	0.6	18
56	Occurrence of Lipophilic Marine Toxins in Shellfish from Galicia (NW of Spain) and Synergies among Them. Marine Drugs, 2015, 13, 1666-1687.	2.2	20
57	Development, and complete evaluation, of a novel Most-Probable-Number (MPN) qPCR method for accurate and express quantification of <i>Listeria monocytogenes</i> in foodstuffs. European Food Research and Technology, 2015, 241, 697-706.	1.6	3
58	lolB gene, a valid alternative for qPCR detection of <i>Vibrio cholerae</i> in food and environmental samples. Food Microbiology, 2015, 46, 535-540.	2.1	16
59	Application of a novel pathogenicity marker in a multiplex real-time PCR method to assess total and pathogenic <i>Vibrio vulnificus</i> in food and environmental samples. Food Control, 2014, 35, 274-283.	2.8	6
60	Microbiological Quality of Ready-to-Eat Pickled Fish Products. Journal of Aquatic Food Product Technology, 2014, 23, 498-510.	0.6	6
61	In-house validation of novel multiplex real-time PCR gene combination for the simultaneous detection of the main human pathogenic vibrios (<i>Vibrio cholerae</i> , <i>Vibrio parahaemolyticus</i> , and <i>Vibrio</i>) Tj ETQq1 1 0.784314 mgBT /Overlook 10 TFS	2.8	6
62	Application of real-time PCR to detect <i>Listeria monocytogenes</i> in a mussel processing industry: Impact on control. Food Control, 2014, 46, 319-323.	2.8	13
63	Bacteria isolated from shellfish digestive gland with antipathogenic activity as candidates to increase the efficiency of shellfish depuration process. Food Control, 2014, 46, 272-281.	2.8	15
64	A new multiplex real-time PCR developed method for <i>Salmonella</i> spp. and <i>Listeria monocytogenes</i> detection in food and environmental samples. Food Control, 2013, 30, 76-85.	2.8	92
65	In Vitro Approaches To Evaluate Toxicity Induced by Organotin Compounds Tributyltin (TBT), Dibutyltin (DBT), and Monobutyltin (MBT) in Neuroblastoma Cells. Journal of Agricultural and Food Chemistry, 2013, 61, 4195-4203.	2.4	30
66	In-house validation of a multiplex real-time PCR method for simultaneous detection of <i>Salmonella</i> spp., <i>Escherichia coli</i> O157 and <i>Listeria monocytogenes</i> . International Journal of Food Microbiology, 2013, 164, 92-98.	2.1	51
67	Development of a multiplex real-time PCR method for pathogenic <i>Vibrio parahaemolyticus</i> detection (tdh+ and trh+). Food Control, 2012, 24, 128-135.	2.8	42
68	Development of a multiplex real-time PCR method for simultaneous detection of <i>Salmonella enterica</i> , <i>Shigella flexneri</i> and <i>Listeria monocytogenes</i> in processed food samples. European Food Research and Technology, 2012, 234, 571-580.	1.6	29
69	Cytotoxic activity of extracts of marine sponges from NW Spain on a neuroblastoma cell line. Environmental Toxicology and Pharmacology, 2011, 32, 430-437.	2.0	15
70	Comparison between a TaqMan Polymerase Chain Reaction Assay and a Culture Method for <i>ctx</i> -Positive <i>Vibrio cholerae</i> Detection. Journal of Agricultural and Food Chemistry, 2010, 58, 4051-4055.	2.4	21
71	Decrease of marine toxin content in bivalves by industrial processes. Toxicon, 2010, 55, 235-243.	0.8	39
72	Migration of BADGE (bisphenol A diglycidyl-ether) and BFDGE (bisphenol F diglycidyl-ether) in canned seafood. Food and Chemical Toxicology, 2008, 46, 1674-1680.	1.8	64

#	ARTICLE	IF	CITATIONS
73	Cytotoxic effects of BADGE (bisphenol A diglycidyl ether) and BFDGE (bisphenol F diglycidyl ether) on Caco-2 cells in vitro. Archives of Toxicology, 2006, 80, 748-755.	1.9	50
74	Effect of okadaic acid on integrins and structural proteins in BE(2)-M17 cells. Archives of Toxicology, 2005, 79, 582-586.	1.9	9
75	Collapse of mitochondrial membrane potential and caspases activation are early events in okadaic acid-treated Caco-2 cells. Toxicon, 2005, 46, 579-586.	0.8	47
76	Characterization of F-actin depolymerization as a major toxic event induced by pectenotoxin-6 in neuroblastoma cells. Biochemical Pharmacology, 2002, 63, 1979-1988.	2.0	74