## Elise Belaidi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9378463/publications.pdf Version: 2024-02-01



FLISE RELAIDI

#	Article	IF	CITATIONS
1	Depressing Mitochondria-Reticulum Interactions Protects Cardiomyocytes From Lethal Hypoxia-Reoxygenation Injury. Circulation, 2013, 128, 1555-1565.	1.6	206
2	ER stress inhibits neuronal death by promoting autophagy. Autophagy, 2012, 8, 915-926.	9.1	194
3	Major Role for Hypoxia Inducible Factor-1 and the Endothelin System in Promoting Myocardial Infarction and Hypertension in an Animal Model of Obstructive Sleep Apnea. Journal of the American College of Cardiology, 2009, 53, 1309-1317.	2.8	153
4	Disruption of calcium transfer from ER to mitochondria links alterations of mitochondria-associated ER membrane integrity to hepatic insulin resistance. Diabetologia, 2016, 59, 614-623.	6.3	114
5	Obstructive sleep apnoea and cardiovascular consequences: Pathophysiological mechanisms. Archives of Cardiovascular Diseases, 2020, 113, 350-358.	1.6	103
6	Targeting the ROS-HIF-1-endothelin axis as a therapeutic approach for the treatment of obstructive sleep apnea-related cardiovascular complications. , 2016, 168, 1-11.		79
7	Chronic Intermittent Hypoxia Impairs Insulin Sensitivity but Improves Whole-Body Glucose Tolerance by Activating Skeletal Muscle AMPK. Diabetes, 2017, 66, 2942-2951.	0.6	60
8	Prevention of HIF-1 activation and iNOS gene targeting by low-dose cadmium results in loss of myocardial hypoxic preconditioning in the rat. American Journal of Physiology - Heart and Circulatory Physiology, 2008, 294, H901-H908.	3.2	58
9	Intermittent hypoxia-induced delayed cardioprotection is mediated by PKC and triggered by p38 MAP kinase and Erk1/2. Journal of Molecular and Cellular Cardiology, 2007, 42, 343-351.	1.9	55
10	Endoplasmic reticulum stress as a novel inducer of hypoxia inducible factor-1 activity: its role in the susceptibility to myocardial ischemiaâ€reperfusion induced by chronic intermittent hypoxia. International Journal of Cardiology, 2016, 210, 45-53.	1.7	48
11	High-intensity training reduces intermittent hypoxia-induced ER stress and myocardial infarct size. American Journal of Physiology - Heart and Circulatory Physiology, 2016, 310, H279-H289.	3.2	45
12	Endothelin-1 mediates intermittent hypoxia-induced inflammatory vascular remodeling through HIF-1 activation. Journal of Applied Physiology, 2016, 120, 437-443.	2.5	40
13	Cyclosporine A normalizes mitochondrial coupling, reactive oxygen species production, and inflammation and partially restores skeletal muscle maximal oxidative capacity in experimental aortic cross-clamping. Journal of Vascular Surgery, 2013, 57, 1100-1108.e2.	1.1	37
14	Exercise does not activate the β3 adrenergic receptor–eNOS pathway, but reduces inducible NOS expression to protect the heart of obese diabetic mice. Basic Research in Cardiology, 2016, 111, 40.	5.9	36
15	Early pharmacological preconditioning by erythropoietin mediated by inducible NOS and mitochondrial ATP-dependent potassium channels in the rat heart. Fundamental and Clinical Pharmacology, 2006, 20, 51-56.	1.9	30
16	Hypoxia-inducible factor prolyl hydroxylase 1 (PHD1) deficiency promotes hepatic steatosis and liver-specific insulin resistance in mice. Scientific Reports, 2016, 6, 24618.	3.3	28
17	Hypoxic Exercise Training to Improve Exercise Capacity in Obese Individuals. Medicine and Science in Sports and Exercise, 2020, 52, 1641-1649.	0.4	28
18	Ubiquitous protective effects of cyclosporine A in preventing cardiac arrest-induced multiple organ failure. Journal of Applied Physiology, 2014, 117, 930-936.	2.5	26

Elise Belaidi

#	Article	IF	CITATIONS
19	Cardioprotective Effect of VEGF and Venom VEGF-like Protein in Acute Myocardial Ischemia in Mice. Journal of Cardiovascular Pharmacology, 2014, 63, 274-281.	1.9	22
20	Curcumin prevents chronic intermittent hypoxia-induced myocardial injury. Therapeutic Advances in Chronic Disease, 2020, 11, 204062232092210.	2.5	22
21	Lebetin 2, a Snake Venom-Derived Natriuretic Peptide, Attenuates Acute Myocardial Ischemic Injury through the Modulation of Mitochondrial Permeability Transition Pore at the Time of Reperfusion. PLoS ONE, 2016, 11, e0162632.	2.5	21
22	Activin-A limits Th17 pathogenicity and autoimmune neuroinflammation via CD39 and CD73 ectonucleotidases and Hif1-α–dependent pathways. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 12269-12280.	7.1	21
23	Intermittent hypoxia-related alterations in vascular structure and function: a systematic review and meta-analysis of rodent data. European Respiratory Journal, 2022, 59, 2100866.	6.7	21
24	Endoplasmic reticulum stress contributes to heart protection induced by cyclophilin D inhibition. Basic Research in Cardiology, 2013, 108, 363.	5.9	20
25	Cooperation Between Hypoxia-Inducible Factor 1α and Activating Transcription Factor 4 in Sleep Apnea–Mediated Myocardial Injury. Canadian Journal of Cardiology, 2020, 36, 936-940.	1.7	20
26	Delayed myocardial preconditioning induced by cobalt chloride in the rat: HIFâ€1α and iNOS involvement. Fundamental and Clinical Pharmacology, 2012, 26, 454-462.	1.9	19
27	Cardiac consequences of intermittent hypoxia: a matter of dose? A systematic review and meta-analysis in rodents. European Respiratory Review, 2022, 31, 210269.	7.1	18
28	Intermittent Hypoxia Triggers Early Cardiac Remodeling and Contractile Dysfunction in the Timeâ€Course of Ischemic Cardiomyopathy in Rats. Journal of the American Heart Association, 2020, 9, e016369.	3.7	17
29	Cysteinyl-leukotriene pathway as a new therapeutic target for the treatment of atherosclerosis related to obstructive sleep apnea syndrome. Pharmacological Research, 2018, 134, 311-319.	7.1	14
30	Lebetin 2, a Snake Venom-Derived B-Type Natriuretic Peptide, Provides Immediate and Prolonged Protection against Myocardial Ischemia-Reperfusion Injury via Modulation of Post-Ischemic Inflammatory Response. Toxins, 2019, 11, 524.	3.4	12
31	Effects of acute nitric oxide precursor intake on peripheral and central fatigue during knee extensions in healthy men. Experimental Physiology, 2019, 104, 1100-1114.	2.0	10
32	Cardiovascular and metabolic responses to passive hypoxic conditioning in overweight and mildly obese individuals. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2020, 319, R211-R222.	1.8	10
33	Impact of obstructive sleep apnea and intermittent hypoxia on blood rheology – a translational study. European Respiratory Journal, 2021, 58, 2100352.	6.7	10
34	Tissue kallikrein is required for the cardioprotective effect of Cyclosporin A in myocardial ischemia in the mouse. Biochemical Pharmacology, 2015, 94, 22-29.	4.4	8
35	Intermittent Hypoxia Mediates Caveolae Disassembly That Parallels Insulin Resistance Development. Frontiers in Physiology, 2020, 11, 565486.	2.8	5
36	Intermittent Hypoxia Rewires the Liver Transcriptome and Fires up Fatty Acids Usage for Mitochondrial Respiration. Frontiers in Medicine, 2022, 9, 829979.	2.6	5

Elise Belaidi

#	Article	IF	CITATIONS
37	Shortâ€ŧerm intermittent hypoxia induces simultaneous systemic insulin resistance and higher cardiac contractility in lean mice. Physiological Reports, 2021, 9, e14738.	1.7	4
38	Hypoxic training to improve exercise capacity in obesity: a randomized controlled trial. , 2020, , .		1
39	Physiological responses to passive hypoxic conditioning in obesity: a randomized controlled trial. , 2020, , .		0
40	Impact of cardiac sympathetic denervation on IH-induced ischemic cardiomyopathy aggravation. , 2020, , ,		0