## Maria Zetterling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9379198/publications.pdf

Version: 2024-02-01

759233 752698 22 492 12 20 h-index citations g-index papers 23 23 23 801 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Survey on current cognitive practices within the European Low-Grade Glioma Network: towards a European assessment protocol. Acta Neurochirurgica, 2017, 159, 1167-1178.	1.7	80
2	Agonistic CD40 therapy induces tertiary lymphoid structures but impairs responses to checkpoint blockade in glioma. Nature Communications, 2021, 12, 4127.	12.8	59
3	Extension of diffuse low-grade gliomas beyond radiological borders as shown by the coregistration of histopathological and magnetic resonance imaging data. Journal of Neurosurgery, 2016, 125, 1155-1166.	1.6	58
4	Diffusion kurtosis imaging of gliomas grades II and III - a study of perilesional tumor infiltration, tumor grades and subtypes at clinical presentation. Radiology and Oncology, 2017, 51, 121-129.	1.7	37
5	High Intraoperative Blood Loss May Be a Risk Factor for Postoperative Hematoma. Journal of Neurosurgical Anesthesiology, 2004, 16, 151-155.	1.2	32
6	Relation between brain interstitial and systemic glucose concentrations after subarachnoid hemorrhage. Journal of Neurosurgery, 2011, 115, 66-74.	1.6	32
7	Region-by-region analysis of PET, MRI, and histology in en bloc-resected oligodendrogliomas reveals intra-tumoral heterogeneity. European Journal of Nuclear Medicine and Molecular Imaging, 2019, 46, 569-579.	6.4	26
8	Somatotropic and thyroid hormones in the acute phase of subarachnoid haemorrhage. Acta Neurochirurgica, 2013, 155, 2053-2062.	1.7	25
9	Time course of neurological deficits after surgery for primary brain tumours. Acta Neurochirurgica, 2020, 162, 3005-3018.	1.7	24
10	Early global brain oedema in relation to clinical admission parameters and outcome in patients with aneurysmal subarachnoid haemorrhage. Acta Neurochirurgica, 2010, 152, 1527-1533.	1.7	23
11	Neurological Impairment Linked with Cortico-Subcortical Infiltration of Diffuse Low-Grade Gliomas at Initial Diagnosis Supports Early Brain Plasticity. Frontiers in Neurology, 2015, 6, 137.	2.4	22
12	New Insights Into the Anatomy, Connectivity and Clinical Implications of the Middle Longitudinal Fasciculus. Frontiers in Neuroanatomy, 2020, 14, 610324.	1.7	18
13	Prognostic markers for survival in patients with oligodendroglial tumors; a single-institution review of 214 cases. PLoS ONE, 2017, 12, e0188419.	2.5	11
14	Continuous EEG monitoring after brain tumor surgery. Acta Neurochirurgica, 2019, 161, 1835-1843.	1.7	10
15	Differences in the preferential location and invasiveness of diffuse lowâ€grade gliomas and their impact on outcome. Cancer Medicine, 2020, 9, 5446-5458.	2.8	10
16	Role of Preoperative Assessment in Predicting Tumor-Induced Plasticity in Patients with Diffuse Gliomas. Journal of Clinical Medicine, 2021, 10, 1108.	2.4	9
17	Preoperative Quantitative MR Tractography Compared with Visual Tract Evaluation in Patients with Neuropathologically Confirmed Cliomas Grades II and III: A Prospective Cohort Study. Radiology Research and Practice, 2016, 2016, 1-15.	1.3	6
18	Variations in the Management of Diffuse Low-Grade Gliomas – a Scandinavian Multicenter Study. Neuro-Oncology Practice, 2021, 8, 706-717.	1.6	4

#	Article	IF	CITATIONS
19	Patient-reported quality of life in grade 2 and 3 gliomas after surgery, can we do more?. Clinical Neurology and Neurosurgery, 2022, 214, 107175.	1.4	4
20	Ecstatic and gelastic seizures relate to the hypothalamus. Epilepsy and Behavior Reports, 2020, 14, 100358.	1.0	2
21	Regarding "Somatotropic and thyroid hormones in the acute phase of subarachnoid hemorrhage― Acta Neurochirurgica, 2014, 156, 977-977.	1.7	O
22	Ecstatic and gelastic seizures related to the hypothalamus. Epilepsy and Behavior Reports, 2020, 16, 100400.	1.0	0