

Kyoko Takahashi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9380156/publications.pdf>

Version: 2024-02-01

21
papers

92
citations

1684188

5
h-index

1474206

9
g-index

21
all docs

21
docs citations

21
times ranked

124
citing authors

#	ARTICLE	IF	CITATIONS
1	Low-Dose Oral Immunotherapy Using Low-Egg-Allergen Cookies for Severe Egg-Allergic Children Reduces Allergy Severity and Affects Allergen-Specific Antibodies in Serum. <i>International Archives of Allergy and Immunology</i> , 2018, 175, 70-76.	2.1	22
2	Diets Supplemented with 1% Egg White Induce Oral Desensitization and Immune Tolerance in an Egg White-Specific Allergic Mouse Model. <i>International Archives of Allergy and Immunology</i> , 2018, 176, 205-214.	2.1	14
3	Effectiveness and Safety of Double-Blind, Placebo-Controlled, Low-Dose Oral Immunotherapy with Low Allergen Egg-Containing Cookies for Severe Henâ€™s Egg Allergy: A Single-Center Analysis. <i>International Archives of Allergy and Immunology</i> , 2019, 180, 244-249.	2.1	14
4	Rush Oral Immunotherapy Does Not Reduce Allergic Response in Mice with Mild Allergy to Egg White Ovomucoid. <i>Journal of Nutritional Science and Vitaminology</i> , 2015, 61, 400-405.	0.6	6
5	Comparisons of Soybean and Wheat; in the Focus on the Nutritional Aspects and Acute Appetite Sensation. <i>Foods</i> , 2022, 11, 389.	4.3	6
6	Intake of okara soup for 2 weeks for breakfast improved defecation habits in young Japanese women with self-reported constipation: A randomized, double-blind, placebo-controlled, intervention study. <i>Journal of Food Science</i> , 2020, 85, 3570-3576.	3.1	4
7	Progress of Home-Based Food Allergy Treatment during the Coronavirus Disease Pandemic in Japan: A Cross-Sectional Multicenter Survey. <i>Children</i> , 2021, 8, 919.	1.5	4
8	Intake of Diet Including 1% Ovomucoid for 4 Weeks Induces Oral Desensitization in Ovomucoid-Specific Allergic Mouse Model. <i>Journal of Nutritional Science and Vitaminology</i> , 2017, 63, 104-110.	0.6	3
9	Anti-allergic Effects of a Hot Water Extract of <i>Stephania tetrandra</i> S. Moore in RBL-2H3 Cells and an Allergic Rhinitis Mouse Model. <i>Food Science and Technology Research</i> , 2017, 23, 575-582.	0.6	3
10	Stepwise oral immunotherapy for 10 days in an egg-white allergy mouse model did not ameliorate the severity of allergy but induced the production of allergen-specific IgA. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 2176-2179.	1.3	3
11	Retinoic Acid Ameliorates the Severity of Food Allergy under Allergen Exposure in a Mouse Model with Food Allergy. <i>Journal of Nutritional Science and Vitaminology</i> , 2020, 66, 375-380.	0.6	3
12	EFFECT OF A SOYBEAN PRODUCT ON SERUM LIPID LEVELS IN FEMALE UNIVERSITY STUDENTS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2004, 31, S42-S43.	1.9	2
13	Antiallergic activities of Japanese leaf burdock extract in a rat basophilic leukemia cell line. <i>Journal of Food Biochemistry</i> , 2021, 45, e13996.	2.9	2
14	Development of a predictive model for vitamin D deficiency based on the vitamin D status in young Japanese women: A study protocol. <i>PLoS ONE</i> , 2022, 17, e0264943.	2.5	2
15	Validation of a Modified Questionnaire of Interests in Healthy Eating Habit for Japanese Adolescent. <i>Journal of Nutritional Science and Vitaminology</i> , 2022, 68, 131-136.	0.6	2
16	Oral Immunotherapy Using Diet Supplemented with 0.1% Egg White Ameliorates the Severity of Allergy to an Extent Comparable to Oral Gavage Therapy. <i>Nihon Eiyô-Shokuryô-Gakkai Shi = Nippon Eiyô-Shokuryô-Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2019, 72, 3-12.	0.2	1
17	Relationship between the outcome of low-dose egg oral immunotherapy and the fold-difference levels of allergen-specific IgE and IgG4 in serum. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2021, , .	0.4	1
18	Anti-allergic Effects of the Alkaline Hydrolysis of Rapeseed Cake in a Rat Basophilic Leukemia Cell Line (RBL-2H3). <i>Food Science and Technology Research</i> , 2018, 24, 935-942.	0.6	0

#	ARTICLE	IF	CITATIONS
19	Increased corn oil intake during an allergy sensitization period aggravates food allergy severity after oral allergen exposure. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 2322-2325.	1.3	0
20	Influence of Multi-grain <i>koji</i> Supplementation on Body Fat Reduction in Rats Consuming a High Fat Diet and in 20 Young Women: A Single-blind Placebo-controlled Intervention Study in a Single Center. <i>Food Science and Technology Research</i> , 2019, 25, 435-442.	0.6	0
21	Diet supplementation with commercial enzymatically-hydrolyzed egg white peptides ameliorates the severity of allergy in a mouse model of egg white allergy. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2022, , .	0.4	0