

Jean A Tkach

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9380691/publications.pdf>

Version: 2024-02-01

92
papers

2,655
citations

172386

29
h-index

206029

48
g-index

93
all docs

93
docs citations

93
times ranked

3345
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative abdominal magnetic resonance imaging in children—special considerations. <i>Abdominal Radiology</i> , 2022, 47, 3069-3077.	1.0	3
2	Editorial for “Hepatic Iron Quantification Using a Free-Breathing 3D Radial Gradient Echo Technique and Validation with a 2D Biopsy-Calibrated R2* Relaxometry Method”. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 1417-1418.	1.9	0
3	Editorial for “Quality Control of MR Elastography Using Percent Measurable Liver Volume Estimation”. <i>Journal of Magnetic Resonance Imaging</i> , 2022, 55, 1900-1901.	1.9	1
4	Performance of C6SENSE Accelerated Rapid Liver Shear Stiffness Measurement Using Displacement Wave Polarity Inversion Motion Encoding: An Evaluation Study. <i>Journal of Magnetic Resonance Imaging</i> , 2022, .	1.9	2
5	Velocity-Encoded Phase-Contrast MRI for Measuring Mesenteric Blood Flow in Patients With Newly Diagnosed Small-Bowel Crohn Disease. <i>American Journal of Roentgenology</i> , 2022, 219, 132-141.	1.0	4
6	Patient- and Examination-Related Predictors of 3D MRCP Image Quality in Children. <i>American Journal of Roentgenology</i> , 2022, 218, 910-916.	1.0	4
7	Multiparametric quantitative renal MRI in children and young adults: comparison between healthy individuals and patients with chronic kidney disease. <i>Abdominal Radiology</i> , 2022, 47, 1840-1852.	1.0	7
8	Quantitative cardiopulmonary magnetic resonance imaging in neonatal congenital diaphragmatic hernia. <i>Pediatric Radiology</i> , 2022, 52, 2306-2318.	1.1	1
9	MRI-Based Characterization of Intestinal Motility in Children and Young Adults With Newly Diagnosed Ileal Crohn Disease Treated by Biologic Therapy: A Controlled Prospective Study. <i>American Journal of Roentgenology</i> , 2022, 219, 655-664.	1.0	3
10	Quantification of Hepatic Steatosis by Ultrasound: Prospective Comparison With MRI Proton Density Fat Fraction as Reference Standard. <i>American Journal of Roentgenology</i> , 2022, 219, 784-791.	1.0	18
11	Prenatal opioid exposure is associated with smaller brain volumes in multiple regions. <i>Pediatric Research</i> , 2021, 90, 397-402.	1.1	41
12	Fusing acceleration and saturation techniques with wave amplitude labeling of time-shifted zeniths MR elastography. <i>Magnetic Resonance in Medicine</i> , 2021, 85, 1552-1560.	1.9	1
13	Temperature-corrected proton density fat fraction estimation using chemical shift-encoded MRI in phantoms. <i>Magnetic Resonance in Medicine</i> , 2021, 86, 69-81.	1.9	11
14	Linearity and Bias of Proton Density Fat Fraction as a Quantitative Imaging Biomarker: A Multicenter, Multiplatform, Multivendor Phantom Study. <i>Radiology</i> , 2021, 298, 640-651.	3.6	39
15	Assessment of agreement between manual and automated processing of liver MR elastography for shear stiffness estimation in children and young adults with autoimmune liver disease. <i>Abdominal Radiology</i> , 2021, 46, 3927-3934.	1.0	5
16	Comparison of compressed SENSE and SENSE for quantitative liver MRI in children and young adults. <i>Abdominal Radiology</i> , 2021, 46, 4567-4575.	1.0	7
17	Utilization of 3-T fetal magnetic resonance imaging in clinical practice: a single-institution experience. <i>Pediatric Radiology</i> , 2021, 51, 1798-1808.	1.1	8
18	Neonatal body magnetic resonance imaging: preparation, performance and optimization. <i>Pediatric Radiology</i> , 2021, .	1.1	4

#	ARTICLE	IF	CITATIONS
19	Agreement Between Automated and Clinically-Reported Manual ROI-Based MR Elastography Liver Stiffness Measurements in Children and Young Adults. <i>American Journal of Roentgenology</i> , 2021, , 1-2.	1.0	2
20	Early micro- and macrostructure of sensorimotor tracts and development of cerebral palsy in high risk infants. <i>Human Brain Mapping</i> , 2021, 42, 4708-4721.	1.9	6
21	Magnetic Resonance Imaging Assessment of Pulmonary Vascularity in Infants with Congenital Diaphragmatic Hernia: A Novel Tool for Direct Assessment of Severity of Pulmonary Hypertension and Hypoplasia. <i>Journal of Pediatrics</i> , 2021, 239, 89-94.	0.9	3
22	Effects of prenatal opioid exposure on functional networks in infancy. <i>Developmental Cognitive Neuroscience</i> , 2021, 51, 100996.	1.9	18
23	Quantitative assessment of velocity and flow using compressed SENSE in children and young adults with adequate acquired temporal resolution. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2021, 23, 113.	1.6	8
24	Integrating neuroimaging biomarkers into the multicentre, high-dose erythropoietin for asphyxia and encephalopathy (HEAL) trial: rationale, protocol and harmonisation. <i>BMJ Open</i> , 2021, 11, e043852.	0.8	1
25	Neonatal Functional and Structural Connectivity Are Associated with Cerebral Palsy at Two Years of Age. <i>American Journal of Perinatology</i> , 2020, 37, 137-145.	0.6	8
26	Cardiac Magnetic Resonance Imaging Evaluation of Neonatal Bronchopulmonary Dysplasia-associated Pulmonary Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 201, 73-82.	2.5	39
27	Differentiating pediatric autoimmune liver diseases by quantitative magnetic resonance cholangiopancreatography. <i>Abdominal Radiology</i> , 2020, 45, 168-176.	1.0	18
28	Feeding Tolerance, Intestinal Motility, and Superior Mesenteric Artery Blood Flow in Infants with Gastroschisis. <i>Neonatology</i> , 2020, 117, 95-101.	0.9	7
29	Comparison of liver T1 relaxation times without and with iron correction in pediatric autoimmune liver disease. <i>Pediatric Radiology</i> , 2020, 50, 935-942.	1.1	9
30	Spiral T1 Spin-Echo for Routine Postcontrast Brain MRI Exams: A Multicenter Multireader Clinical Evaluation. <i>American Journal of Neuroradiology</i> , 2020, 41, 238-245.	1.2	17
31	Relationship between magnetic resonance imaging spleen T1 relaxation and other radiologic and clinical biomarkers of liver fibrosis in children and young adults with autoimmune liver disease. <i>Abdominal Radiology</i> , 2020, 45, 3709-3715.	1.0	2
32	Neonatal lung growth in congenital diaphragmatic hernia: evaluation of lung density and mass by pulmonary MRI. <i>Pediatric Research</i> , 2019, 86, 635-640.	1.1	12
33	Magnetic resonance imaging T1 relaxation times for the liver, pancreas and spleen in healthy children at 1.5 and 3 Tesla. <i>Pediatric Radiology</i> , 2019, 49, 1018-1024.	1.1	19
34	Comparison of navigator-gated and breath-held image acquisition techniques for multi-echo quantitative dixon imaging of the liver in children and young adults. <i>Abdominal Radiology</i> , 2019, 44, 2172-2181.	1.0	3
35	White Matter Injury and Structural Anomalies in Infants with Prenatal Opioid Exposure. <i>American Journal of Neuroradiology</i> , 2019, 40, 2161-2165.	1.2	32
36	Respiratory-triggered spin-echo echo-planar imaging-based mr elastography for evaluating liver stiffness. <i>Journal of Magnetic Resonance Imaging</i> , 2019, 50, 391-396.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Non-contrast three-dimensional gradient recalled echo Dixon-based magnetic resonance angiography/venography in children. <i>Pediatric Radiology</i> , 2019, 49, 407-414.	1.1	13
38	Diagnostic performance of quantitative magnetic resonance imaging biomarkers for predicting portal hypertension in children and young adults with autoimmune liver disease. <i>Pediatric Radiology</i> , 2019, 49, 332-341.	1.1	32
39	Pre- and post-operative visualization of neonatal esophageal atresia/tracheoesophageal fistula via magnetic resonance imaging. <i>Journal of Pediatric Surgery Case Reports</i> , 2018, 29, 5-8.	0.1	19
40	Comparison of Standard Breath-Held, Free-Breathing, and Compressed Sensing 2D Gradient-Recalled Echo MR Elastography Techniques for Evaluating Liver Stiffness. <i>American Journal of Roentgenology</i> , 2018, 211, W279-W287.	1.0	20
41	Neonatal Pulmonary Magnetic Resonance Imaging of Bronchopulmonary Dysplasia Predicts Short-Term Clinical Outcomes. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018, 198, 1302-1311.	2.5	93
42	Altered functional network connectivity in preterm infants: antecedents of cognitive and motor impairments?. <i>Brain Structure and Function</i> , 2018, 223, 3665-3680.	1.2	45
43	Retrospective respiratory self-gating and removal of bulk motion in pulmonary <scp>UTE MRI</scp> of neonates and adults. <i>Magnetic Resonance in Medicine</i> , 2017, 77, 1284-1295.	1.9	87
44	Quantification of neonatal lung parenchymal density via ultrashort echo time MRI with comparison to CT. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 992-1000.	1.9	61
45	Neonatal imaging using an on-site small footprint MR scanner. <i>Pediatric Radiology</i> , 2017, 47, 1001-1011.	1.1	20
46	Using Functional Connectivity Magnetic Resonance Imaging to Measure Brain Connectivity in Preterm Infants. <i>Nursing Research</i> , 2017, 66, 490-495.	0.8	2
47	Evaluation of Neonatal Lung Volume Growth by Pulmonary Magnetic Resonance Imaging in Patients with Congenital Diaphragmatic Hernia. <i>Journal of Pediatrics</i> , 2017, 188, 96-102.e1.	0.9	24
48	Pulmonary MRI of neonates in the intensive care unit using 3D ultrashort echo time and a small footprint MRI system. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 45, 463-471.	1.9	68
49	Functional and structural connectivity of the visual system in infants with perinatal brain injury. <i>Pediatric Research</i> , 2016, 80, 43-48.	1.1	13
50	A novel acoustically quiet coil for neonatal MRI system. <i>Concepts in Magnetic Resonance Part B</i> , 2015, 45, 107-114.	0.3	6
51	Wavelet-space correlation imaging for high-speed MRI without motion monitoring or data segmentation. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 1574-1586.	1.9	5
52	Functional MRI evidence for fine motor praxis dysfunction in children with persistent speech disorders. <i>Brain Research</i> , 2015, 1597, 47-56.	1.1	27
53	Quantitative Magnetic Resonance Imaging of Bronchopulmonary Dysplasia in the Neonatal Intensive Care Unit Environment. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015, 192, 1215-1222.	2.5	74
54	Characterization of acoustic noise in a neonatal intensive care unit MRI system. <i>Pediatric Radiology</i> , 2014, 44, 1011-1019.	1.1	29

#	ARTICLE	IF	CITATIONS
55	MRI in the Neonatal ICU: Initial Experience Using a Small-Footprint 1.5-T System. American Journal of Roentgenology, 2014, 202, W95-W105.	1.0	63
56	Greater corticolimbic activation to high-calorie food cues after eating in obese vs. normal-weight adults. Appetite, 2012, 58, 303-312.	1.8	122
57	An MRI system for imaging neonates in the NICU: initial feasibility study. Pediatric Radiology, 2012, 42, 1347-1356.	1.1	43
58	Parallel excitation for B_1 -field insensitive fat-saturation preparation. Magnetic Resonance in Medicine, 2012, 68, 631-638.	1.9	7
59	Tempo mediates the involvement of motor areas in beat perception. Annals of the New York Academy of Sciences, 2012, 1252, 77-84.	1.8	34
60	Time-efficient slab-selective water excitation for 3D MRI. Magnetic Resonance in Medicine, 2012, 67, 127-136.	1.9	0
61	Neural correlates of phonological processing in speech sound disorder: A functional magnetic resonance imaging study. Brain and Language, 2011, 119, 42-49.	0.8	41
62	Cortical stimulation for language mapping in focal epilepsy: Correlations with tractography of the arcuate fasciculus. Epilepsia, 2010, 51, 639-646.	2.6	33
63	Rapid 3D radial multi-echo functional magnetic resonance imaging. NeuroImage, 2010, 52, 1428-1443.	2.1	23
64	5HTTLPR predicts left fusiform gyrus activation to positive emotional stimuli. Magnetic Resonance Imaging, 2009, 27, 441-448.	1.0	15
65	Postictal Diffusion-Weighted Imaging for the Localization of Focal Epileptic Areas in Temporal Lobe Epilepsy. Epilepsia, 2008, 42, 21-28.	2.6	68
66	Abnormalities in diffusion tensor imaging of the uncinate fasciculus relate to reduced memory in temporal lobe epilepsy. Epilepsia, 2008, 49, 1409-1418.	2.6	196
67	In vitro studies of MRI-related heating of neurostimulation systems. Magnetic Resonance Imaging, 2006, 24, 677-679.	1.0	4
68	Parkinson Disease: Pattern of Functional MR Imaging Activation during Deep Brain Stimulation of Subthalamic Nucleus—Initial Experience. Radiology, 2006, 239, 209-216.	3.6	99
69	Is Magnetic Resonance Imaging Safe for Patients with Neurostimulation Systems Used for Deep Brain Stimulation?. Neurosurgery, 2005, 57, 1056-1062.	0.6	96
70	Brain atrophy and magnetization transfer ratio following methylprednisolone in multiple sclerosis: short-term changes and long-term implications. Multiple Sclerosis Journal, 2005, 11, 140-145.	1.4	41
71	Neurostimulation System Used for Deep Brain Stimulation (DBS). Investigative Radiology, 2004, 39, 300-303.	3.5	177
72	Cardiac Pacemakers, Icds, And Loop Recorder: Evaluation Of Translational Attraction Using Conventional (\sim Long-bore) And \sim Short-bore 1.5- And 3.0-Tesla Mr Systems. Journal of Cardiovascular Magnetic Resonance, 2003, 5, 387-397.	1.6	84

#	ARTICLE	IF	CITATIONS
73	Aneurysm clips: evaluation of magnetic field interactions and translational attraction by use of "long-bore" and "short-bore" 3.0-T MR imaging systems. <i>American Journal of Neuroradiology</i> , 2003, 24, 463-71.	1.2	32
74	The mind's eye: functional MR imaging evaluation of golf motor imagery. <i>American Journal of Neuroradiology</i> , 2003, 24, 1036-44.	1.2	59
75	MR imaging-related heating of deep brain stimulation electrodes: in vitro study. <i>American Journal of Neuroradiology</i> , 2002, 23, 1795-802.	1.2	98
76	Development and characterization of an adult model of obstructive hydrocephalus. <i>Journal of Neuroscience Methods</i> , 1999, 91, 55-65.	1.3	28
77	Improvement of spiral MRI with the measured k-space trajectory. <i>Journal of Magnetic Resonance Imaging</i> , 1997, 7, 938-940.	1.9	12
78	High Resolution, Magnetization Transfer Saturation, Variable Flip Angle, Time-of-Flight MRA in the Detection of Intracranial Vascular Stenoses. <i>Journal of Computer Assisted Tomography</i> , 1995, 19, 700-706.	0.5	55
79	Separation of fat and water in fast spin-echo MR imaging with the three-point dixon technique. <i>Journal of Magnetic Resonance Imaging</i> , 1995, 5, 181-185.	1.9	80
80	Three-dimensional time-of-flight MR angiography with variable TE (VARIETE) for fat signal reduction. <i>Magnetic Resonance in Medicine</i> , 1994, 32, 678-683.	1.9	9
81	Three-dimensional time-of-flight MR angiography with a specialized gradient head coil. <i>Journal of Magnetic Resonance Imaging</i> , 1993, 3, 365-375.	1.9	13
82	Pulse sequence strategies for vascular contrast in time-of-flight carotid MR angiography. <i>Journal of Magnetic Resonance Imaging</i> , 1993, 3, 811-820.	1.9	14
83	Fast spin-echo imaging of the knee: Factors influencing contrast. <i>Journal of Magnetic Resonance Imaging</i> , 1993, 3, 835-842.	1.9	9
84	3D MPRAGE Evaluation of the Internal Auditory Canals. <i>Journal of Computer Assisted Tomography</i> , 1993, 17, 442-445.	0.5	8
85	Optimization of three-dimensional T1-weighted gradient-echo imaging of the cervical spine. <i>Journal of Magnetic Resonance Imaging</i> , 1992, 2, 359-364.	1.9	4
86	Clinical MR imaging of degenerative spinal disease: Pulse sequences, gradient-echo techniques, and contrast agents. <i>Journal of Magnetic Resonance Imaging</i> , 1991, 1, 29-37.	1.9	15
87	A comparison of fast spin echo and gradient field echo sequences. <i>Magnetic Resonance Imaging</i> , 1988, 6, 373-389.	1.0	56
88	The need for very short echo times in fast MRI. <i>Magnetic Resonance Imaging</i> , 1987, 5, 537-538.	1.0	1
89	Fast low angle spin-echo (FATE) imaging. <i>Magnetic Resonance Imaging</i> , 1987, 5, 557-558.	1.0	2
90	A comparison of per unit time for various fast sequences. <i>Magnetic Resonance Imaging</i> , 1987, 5, 517-519.	1.0	0

#	ARTICLE	IF	CITATIONS
91	The significance of fast imaging methods to oxygen-17 based contrast agents. Magnetic Resonance Imaging, 1987, 5, 556-557.	1.0	0
92	Comparison of Quantitative Liver US and MRI in Patients with Liver Disease. Radiology, 0, , .	3.6	4