

Yoshihide Mawatari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9381439/publications.pdf>

Version: 2024-02-01

50
papers

658
citations

516215

16
h-index

610482

24
g-index

50
all docs

50
docs citations

50
times ranked

350
citing authors

#	ARTICLE	IF	CITATIONS
1	Conversion air velocity at which reverse density segregation converts to normal density segregation in a vibrated fluidized bed of binary particulate mixtures. <i>Advanced Powder Technology</i> , 2022, 33, 103583.	2.0	7
2	Convective flow speed of particles in a vibrated powder bed. <i>Journal of Physics Communications</i> , 2020, 4, 075012.	0.5	1
3	Flow Pattern Transition in a Gas-solid Fluidized Bed for Fine Powder under Mechanical Bed Vibration. <i>Journal of the Society of Powder Technology, Japan</i> , 2017, 54, 732-737.	0.0	0
4	Convective Particle Motion for Fine Particle Bed under Mechanical Bed Vibration. <i>Hosokawa Powder Technology Foundation ANNUAL REPORT</i> , 2016, 24, 103-108.	0.0	0
5	Composition-Dependent Stress Oscillations in a Dilute Suspension under Shear. <i>Journal of Chemical Engineering of Japan</i> , 2016, 49, 6-9.	0.3	1
6	Flow Pattern Transition of Fine Cohesive Powders in a Gas-Solid Fluidized Bed under Mechanical Vibrating Conditions. <i>Procedia Engineering</i> , 2015, 102, 945-951.	1.2	22
7	A model for estimating agglomerate sizes of non-magnetic nanoparticles in magnetic fluidized beds. <i>Korean Journal of Chemical Engineering</i> , 2013, 30, 501-507.	1.2	14
8	Effects of polymer end groups on the drying rates of phase separating coatings. <i>Chemical Engineering and Processing: Process Intensification</i> , 2013, 68, 55-59.	1.8	3
9	Drying-induced reduction in electrical resistivity of carbon black-polyamideimide nanocomposite films. <i>Chemical Engineering and Processing: Process Intensification</i> , 2013, 70, 17-20.	1.8	1
10	Model of estimating nano-particle agglomerate sizes in a vibro-fluidized bed. <i>Advanced Powder Technology</i> , 2013, 24, 311-316.	2.0	23
11	Drying-Induced Hierarchical Dimple Patterns on Partially Miscible Polymeric Films Under Ordered Convections. <i>Drying Technology</i> , 2013, 31, 1212-1218.	1.7	3
12	Agglomerating fluidization of nanoparticles in the vibration or magnetic field. , 2013, , .		1
13	Stress Oscillations in Co-Solvent Nanoparticle-Polymer Suspensions Subjected to Constant Shear Rate. <i>Journal of Chemical Engineering of Japan</i> , 2013, 46, 430-433.	0.3	2
14	Wetting-Induced Entrapment of a Droplet in a UV-Curable Volatile Liquid Coating. <i>Journal of Chemical Engineering of Japan</i> , 2013, 46, 367-370.	0.3	0
15	Enhanced Solvent Drying of Liquid Film Coatings by Fluorine-Base Polymeric Surfactant Addition. <i>Journal of Chemical Engineering of Japan</i> , 2012, 45, 441-443.	0.3	7
16	Characteristics of non-magnetic nanoparticles in magnetically fluidized bed by adding coarse magnets. <i>Journal of Central South University</i> , 2011, 18, 1383-1388.	1.2	10
17	Behavior of magnetic Fe ₃ O ₄ nano-particles in magnetically assisted gas-fluidized beds. <i>Advanced Powder Technology</i> , 2011, 22, 427-432.	2.0	24
18	Kyushu Institute of Technology, Department of Applied Chemistry, Chemical Process Engineering Laboratory. <i>Seikei-Kakou</i> , 2011, 23, 351-354.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Nonuniform Thinning of Polymeric Coatings under Marangoni Stress. Journal of Chemical Engineering of Japan, 2010, 43, 40-45.	0.3	3
20	Suppressed Cracking in Drying Nanoparticle-Polymer Coatings at High Peclet Numbers. Journal of Chemical Engineering of Japan, 2010, 43, 209-213.	0.3	7
21	Measuring the Drying Rate of Liquid Film Coatings Using Heat Flux Method. Drying Technology, 2009, 27, 817-820.	1.7	17
22	Drying-induced surface roughening of polymeric coating under periodic air blowing. AIChE Journal, 2009, 55, 1648-1658.	1.8	16
23	Drying behavior of thin liquid films in a condenser dryer with a solvent-trapping screen. Chemical Engineering and Processing: Process Intensification, 2009, 48, 1427-1431.	1.8	2
24	Multiple crack nucleation in drying nanoparticle-polymer coatings. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2009, 342, 65-69.	2.3	18
25	Numerical Modeling of Drying Thin Film Coating with a Surface-Wiping Process. Kagaku Kogaku Ronbunshu, 2009, 35, 436-441.	0.1	2
26	Cracking in Drying Silica-Polymer Films: Morphology Transitions. AIP Conference Proceedings, 2008, , .	0.3	0
27	Light-Tunable Solvent Drying in Photo-Responsive Solution Coatings. Drying Technology, 2007, 26, 97-100.	1.7	2
28	Transition between Condensing and Air Flow Drying of Thin-Film Coatings. Drying Technology, 2007, 25, 993-997.	1.7	2
29	Drying characteristics of porous material immersed in a bed of glass beads fluidized by superheated steam under reduced pressure. Chemical Engineering Science, 2007, 62, 471-480.	1.9	27
30	Particle-assisted dynamic wetting in a suspension liquid jet impinged onto a moving solid at different flow rates. Chemical Engineering Science, 2006, 61, 5421-5426.	1.9	9
31	Drying-Rate Limit in Condenser Drying of Thin Film Coatings. Journal of Chemical Engineering of Japan, 2006, 39, 814-817.	0.3	2
32	Favorable vibrated fluidization conditions for cohesive fine particles. Powder Technology, 2005, 154, 54-60.	2.1	27
33	Numerical simulation of cohesive particle motion in vibrated fluidized bed. Chemical Engineering Science, 2005, 60, 5010-5021.	1.9	39
34	Drying Characteristics of Porous Materials in Superheated Steam Fluidized Bed under Reduced Pressure. Journal of Chemical Engineering of Japan, 2005, 38, 983-989.	0.3	13
35	Separation of Solid Particles by Density Difference in a Liquid-Solid Fluidized Bed. Journal of Chemical Engineering of Japan, 2005, 38, 264-270.	0.3	8
36	Drying Characteristics of Porous Materials in a Fluidized Bed under Reduced Pressure. Drying Technology, 2005, 23, 1257-1272.	1.7	22

#	ARTICLE	IF	CITATIONS
37	Bubbling Characteristics under Vertical Vibration in a Two-Dimensional Fluidized Bed. Journal of Chemical Engineering of Japan, 2005, 38, 18-23.	0.3	15
38	Drying Characteristics of Porous Materials in a Fluidized Bed of Hygroscopic Porous Particles. Journal of Chemical Engineering of Japan, 2005, 38, 976-982.	0.3	6
39	Numerical simulation of particle motion in vibrated fluidized bed. Chemical Engineering Science, 2004, 59, 437-447.	1.9	42
40	The Mechanism of a Temperature Decrement of Porous Materials Immersed in a Fluidized Bed in Drying. Journal of Chemical Engineering of Japan, 2004, 37, 875-881.	0.3	17
41	Minimum Bubbling Velocity and Homogeneous Fluidization Region under Reduced Pressure for Group-A Powders. Journal of Chemical Engineering of Japan, 2004, 37, 89-94.	0.3	12
42	Characteristics of vibro-fluidization for fine powder under reduced pressure. Advanced Powder Technology, 2003, 14, 559-570.	2.0	13
43	Prediction of minimum fluidization velocity for vibrated fluidized bed. Powder Technology, 2003, 131, 66-70.	2.1	68
44	Prediction of Agglomerate Size for Fine Particles in a Vibro-fluidized Bed.. Journal of Chemical Engineering of Japan, 2003, 36, 277-283.	0.3	28
45	Drying Characteristics of Porous Material in a Fluidized Bed of Fluidizing Particles with Superheated Steam. Journal of Chemical Engineering of Japan, 2003, 36, 655-662.	0.3	17
46	Effect of particle diameter on fluidization under vibration. Powder Technology, 2002, 123, 69-74.	2.1	59
47	Effect of Motion of Drying Materials in Fluidized Bed on Drying Characteristics.. Journal of Chemical Engineering of Japan, 2002, 35, 753-758.	0.3	13
48	Motion of Splash Particles Released by Bubble Rupture in Fluidized Bed.. Kagaku Kogaku Ronbunshu, 2002, 28, 43-48.	0.1	1
49	Comparison of three vibrational modes (twist, vertical and horizontal) for fluidization of fine particles. Advanced Powder Technology, 2001, 12, 157-168.	2.0	27
50	Effect of Vibration on Particle Motion in Two Dimensional Fluidized Bed.. Kagaku Kogaku Ronbunshu, 2001, 27, 824-826.	0.1	5