

# Robyn L Tate

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/9382954/robyn-l-tate-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74  
papers

1,924  
citations

24  
h-index

42  
g-index

76  
ext. papers

2,292  
ext. citations

2.1  
avg, IF

4.71  
L-index

#	Paper	IF	Citations
74	Rating the methodological quality of single-subject designs and n-of-1 trials: introducing the Single-Case Experimental Design (SCED) Scale. <i>Neuropsychological Rehabilitation</i> , <b>2008</b> , 18, 385-401	3.1	252
73	Revision of a method quality rating scale for single-case experimental designs and n-of-1 trials: the 15-item Risk of Bias in N-of-1 Trials (RoBiNT) Scale. <i>Neuropsychological Rehabilitation</i> , <b>2013</b> , 23, 619-38	3.1	177
72	CONSORT extension for reporting N-of-1 trials (CENT) 2015 Statement. <i>BMJ, The</i> , <b>2015</b> , 350, h1738	5.9	103
71	INCOG recommendations for management of cognition following traumatic brain injury, part III: executive function and self-awareness. <i>Journal of Head Trauma Rehabilitation</i> , <b>2014</b> , 29, 338-52	3	95
70	CONSORT extension for reporting N-of-1 trials (CENT) 2015: Explanation and elaboration. <i>BMJ, The</i> , <b>2015</b> , 350, h1793	5.9	81
69	The design, conduct and report of single-case research: resources to improve the quality of the neurorehabilitation literature. <i>Neuropsychological Rehabilitation</i> , <b>2014</b> , 24, 315-31	3.1	66
68	Psychological impact of injuries sustained in motor vehicle crashes: systematic review and meta-analysis. <i>BMJ Open</i> , <b>2016</b> , 6, e011993	3	66
67	Pre-Injury, Injury and Early Post-Injury Predictors of Long-Term Functional and Psychosocial Recovery After Severe Traumatic Brain Injury. <i>Brain Impairment</i> , <b>2005</b> , 6, 75-89	1	65
66	CONSORT extension for reporting N-of-1 trials (CENT) 2015 Statement. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 76, 9-17	5.7	58
65	Measuring the social interactions of people with traumatic brain injury and their communication partners: The adapted Kagan scales. <i>Aphasiology</i> , <b>2010</b> , 24, 914-927	1.6	56
64	Assessing support needs for people with traumatic brain injury: the Care and Needs Scale (CANS). <i>Brain Injury</i> , <b>2004</b> , 18, 445-60	2.1	56
63	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Physical Therapy</i> , <b>2016</b> , 96, e1-e10	3.3	47
62	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 statement.. <i>Archives of Scientific Psychology</i> , <b>2016</b> , 4, 1-9	4.3	45
61	Does Traumatic Brain Injury Lead to Criminality? A Whole-Population Retrospective Cohort Study Using Linked Data. <i>PLoS ONE</i> , <b>2015</b> , 10, e0132558	3.7	38
60	A systematic review of assessment tools for adults used in traumatic brain injury research and their relationship to the ICF. <i>NeuroRehabilitation</i> , <b>2013</b> , 32, 729-50	2	35
59	Participation after acquired brain injury: clinical and psychometric considerations of the Sydney Psychosocial Reintegration Scale (SPRS). <i>Journal of Rehabilitation Medicine</i> , <b>2011</b> , 43, 609-18	3.4	35
58	A Systematic Review of Early Prognostic Factors for Return to Work After Traumatic Brain Injury. <i>Brain Impairment</i> , <b>2007</b> , 8, 101-142	1	34

57	The effectiveness of social communication partner training for adults with severe chronic TBI and their families using a measure of perceived communication ability. <i>NeuroRehabilitation</i> , <b>2016</b> , 38, 243-55 <sup>2</sup>		32
56	CONSORT extension for reporting N-of-1 trials (CENT) 2015: explanation and elaboration. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 76, 18-46	5.7	31
55	Computerised cognitive training in acquired brain injury: A systematic review of outcomes using the International Classification of Functioning (ICF). <i>Neuropsychological Rehabilitation</i> , <b>2016</b> , 26, 673-741	3.1	25
54	Training Communication Partners of People With Traumatic Brain Injury: Reporting the Protocol for a Clinical Trial. <i>Brain Impairment</i> , <b>2009</b> , 10, 188-204	1	25
53	The Single-Case Reporting guideline In BEhavioural interventions (SCRIBE) 2016 statement. <i>Journal of School Psychology</i> , <b>2016</b> , 56, 133-42	4.5	25
52	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Aphasiology</i> , <b>2016</b> , 30, 862-876	1.6	24
51	Development of a database of rehabilitation therapies for the psychological consequences of acquired brain impairment. <i>Neuropsychological Rehabilitation</i> , <b>2004</b> , 14, 517-534	3.1	24
50	The Evidence Base of Neuropsychological Rehabilitation in Acquired Brain Impairment (ABI): How Good is the Research?. <i>Brain Impairment</i> , <b>2006</b> , 7, 119-132	1	23
49	Epidemiology of hospitalised traumatic brain injury in the state of New South Wales, Australia: a population-based study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2019</b> , 43, 382-388	2.3	21
48	A Systematic Review of Acceptance and Commitment Therapy (ACT) for Managing Anxiety: Applicability for People With Acquired Brain Injury?. <i>Brain Impairment</i> , <b>2011</b> , 12, 54-70	1	20
47	Recovery of Impairments After Severe Traumatic Brain Injury: Findings From a Prospective, Multicentre Study. <i>Brain Impairment</i> , <b>2006</b> , 7, 1-15	1	20
46	Discourse recovery after severe traumatic brain injury: exploring the first year. <i>Brain Injury</i> , <b>2019</b> , 33, 143-159	2.1	20
45	Sydney Psychosocial Reintegration Scale (SPRS-2): Meeting the Challenge of Measuring Participation in Neurological Conditions. <i>Australian Psychologist</i> , <b>2012</b> , 47, 20-32	1.7	19
44	Use of Reporting Guidelines in Scientific Writing: PRISMA, CONSORT, STROBE, STARD and Other Resources. <i>Brain Impairment</i> , <b>2011</b> , 12, 1-21	1	18
43	Single-Case Experimental Designs for Clinical Research and Neurorehabilitation Settings		18
42	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 73, 142-52	5.7	18
41	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Evidence-Based Communication Assessment and Intervention</i> , <b>2016</b> , 10, 44-58	0.3	17
40	Assessing Features of Psychometric Assessment Instruments: A Comparison of the COSMIN Checklist with Other Critical Appraisal Tools. <i>Brain Impairment</i> , <b>2018</b> , 19, 103-118	1	16

39	From Boulder to Stockholm in 70 Years: Single Case Experimental Designs in Clinical Research. <i>Psychological Record</i> , <b>2020</b> , 70, 659-670	1.1	13
38	Duration of post-traumatic amnesia as a predictor of functional outcome in school-age children: a systematic review. <i>Developmental Medicine and Child Neurology</i> , <b>2015</b> , 57, 618-627	3.3	13
37	Methodological Issues in Longitudinal Research on Cognitive Recovery after Traumatic Brain Injury: Evidence from a Systematic Review. <i>Brain Impairment</i> , <b>2013</b> , 14, 450-474	1	13
36	The methodological quality of aphasia therapy research: An investigation of group studies using the PsycBITETM evidence-based practice database. <i>Aphasiology</i> , <b>2009</b> , 23, 694-706	1.6	13
35	Cognitive-communication and psychosocial functioning 12 months after severe traumatic brain injury. <i>Brain Injury</i> , <b>2018</b> , 32, 1700-1711	2.1	13
34	A Systematic Review of the Efficacy of Community-based, Leisure/Social Activity Programmes for People with Traumatic Brain Injury. <i>Brain Impairment</i> , <b>2014</b> , 15, 157-176	1	12
33	Applying the International Classification of Functioning, Disability and Health (ICF) to Clinical Practice and Research in Acquired Brain Impairment. <i>Brain Impairment</i> , <b>2008</b> , 9, 282-292	1	11
32	Adolescent Performance on The Awareness of Social Inference Test: TASIT. <i>Brain Impairment</i> , <b>2015</b> , 16, 3-18	1	10
31	Exploring the relationship between cognition and functional verbal reasoning in adults with severe traumatic brain injury at six months post injury. <i>Brain Injury</i> , <b>2017</b> , 31, 502-516	2.1	9
30	Adapting the Rivermead Behavioural Memory Test Extended Version (RBMT-E) for people with restricted mobility. <i>British Journal of Clinical Psychology</i> , <b>2000</b> , 39, 363-9	3.6	9
29	An Algorithm to Evaluate Methodological Rigor and Risk of Bias in Single-Case Studies. <i>Behavior Modification</i> , <b>2019</b> , 145445519863035	2.5	8
28	The Single-Case Reporting Guideline In BEhavioural Interventions (SCRIBE) 2016 Statement. <i>Remedial and Special Education</i> , <b>2016</b> , 37, 370-380	2.1	8
27	Applying empirical methods in clinical practice: introducing the model for assessing treatment effect. <i>Journal of Head Trauma Rehabilitation</i> , <b>2013</b> , 28, 77-88	3	8
26	Apathy After Traumatic Brain Injury: An Overview of the Current State of Play. <i>Brain Impairment</i> , <b>2011</b> , 12, 43-53	1	7
25	Bringing Single-case Methodology into the Clinic to Enhance Evidence-based Practices. <i>Brain Impairment</i> , <b>2012</b> , 13, 347-359	1	7
24	Assessing Social Skills in People With Very Severe Traumatic Brain Injury: Validity of the Social Performance Survey Schedule (SPSS). <i>Brain Impairment</i> , <b>2008</b> , 9, 274-281	1	7
23	Community-Based Rehabilitation Following Brain Injury: Comparison of a Transitional Living Program and a Home-Based Program. <i>Brain Impairment</i> , <b>2012</b> , 13, 44-61	1	6
22	Evaluation of a novel intervention to improve physical activity for adults with whiplash associated disorders: Protocol for a multiple-baseline, single case experimental study. <i>Contemporary Clinical Trials Communications</i> , <b>2019</b> , 16, 100455	1.8	5

21	Evaluating an intervention to increase meaningful activity after severe traumatic brain injury: A single-case experimental design with direct inter-subject and systematic replications. <i>Neuropsychological Rehabilitation</i> , <b>2020</b> , 30, 641-672	3.1	5
20	Quantitative Data Analysis for Single-Case Methods, Between-Groups Designs, and Instrument Development. <i>Brain Impairment</i> , <b>2018</b> , 19, 1-3	1	4
19	Assessing psychosocial functioning following childhood acquired brain injury: The Sydney Psychosocial Reintegration Scale for Children. <i>Developmental Neurorehabilitation</i> , <b>2016</b> , 19, 356-364	1.8	4
18	A Protocol for Measuring the Direct Psychological Benefit of Neuropsychological Assessment with Feedback in Multiple Sclerosis. <i>Brain Impairment</i> , <b>2012</b> , 13, 238-255	1	4
17	Measuring outcomes and monitoring progress in the era of evidence-based clinical practice. <i>Brain Impairment</i> , <b>2019</b> , 20, 276-288	1	4
16	Assessing Care and Support Needs for Children With Acquired Brain Injury: Normative Data for the Paediatric Care and Needs Scale (PCANS). <i>Brain Impairment</i> , <b>2010</b> , 11, 183-196	1	3
15	The Process of Care Management Following Brain Injury: A Grounded Theory Study. <i>Brain Impairment</i> , <b>2007</b> , 8, 293-311	1	3
14	Improving evidence-based practice in rehabilitation: Introducing PsycBITETM View all notes. <i>Aphasiology</i> , <b>2006</b> , 20, 676-683	1.6	3
13	A longitudinal study of support needs after severe traumatic brain injury. <i>Brain Injury</i> , <b>2020</b> , 34, 991-1000.	1	3
12	Behavioural activation therapy to improve participation in adults with depression following brain injury: A single-case experimental design study. <i>Neuropsychological Rehabilitation</i> , <b>2021</b> , 31, 369-391	3.1	3
11	The psychological benefits of neuropsychological assessment feedback as a psycho-educational therapeutic intervention: A randomized-controlled trial with cross-over in multiple sclerosis.. <i>Neuropsychological Rehabilitation</i> , <b>2022</b> , 1-30	3.1	3
10	Are single item mood scales (SIMS) valid for people with traumatic brain injury?. <i>Brain Injury</i> , <b>2020</b> , 34, 653-664	2.1	2
9	Evaluating the Use of Smart Home Technology by People With Brain Impairment: Protocol for a Single-Case Experimental Design. <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e10451	2	1
8	Rehabilitation after traumatic brain injury: an Australian context. <i>Higher Brain Function Research</i> , <b>2008</b> , 28, 129-142	0	1
7	Research Note: Single-case experimental designs. <i>Journal of Physiotherapy</i> , <b>2020</b> , 66, 202-206	2.9	1
6	Neuropsychological recovery during the first 12 months after severe traumatic brain injury: A longitudinal study with monthly assessments. <i>Neuropsychological Rehabilitation</i> , <b>2021</b> , 1-33	3.1	1
5	Preliminary validation study of the Sydney Post-Traumatic Amnesia Scale (SYPTAS) in children with traumatic brain injury aged 4 to 7 years. <i>Applied Neuropsychology: Child</i> , <b>2019</b> , 8, 61-69	1.4	1
4	Introduction to Special Issue: State of the Art Reviews on Mental Health in Traumatic Brain Injury. <i>Brain Impairment</i> , <b>2013</b> , 14, 1-1	1	

- 3 Community Rehabilitation for Acquired Brain Injury. *Brain Impairment*, **2004**, 5, 1-2 1
- 2 Evaluation of a physical activity promotion intervention for adults with whiplash associated disorders: a single-case experimental design study. *Disability and Rehabilitation*, **2021**, 1-14 2.4
- 1 Integrating routine clinical interventions with single-case methodology: Parallels, differences and bridging strategies. *Brain Impairment*, **2020**, 21, 99-109 1