

Fahim Altinordu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9384294/publications.pdf>

Version: 2024-02-01

24
papers

211
citations

1477746

6
h-index

1058022

14
g-index

24
all docs

24
docs citations

24
times ranked

237
citing authors

#	ARTICLE	IF	CITATIONS
1	A tool for the analysis of chromosomes: KaryoType. <i>Taxon</i> , 2016, 65, 586-592.	0.4	110
2	A proposal for a multivariate quantitative approach to infer karyological relationships among taxa. <i>Comparative Cytogenetics</i> , 2014, 8, 337-349.	0.3	38
3	Cytotaxonomical study in five taxa of the genus <i>Teucrium</i> L. (Lamiaceae). <i>Caryologia</i> , 2015, 68, 1-8.	0.2	10
4	Karyomorphological studies in seven taxa of the genus <i>Salvia</i> (Lamiaceae) in Turkey. <i>Caryologia</i> , 2015, 68, 13-18.	0.2	9
5	Typification of Four Linnaean Names in <i>Centaurea</i> (Asteraceae). <i>Annales Botanici Fennici</i> , 2016, 53, 130-134.	0.0	7
6	New chromosome counts, karyotype analyses and asymmetry indices in some taxa of genus <i>Senecio</i> L. and related genera <i>Tephrosia</i> (Rchb.) Rchb. and <i>Turanecio</i> Hamzaoğlu belong to tribe Senecioneae (Asteraceae) from Turkey. <i>Plant Systematics and Evolution</i> , 2014, 300, 2205-2216.	0.3	6
7	Typification of the Linnaean name <i>Centaurea crocodylium</i> (Asteraceae). <i>Phytotaxa</i> , 2015, 236, 299.	0.1	6
8	Cytogenetic studies on some <i>Scorzonera</i> L. s.l. (Asteraceae) taxa from Turkey. <i>Turkish Journal of Botany</i> , 2015, 39, 429-438.	0.5	5
9	Karyotype Analyses of the Genus <i>Matthiola</i> (Brassicaceae) in Turkey. <i>Cytologia</i> , 2016, 81, 53-60.	0.2	5
10	Typification of the Linnaean name <i>Centaurea sibirica</i> (Asteraceae). <i>Phytotaxa</i> , 2016, 253, 235.	0.1	4
11	Karyological Studies of Six Endemic Species of <i>Stachys</i> (Lamiaceae) Subsect. <i>Fragiles</i> from Turkey. <i>Cytologia</i> , 2016, 81, 231-236.	0.2	4
12	Contribution to the cytotaxonomic knowledge of 10 species of <i>Klasea</i> Cass. (Asteraceae) from Turkey. <i>Caryologia</i> , 2015, 68, 330-338.	0.2	3
13	Karyotype Analyses on the Genus <i>Lallemantia</i> Fisch. & C.A.Mey. (Lamiaceae) from Turkey. <i>Cytologia</i> , 2014, 79, 553-559.	0.2	2
14	Nomenclatural type designation of four Linnaean names in <i>Iris sensu lato</i> (Iridaceae). <i>Phytotaxa</i> , 2016, 268, 296.	0.1	2
15	Lectotypification of the Linnaean name <i>Smilax china</i> (Smilacaceae). <i>Phytotaxa</i> , 2015, 234, 199.	0.1	0
16	Typification of the Linnaean names <i>Oxalis flava</i> and <i>O. versicolor</i> (Oxalidaceae). <i>Phytotaxa</i> , 2015, 239, 190.	0.1	0
17	Typifications of the Linnaean names <i>Centaurea eriophora</i> and <i>C. orientalis</i> (Asteraceae). <i>Phytotaxa</i> , 2016, 277, 97.	0.1	0
18	Notes on typification of three names in <i>Jurinea</i> (Asteraceae). <i>Phytotaxa</i> , 2016, 284, 138.	0.1	0

#	ARTICLE	IF	CITATIONS
19	Revised typification of the Linnaean name <i>Lobelia zeylanica</i> (Campanulaceae). <i>Phytotaxa</i> , 2017, 299, 289.	0.1	0
20	Lectotypification of the Linnaean name <i>Centaurea montana</i> (Compositae, Cardueae-Centaureinae). <i>Phytotaxa</i> , 2017, 299, 143.	0.1	0
21	Typification of <i>Allium peroninianum</i> (Amaryllidaceae) Described by Aznavour from Turkey. <i>Novon</i> , 2017, 25, 263-265.	0.3	0
22	Typifications of Linnaean names in the genus <i>Centaurea</i> and <i>Serratula</i> (Asteraceae). <i>Nordic Journal of Botany</i> , 2017, 35, 121-123.	0.2	0
23	Lectotypification of the Linnaean name <i>Lobelia coronopifolia</i> (Campanulaceae). <i>Phytotaxa</i> , 2017, 331, 144.	0.1	0
24	A Karyological Study on <i>Johrenia dichotoma</i> DC. (Apiaceae) by Image Analysing System. <i>Karaelmas Science and Engineering Journal</i> , 2014, 4, 1-4.	0.4	0