

James M Reecy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9384655/james-m-reecy-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88
papers

6,084
citations

35
h-index

77
g-index

95
ext. papers

7,748
ext. citations

6.3
avg, IF

5.28
L-index

#	Paper	IF	Citations
88	Whole-genome SNP markers reveal runs of homozygosity in indigenous cattle breeds of Pakistan.. <i>Animal Biotechnology</i> , 2022 , 1-13	1.4	0
87	Ten simple rules to ruin a collaborative environment.. <i>PLoS Computational Biology</i> , 2022 , 18, e1009957	5	0
86	Bringing the Animal QTLdb and CorrDB into the future: meeting new challenges and providing updated services. <i>Nucleic Acids Research</i> , 2021 ,	20.1	11
85	Effects of increasing dietary oil inclusion from different sources on growth performance, carcass and meat quality traits, and fatty acid profile in genetically lean immunocastrated male pigs. <i>Livestock Science</i> , 2021 , 248, 104515	1.7	3
84	Gene expression in tonsils in swine following infection with porcine reproductive and respiratory syndrome virus. <i>BMC Veterinary Research</i> , 2021 , 17, 88	2.7	2
83	Haplotype-based genome-wide association studies for carcass and growth traits in chicken. <i>Poultry Science</i> , 2020 , 99, 2349-2361	3.9	10
82	Whole Genome Sequence Data Provides Novel Insights Into the Genetic Architecture of Meat Quality Traits in Beef. <i>Frontiers in Genetics</i> , 2020 , 11, 538640	4.5	5
81	Genome-wide association scan for QTL and their positional candidate genes associated with internal organ traits in chickens. <i>BMC Genomics</i> , 2019 , 20, 669	4.5	6
80	Prediction of key regulators and downstream targets of E. coli induced mastitis. <i>Journal of Applied Genetics</i> , 2019 , 60, 367-373	2.5	6
79	Genome to Phenome: Improving Animal Health, Production, and Well-Being - A New USDA Blueprint for Animal Genome Research 2018-2027. <i>Frontiers in Genetics</i> , 2019 , 10, 327	4.5	47
78	Co-Expression Networks Reveal Potential Regulatory Roles of miRNAs in Fatty Acid Composition of Nelore Cattle. <i>Frontiers in Genetics</i> , 2019 , 10, 651	4.5	10
77	Unraveling genomic associations with feed efficiency and body weight traits in chickens through an integrative approach. <i>BMC Genetics</i> , 2019 , 20, 83	2.6	6
76	A Vision for Development and Utilization of High-Throughput Phenotyping and Big Data Analytics in Livestock. <i>Frontiers in Genetics</i> , 2019 , 10, 1197	4.5	35
75	Building a livestock genetic and genomic information knowledgebase through integrative developments of Animal QTLdb and CorrDB. <i>Nucleic Acids Research</i> , 2019 , 47, D701-D710	20.1	157
74	Meta-analysis of genome-wide association studies for cattle stature identifies common genes that regulate body size in mammals. <i>Nature Genetics</i> , 2018 , 50, 362-367	36.3	139
73	Integrative analysis of microRNAs and mRNAs revealed regulation of composition and metabolism in Nelore cattle. <i>BMC Genomics</i> , 2018 , 19, 126	4.5	26
72	Identification of putative regulatory regions and transcription factors associated with intramuscular fat content traits. <i>BMC Genomics</i> , 2018 , 19, 499	4.5	17

71	Genomic Analysis Suggests KITLG is Responsible for a Roan Pattern in two Pakistani Goat Breeds. <i>Journal of Heredity</i> , 2018 , 109, 315-319	2.4	11
70	Integration of machine learning and meta-analysis identifies the transcriptomic bio-signature of mastitis disease in cattle. <i>PLoS ONE</i> , 2018 , 13, e0191227	3.7	42
69	Integration of genome wide association studies and whole genome sequencing provides novel insights into fat deposition in chicken. <i>Scientific Reports</i> , 2018 , 8, 16222	4.9	16
68	AgBioData consortium recommendations for sustainable genomics and genetics databases for agriculture. <i>Database: the Journal of Biological Databases and Curation</i> , 2018 , 2018,	5	28
67	Gene Co-expression Analysis Indicates Potential Pathways and Regulators of Beef Tenderness in Nellore Cattle. <i>Frontiers in Genetics</i> , 2018 , 9, 441	4.5	19
66	Design and validation of a 90K SNP genotyping assay for the water buffalo (<i>Bubalus bubalis</i>). <i>PLoS ONE</i> , 2017 , 12, e0185220	3.7	44
65	Network Analysis Reveals Putative Genes Affecting Meat Quality in Angus Cattle. <i>Frontiers in Genetics</i> , 2017 , 8, 171	4.5	29
64	GO-FAANG meeting: a Gathering On Functional Annotation of Animal Genomes. <i>Animal Genetics</i> , 2016 , 47, 528-33	2.5	37
63	Developmental progress and current status of the Animal QTLdb. <i>Nucleic Acids Research</i> , 2016 , 44, D827-331	18.3	185
62	Differences in the skeletal muscle transcriptome profile associated with extreme values of fatty acids content. <i>BMC Genomics</i> , 2016 , 17, 961	4.5	25
61	Deriving Gene Networks from SNP Associated with Triacylglycerol and Phospholipid Fatty Acid Fractions from Ribeyes of Angus Cattle. <i>Frontiers in Genetics</i> , 2016 , 7, 116	4.5	4
60	Sire breed effect on beef longissimus mineral concentrations and their relationships with carcass and palatability traits. <i>Meat Science</i> , 2015 , 106, 25-30	6.4	9
59	Coordinated international action to accelerate genome-to-phenome with FAANG, the Functional Annotation of Animal Genomes project. <i>Genome Biology</i> , 2015 , 16, 57	18.3	196
58	Putative regulatory factors associated with intramuscular fat content. <i>PLoS ONE</i> , 2015 , 10, e0128350	3.7	50
57	Transcriptional profiling of PRKG2-null growth plate identifies putative down-stream targets of PRKG2. <i>BMC Research Notes</i> , 2015 , 8, 177	2.3	3
56	The BioMart community portal: an innovative alternative to large, centralized data repositories. <i>Nucleic Acids Research</i> , 2015 , 43, W589-98	20.1	468
55	Gene co-expression network analysis provides novel insights into myostatin regulation at three different mouse developmental timepoints. <i>PLoS ONE</i> , 2015 , 10, e0117607	3.7	9
54	Worldwide patterns of ancestry, divergence, and admixture in domesticated cattle. <i>PLoS Genetics</i> , 2014 , 10, e1004254	6	271

53	Polymorphisms in lipogenic genes and milk fatty acid composition in Holstein dairy cattle. <i>Genomics</i> , 2014 , 104, 572-81	4.3	12
52	Discovery of biological networks using an optimized partial correlation coefficient with information theory algorithm on Stampedeℙ Xeon and Xeon Phi processors. <i>Concurrency Computation Practice and Experience</i> , 2014 , 26, 2178-2190	1.4	7
51	Genome-wide association study for intramuscular fat deposition and composition in Nellore cattle. <i>BMC Genetics</i> , 2014 , 15, 39	2.6	73
50	Associations between infectious bovine keratoconjunctivitis at weaning and ultrasonographically measured body composition traits in yearling cattle. <i>Journal of the American Veterinary Medical Association</i> , 2014 , 244, 100-6	1	14
49	Association of polymorphisms in solute carrier family 27, isoform A6 (SLC27A6) and fatty acid-binding protein-3 and fatty acid-binding protein-4 (FABP3 and FABP4) with fatty acid composition of bovine milk. <i>Journal of Dairy Science</i> , 2013 , 96, 6007-21	4	38
48	Pig immune response to general stimulus and to porcine reproductive and respiratory syndrome virus infection: a meta-analysis approach. <i>BMC Genomics</i> , 2013 , 14, 220	4.5	27
47	The Vertebrate Trait Ontology: a controlled vocabulary for the annotation of trait data across species. <i>Journal of Biomedical Semantics</i> , 2013 , 4, 13	2.2	32
46	In vitro neutralization of HoBi-like viruses by antibodies in serum of cattle immunized with inactivated or modified live vaccines of bovine viral diarrhea viruses 1 and 2. <i>Veterinary Microbiology</i> , 2013 , 166, 242-5	3.3	27
45	Sterol regulatory element binding transcription factor 1 (SREBF1) polymorphism and milk fatty acid composition. <i>Journal of Dairy Science</i> , 2013 , 96, 2605-2616	4	15
44	Body composition and gene expression QTL mapping in mice reveals imprinting and interaction effects. <i>BMC Genetics</i> , 2013 , 14, 103	2.6	5
43	Genome-wide association and prediction of direct genomic breeding values for composition of fatty acids in Angus beef cattle. <i>BMC Genomics</i> , 2013 , 14, 730	4.5	51
42	Animal QTLdb: an improved database tool for livestock animal QTL/association data dissemination in the post-genome era. <i>Nucleic Acids Research</i> , 2013 , 41, D871-9	20.1	266
41	Analyses of pig genomes provide insight into porcine demography and evolution. <i>Nature</i> , 2012 , 491, 393-8	50.4	928
40	Design database for quantitative trait loci (QTL) data warehouse, data mining, and meta-analysis. <i>Methods in Molecular Biology</i> , 2012 , 871, 121-44	1.4	4
39	Prediction of altered 3'UTR miRNA-binding sites from RNA-Seq data: the swine leukocyte antigen complex (SLA) as a model region. <i>PLoS ONE</i> , 2012 , 7, e48607	3.7	14
38	Use of Genome Sequence Information for Meat Quality Trait QTL Mining for Causal Genes and Mutations on Pig Chromosome 17. <i>Frontiers in Genetics</i> , 2011 , 2, 43	4.5	3
37	Association of toll-like receptor four single nucleotide polymorphisms with incidence of infectious bovine keratoconjunctivitis (IBK) in cattle. <i>Immunogenetics</i> , 2011 , 63, 115-9	3.2	16
36	Whole genome analysis of infectious bovine keratoconjunctivitis in Angus cattle using Bayesian threshold models. <i>BMC Proceedings</i> , 2011 , 5 Suppl 4, S22	2.3	18

35	Allied industry approaches to alter intramuscular fat content and composition in beef animals. <i>Journal of Food Science</i> , 2010 , 75, R1-8	3.4	53
34	Use of SNP genotyping to determine pedigree and breed composition of dairy cattle in Kenya. <i>Journal of Animal Breeding and Genetics</i> , 2010 , 127, 348-51	2.9	22
33	Skeletal muscle stem cells from animals I. Basic cell biology. <i>International Journal of Biological Sciences</i> , 2010 , 6, 465-74	11.2	42
32	Lipid metabolism, adipocyte depot physiology and utilization of meat animals as experimental models for metabolic research. <i>International Journal of Biological Sciences</i> , 2010 , 6, 691-9	11.2	73
31	Interleukin-8, interleukin-1beta, and interferon-gamma levels are linked to PRRS virus clearance. <i>Viral Immunology</i> , 2010 , 23, 127-34	1.7	60
30	Perspectives on the formation of an interdisciplinary research team. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 1155-7	3.4	11
29	Myostatin genotype regulates muscle-specific miRNA expression in mouse pectoralis muscle. <i>BMC Research Notes</i> , 2010 , 3, 297	2.3	26
28	Differential effects of two different beta-adrenergic agonists, clenbuterol and ractopamine, on muscle growth in rats. <i>FASEB Journal</i> , 2010 , 24, lb680	0.9	
27	BEAP: The BLAST Extension and Alignment Program- a tool for contig construction and analysis of preliminary genome sequence. <i>BMC Research Notes</i> , 2009 , 2, 11	2.3	4
26	ANEXdb: an integrated animal ANnotation and microarray EXpression database. <i>Mammalian Genome</i> , 2009 , 20, 768-77	3.2	23
25	The genome sequence of taurine cattle: a window to ruminant biology and evolution. <i>Science</i> , 2009 , 324, 522-8	33.3	863
24	A nonsense mutation in cGMP-dependent type II protein kinase (PRKG2) causes dwarfism in American Angus cattle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 19250-5	11.5	36
23	Phenotypic variation of mineral contents in beef. <i>FASEB Journal</i> , 2009 , 23, LB412	0.9	1
22	Promoting coherent minimum reporting guidelines for biological and biomedical investigations: the MIBBI project. <i>Nature Biotechnology</i> , 2008 , 26, 889-96	44.5	417
21	Identification of differentially expressed gene categories in microarray studies using nonparametric multivariate analysis. <i>Bioinformatics</i> , 2008 , 24, 192-201	7.2	47
20	Genetic regulation of milk fatty acid composition-developing tools for use in selection.. <i>FASEB Journal</i> , 2008 , 22, 695-695	0.9	
19	Animal QTLdb: beyond a repository. A public platform for QTL comparisons and integration with diverse types of structural genomic information. <i>Mammalian Genome</i> , 2007 , 18, 1-4	3.2	68
18	TACE release of TNF-alpha mediates mechanotransduction-induced activation of p38 MAPK and myogenesis. <i>Journal of Cell Science</i> , 2007 , 120, 692-701	5.3	72

17	AnimalQTLdb: a livestock QTL database tool set for positional QTL information mining and beyond. <i>Nucleic Acids Research</i> , 2007 , 35, D604-9	20.1	148
16	Comparative analysis of GDF 8 (myostatin) in <i>Bos indicus</i> and <i>Bos taurus</i> . <i>DNA Sequence</i> , 2006 , 17, 311-3		4
15	Transcriptional profiling of myostatin-knockout mice implicates Wnt signaling in postnatal skeletal muscle growth and hypertrophy. <i>FASEB Journal</i> , 2006 , 20, 580-2	0.9	103
14	A QTL resource and comparison tool for pigs: PigQTLDB. <i>Mammalian Genome</i> , 2005 , 16, 792-800	3.2	106
13	Lactate dehydrogenase expression at the onset of altered loading in rat soleus muscle. <i>Journal of Applied Physiology</i> , 2004 , 97, 1424-30	3.7	19
12	Functional and phylogenetic analyses of a melanocortin-4 receptor mutation in domestic pigs. <i>Domestic Animal Endocrinology</i> , 2004 , 26, 75-86	2.3	57
11	Differential gene expression in the rat soleus muscle during early work overload-induced hypertrophy. <i>FASEB Journal</i> , 2002 , 16, 207-9	0.9	80
10	Murine Tbx2 contains domains that activate and repress gene transcription. <i>Gene</i> , 2002 , 283, 117-24	3.8	64
9	Transient cardiac expression of the tinman-family homeobox gene, XNkx2-10. <i>Mechanisms of Development</i> , 2000 , 91, 369-73	1.7	18
8	Identification of upstream regulatory regions in the heart-expressed homeobox gene Nkx2-5. <i>Development (Cambridge)</i> , 1999 , 126, 839-849	6.6	90
7	Serum Response Factor-NK Homeodomain Factor Interactions, Role in Cardiac Development 1999 , 273-290		18
6	Multiple regions of the porcine alpha-skeletal actin gene modulate muscle-specific expression in cell culture and directly injected skeletal muscle. <i>Animal Biotechnology</i> , 1998 , 9, 101-20	1.4	3
5	Chicken Nkx-2.8: a novel homeobox gene expressed in early heart progenitor cells and pharyngeal pouch-2 and -3 endoderm. <i>Developmental Biology</i> , 1997 , 188, 295-311	3.1	56
4	Structure and regulation of the porcine skeletal alpha-actin-encoding gene. <i>Gene</i> , 1996 , 180, 23-8	3.8	8
3	The effect of postruminal amino acid flow on muscle cell proliferation and protein turnover. <i>Journal of Animal Science</i> , 1996 , 74, 2158-69	0.7	6
2	Cloning and expression of the porcine myogenin gene. <i>Animal Biotechnology</i> , 1995 , 6, 79-92	1.4	4
1	Abomasal casein infusion enhances the mitogenic activity of serum from protein-restricted steers. <i>Journal of Nutrition</i> , 1994 , 124, 67-77	4.1	5