

Janis M Miller, Anp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9385673/janis-m-miller-anp-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

1,784
citations

18
h-index

42
g-index

45
ext. papers

2,032
ext. citations

2.3
avg, IF

4.25
L-index

#	Paper	IF	Citations
43	Mechanisms of pelvic floor muscle training for managing urinary incontinence in women: a scoping review.. <i>BMC Womens Health</i> , 2022 , 22, 161	2.9	1
42	Effects of unsupervised behavioral and pelvic floor muscle training programs on nocturia, urinary urgency, and urinary frequency in postmenopausal women: Secondary analysis of a randomized, two-arm, parallel design, superiority trial (TULIP study). <i>Maturitas</i> , 2021 , 146, 42-48	5	1
41	Injury-associated levator ani muscle and anal sphincter oedema following vaginal birth: a secondary analysis of the EMRLD study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 2046-2053	3.7	0
40	Paper towel test as independently self-administered to quantify cough-related urine loss: Compliance and comparisons with survey-only data in SWAN. <i>Neurourology and Urodynamics</i> , 2021 , 40, 1207-1216	2.3	
39	Is the juice worth the squeeze? Transdisciplinary team science in bladder health. <i>Neurourology and Urodynamics</i> , 2020 , 39, 1601-1611	2.3	1
38	Development of Conceptual Models to Guide Public Health Research, Practice, and Policy: Synthesizing Traditional and Contemporary Paradigms. <i>Health Promotion Practice</i> , 2020 , 21, 510-524	1.8	5
37	Fluids affecting bladder urgency and lower urinary symptoms (FABULUS): methods and protocol for a randomized controlled trial. <i>International Urogynecology Journal</i> , 2020 , 31, 1033-1040	2	1
36	Self-Perceived Improvement in Bladder Health After Viewing a Novel Tutorial on Knack Use: A Randomized Controlled Trial Pilot Study. <i>Journal of Womens Health</i> , 2020 , 29, 1319-1327	3	2
35	Association of pubovisceral muscle tear with functional capacity of urethral closure: evaluating maternal recovery from labor and delivery. <i>American Journal of Obstetrics and Gynecology</i> , 2020 , 222, 598.e1-598.e7	6.4	4
34	The Spectrum of Bladder Health: The Relationship Between Lower Urinary Tract Symptoms and Interference with Activities. <i>Journal of Womens Health</i> , 2019 , 28, 827-841	3	6
33	Association of index finger palpatory assessment of pubovisceral muscle body integrity with MRI-documented tear. <i>Neurourology and Urodynamics</i> , 2019 , 38, 1120-1128	2.3	2
32	The Prevention of Lower Urinary Tract Symptoms (PLUS) Research Consortium: A Transdisciplinary Approach Toward Promoting Bladder Health and Preventing Lower Urinary Tract Symptoms in Women Across the Life Course. <i>Journal of Womens Health</i> , 2018 , 27, 283-289	3	41
31	Costs and Sustainability of a Behavioral Intervention for Urinary Incontinence Prevention. <i>Urology Practice</i> , 2018 , 5, 266-271	0.8	
30	A Randomized Controlled Trial to Compare 2 Scalable Interventions for Lower Urinary Tract Symptom Prevention: Main Outcomes of the TULIP Study. <i>Journal of Urology</i> , 2017 , 197, 1480-1486	2.5	16
29	It is not just menopause: symptom clustering in the Study of Women's Health Across the Nation. <i>Womens Midlife Health</i> , 2017 , 3,	2.3	17
28	Body after baby: a pilot survey of genital body image and sexual esteem following vaginal birth. <i>International Journal of Womens Health</i> , 2017 , 9, 189-198	2.8	9
27	Impact of Dry Mouth on Fluid Intake and Overactive Bladder Symptoms in Women taking Fesoterodine. <i>Journal of Urology</i> , 2016 , 195, 1517-1522	2.5	5

26	Does Instruction to Eliminate Coffee, Tea, Alcohol, Carbonated, and Artificially Sweetened Beverages Improve Lower Urinary Tract Symptoms?: A Prospective Trial. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2016 , 43, 69-79	1.7	13
25	Evaluating maternal recovery from labor and delivery: bone and levator ani injuries. <i>American Journal of Obstetrics and Gynecology</i> , 2015 , 213, 188.e1-188.e11	6.4	41
24	Comparison of muscle fiber directions between different levator ani muscle subdivisions: in vivo MRI measurements in women. <i>International Urogynecology Journal</i> , 2014 , 25, 1263-8	2	29
23	Validity and reliability of an instrumented speculum designed to minimize the effect of intra-abdominal pressure on the measurement of pelvic floor muscle strength. <i>Clinical Biomechanics</i> , 2014 , 29, 1146-50	2.2	25
22	Predicting Birth-Related Levator Ani Tear Severity in Primiparous Women: Evaluating Maternal Recovery from Labor and Delivery (EMRLD Study). <i>Open Journal of Obstetrics and Gynecology</i> , 2014 , 4, 266-278	0.1	27
21	Spontaneous pushing to prevent postpartum urinary incontinence: a randomized, controlled trial. <i>International Urogynecology Journal</i> , 2013 , 24, 453-60	2	16
20	Exploring dissociation and oxytocin as pathways between trauma exposure and trauma-related hyperemesis gravidarum: a test-of-concept pilot. <i>Journal of Trauma and Dissociation</i> , 2013 , 14, 40-55	2.8	22
19	Validity and reliability of a scale to measure genital body image. <i>Journal of Sex and Marital Therapy</i> , 2012 , 38, 309-24	2.7	14
18	The relationship between pelvic organ prolapse, genital body image, and sexual health. <i>Neurourology and Urodynamics</i> , 2012 , 31, 1145-8	2.3	42
17	Cluster analysis of intake, output, and voiding habits collected from diary data. <i>Nursing Research</i> , 2011 , 60, 115-23	1.9	15
16	Urethral closure pressures among primiparous women with and without levator ani muscle defects. <i>International Urogynecology Journal</i> , 2011 , 22, 1491-5	2	23
15	MRI findings in patients considered high risk for pelvic floor injury studied serially after vaginal childbirth. <i>American Journal of Roentgenology</i> , 2010 , 195, 786-91	5.4	45
14	Levator ani injury in primiparous women with forceps delivery for fetal distress, forceps for second stage arrest, and spontaneous delivery. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 111, 19-22	4	47
13	Overactive bladder and caffeine: comparing women with and without mental health diagnoses. <i>International Journal of Urological Nursing</i> , 2010 , 4, 13-21	0.8	3
12	Pelvic structure and function at 1 month compared to 7 months by dynamic magnetic resonance after vaginal birth. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 514.e1-7	6.4	19
11	Clarification and confirmation of the Knack maneuver: the effect of volitional pelvic floor muscle contraction to preempt expected stress incontinence. <i>International Urogynecology Journal</i> , 2008 , 19, 773-82	2	84
10	Comparison of levator ani muscle defects and function in women with and without pelvic organ prolapse. <i>Obstetrics and Gynecology</i> , 2007 , 109, 295-302	4.9	500
9	Obstetric factors associated with levator ani muscle injury after vaginal birth. <i>Obstetrics and Gynecology</i> , 2006 , 107, 144-9	4.9	327

8	The physical finding of stress urinary incontinence among African women in Ghana. <i>International Urogynecology Journal</i> , 2006 , 17, 581-5	2	5
7	Can women without visible pubococcygeal muscle in MR images still increase urethral closure pressures?. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 171-5	6.4	29
6	Indices for studying urinary incontinence and levator ani function in primiparous women. <i>Journal of Clinical Nursing</i> , 2003 , 12, 554-61	3.2	6
5	Criteria for therapeutic use of pelvic floor muscle training in women. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2002 , 29, 301-11	1.7	4
4	On the lack of correlation between self-report and urine loss measured with standing provocation test in older stress-incontinent women. <i>Journal of Womens Health</i> , 1999 , 8, 157-62		7
3	Quantification of cough-related urine loss using the paper towel test. <i>Obstetrics and Gynecology</i> , 1998 , 91, 705-9	4.9	31
2	Quantification of Cough-Related Urine Loss Using the Paper Towel Test. <i>Obstetrics and Gynecology</i> , 1998 , 91, 705-709	4.9	21
1	A pelvic muscle precontraction can reduce cough-related urine loss in selected women with mild SUI. <i>Journal of the American Geriatrics Society</i> , 1998 , 46, 870-4	5.6	278