

Francois Lesperance

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9385715/francois-lesperance-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78 papers	10,014 citations	44 h-index	91 g-index
91 ext. papers	10,903 ext. citations	7.3 avg, IF	5.85 L-index

#	Paper	IF	Citations
78	Preferences for research design and treatment of comorbid depression among patients with an opioid use disorder: A cross-sectional discrete choice experiment. <i>Drug and Alcohol Dependence</i> , 2021 , 226, 108857	4.9	
77	Translating the BDI and BDI-II into the HAMD and vice versa with equipercetile linking. <i>Epidemiology and Psychiatric Sciences</i> , 2019 , 29, e24	5.1	20
76	A pilot, open-label, 8-week study evaluating desvenlafaxine for treatment of major depression in methadone-maintained individuals with opioid use disorder. <i>International Clinical Psychopharmacology</i> , 2018 , 33, 268-273	2.2	3
75	Empowering Adults in Recovery from Depression: A Community-Based Self-Management Group Program. <i>Canadian Journal of Community Mental Health</i> , 2016 , 35, 55-68	0.5	4
74	Socioeconomic status and glycemic control in adult patients with type 2 diabetes: a mediation analysis. <i>BMJ Open Diabetes Research and Care</i> , 2016 , 4, e000184	4.5	54
73	Longitudinal testing of the Information-Motivation-Behavioral Skills model of self-care among adults with type 2 diabetes. <i>Patient Education and Counseling</i> , 2016 , 99, 1830-1836	3.1	12
72	Licit and illicit substance use among people who inject drugs and the association with subsequent suicidal attempt. <i>Addiction</i> , 2015 , 110, 1636-43	4.6	15
71	Associations of substance use patterns with attempted suicide among persons who inject drugs: can distinct use patterns play a role?. <i>Drug and Alcohol Dependence</i> , 2015 , 147, 208-14	4.9	26
70	Quality of life and functional capacity in patients with atrial fibrillation and congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2013 , 61, 455-460	15.1	69
69	Treatment preferences in patients with first episode depression. <i>Journal of Affective Disorders</i> , 2013 , 147, 94-100	6.6	49
68	Centralized, stepped, patient preference-based treatment for patients with post-acute coronary syndrome depression: CODIACS vanguard randomized controlled trial. <i>JAMA Internal Medicine</i> , 2013 , 173, 997-1004	11.5	89
67	Anxiety sensitivity moderates prognostic importance of rhythm-control versus rate-control strategies in patients with atrial fibrillation and congestive heart failure: insights from the Atrial Fibrillation and Congestive Heart Failure Trial. <i>Circulation: Heart Failure</i> , 2012 , 5, 322-30	7.6	18
66	Design and baseline data from the vanguard of the Comparison of Depression Interventions after Acute Coronary Syndrome (CODIACS) randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2012 , 33, 1003-10	2.3	12
65	Depressive Symptoms and 24-Hour Ambulatory Blood Pressure in Africans: The SABPA Study. <i>International Journal of Hypertension</i> , 2012 , 2012, 426803	2.4	7
64	The efficacy of omega-3 supplementation for major depression: a randomized controlled trial. <i>Journal of Clinical Psychiatry</i> , 2011 , 72, 1054-62	4.6	101
63	Analysis of willingness to pay for implantable cardioverter-defibrillator therapy. <i>American Journal of Cardiology</i> , 2011 , 107, 423-7	3	6
62	Association of anhedonia with recurrent major adverse cardiac events and mortality 1 year after acute coronary syndrome. <i>Archives of General Psychiatry</i> , 2010 , 67, 480-8		103

61	First episode of major depressive disorder and vascular factors in coronary artery disease patients: Baseline characteristics and response to antidepressant treatment in the CREATE trial. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 133-41	4.1	11
60	Inequities in medical follow-up for depression: a population-based study in Montreal. <i>Psychiatric Services</i> , 2010 , 61, 258-63	3.3	16
59	Spiritual reconfigurations of self after a myocardial infarction: Influence of culture and place. <i>Health and Place</i> , 2010 , 16, 853-60	4.6	28
58	Elevated depression symptoms predict long-term cardiovascular mortality in patients with atrial fibrillation and heart failure. <i>Circulation</i> , 2009 , 120, 134-40, 3p following 140	16.7	169
57	Canadian Network for Mood and Anxiety Treatments (CANMAT) Clinical guidelines for the management of major depressive disorder in adults. V. Complementary and alternative medicine treatments. <i>Journal of Affective Disorders</i> , 2009 , 117 Suppl 1, S54-64	6.6	75
56	Genetic predictors of depressive symptoms in cardiac patients. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 381-8	3.5	36
55	Platelet and endothelial activity in comorbid major depression and coronary artery disease patients treated with citalopram: the Canadian Cardiac Randomized Evaluation of Antidepressant and Psychotherapy Efficacy Trial (CREATE) biomarker sub-study. <i>Journal of Thrombosis and Thrombolysis</i> 2009 , 27, 48-56	5.1	55
54	AHA science advisory. Depression and coronary heart disease. Recommendations for screening, referral, and treatment. A science advisory from the American Heart Association Prevention Committee to the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research.		43
53	The relationships among heart rate variability, inflammatory markers and depression in coronary heart disease patients. <i>Brain, Behavior, and Immunity</i> , 2009 , 23, 1140-7	16.6	86
52	Relationship between n-3 and n-6 plasma fatty acid levels and insulin resistance in coronary patients with and without metabolic syndrome. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 264-70	4.5	33
51	Depression and Coronary Heart Disease: Recommendations for Screening, Referral, and Treatment. <i>Focus (American Psychiatric Publishing)</i> , 2009 , 7, 406-413	1.1	7
50	Treating persistent depressive symptoms in post-ACS patients: the project COPES phase-I randomized controlled trial. <i>Contemporary Clinical Trials</i> , 2008 , 29, 231-40	2.3	25
49	Depression and coronary heart disease: recommendations for screening, referral, and treatment: a science advisory from the American Heart Association Prevention Committee of the Council on Cardiovascular Nursing, Council on Clinical Cardiology, Council on Epidemiology and Prevention, and Interdisciplinary Council on Quality of Care and Outcomes Research: endorsed by the American	16.7	996
48	Depression and anxiety as predictors of 2-year cardiac events in patients with stable coronary artery disease. <i>Archives of General Psychiatry</i> , 2008 , 65, 62-71		407
47	Depression, C-reactive protein and two-year major adverse cardiac events in men after acute coronary syndromes. <i>Biological Psychiatry</i> , 2007 , 62, 302-8	7.9	103
46	Antiplatelet properties of escitalopram in patients with the metabolic syndrome: a dose-ranging in vitro study. <i>Neuropsychopharmacology</i> , 2007 , 32, 2369-74	8.7	17
45	Additive effects of obesity and TCF7L2 variants on risk for type 2 diabetes among cardiac patients. <i>Diabetes Care</i> , 2007 , 30, 1621-3	14.6	9
44	Effects of citalopram and interpersonal psychotherapy on depression in patients with coronary artery disease: the Canadian Cardiac Randomized Evaluation of Antidepressant and Psychotherapy Efficacy (CREATE) trial. <i>JAMA - Journal of the American Medical Association</i> , 2007 , 297, 367-79	27.4	474

- 43 Course of depressive symptoms and medication adherence after acute coronary syndromes: an electronic medication monitoring study. *Journal of the American College of Cardiology*, **2006**, 48, 2218-22^{15.1} 136
- 42 Design and rationale for a randomized, controlled trial of interpersonal psychotherapy and citalopram for depression in coronary artery disease (CREATE). *Psychosomatic Medicine*, **2006**, 68, 87-93 3.7 22
- 41 Common genetic vulnerability to depressive symptoms and coronary artery disease: a review and development of candidate genes related to inflammation and serotonin. *Psychosomatic Medicine*, **2006**, 68, 187-200 3.7 143
- 40 Assessment and treatment of depression in patients with cardiovascular disease: National Heart, Lung, and Blood Institute Working Group Report. *Psychosomatic Medicine*, **2006**, 68, 645-50 3.7 121
- 39 Escitalopram, but not its major metabolites, exhibits antiplatelet activity in humans. *Journal of Clinical Psychopharmacology*, **2006**, 26, 172-7 1.7 22
- 38 Recent evidence linking coronary heart disease and depression. *Canadian Journal of Psychiatry*, **2006**, 51, 730-7 4.8 149
- 37 Primary nocturnal enuresis: omega-3 fatty acids may be of therapeutic value. *Medical Hypotheses*, **2005**, 64, 1188-91 3.8 4
- 36 Dr. Lesperance and Colleagues Reply. *American Journal of Psychiatry*, **2005**, 162, 195-a-195 11.9
- 35 Reflections on depression as a cardiac risk factor. *Psychosomatic Medicine*, **2005**, 67 Suppl 1, S19-25 3.7 165
- 34 Myocardial perfusion study of panic attacks in patients with coronary artery disease. *American Journal of Cardiology*, **2005**, 96, 1064-8 3 57
- 33 Depression and Coronary Heart Disease: Complex Synergism of Mind, Body, and Environment. *Current Directions in Psychological Science*, **2005**, 14, 39-43 6.5 14
- 32 The association between major depression and levels of soluble intercellular adhesion molecule 1, interleukin-6, and C-reactive protein in patients with recent acute coronary syndromes. *American Journal of Psychiatry*, **2004**, 161, 271-7 11.9 219
- 31 Depression as a risk factor for post-MI mortality. *Journal of the American College of Cardiology*, **2004**, 44, 472; author reply 473-4 15.1 31
- 30 Major depression is associated with lower omega-3 fatty acid levels in patients with recent acute coronary syndromes. *Biological Psychiatry*, **2004**, 55, 891-6 7.9 178
- 29 Are exercise stress tests appropriate for assessing myocardial ischemia in patients with major depressive disorder?. *American Heart Journal*, **2004**, 148, 621-7 4.9 43
- 28 An open-label trial of interpersonal psychotherapy in depressed patients with coronary disease. *Psychosomatics*, **2004**, 45, 319-24 2.6 32
- 27 Psychological theories of depression: potential application for the prevention of acute coronary syndrome recurrence. *Psychosomatic Medicine*, **2004**, 66, 165-73 3.7 51
- 26 An open-label study of nefazodone treatment of major depression in patients with congestive heart failure. *Canadian Journal of Psychiatry*, **2003**, 48, 695-701 4.8 29

25	Depression and anxiety and outcomes of coronary artery bypass surgery. <i>Annals of Thoracic Surgery</i> , 2003 , 75, 314-21	2.7	140
24	Depression and other psychological risks following myocardial infarction. <i>Archives of General Psychiatry</i> , 2003 , 60, 627-36		253
23	Depression and coronary artery disease: time to move from observation to trials. <i>Cmaj</i> , 2003 , 168, 570-1	3.5	3
22	Nursing approaches to reducing psychological distress in men and women recovering from myocardial infarction. <i>International Journal of Nursing Studies</i> , 2002 , 39, 479-94	5.8	30
21	Five-year risk of cardiac mortality in relation to initial severity and one-year changes in depression symptoms after myocardial infarction. <i>Circulation</i> , 2002 , 105, 1049-53	16.7	552
20	Sertraline for treatment of depression in acute coronary syndromes. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 288, 2403; author reply 2403-4	27.4	1
19	Long-Term Survival Differences Among Low-Anxious, High-Anxious and Repressive Copers Enrolled in the Montreal Heart Attack Readjustment Trial. <i>Psychosomatic Medicine</i> , 2002 , 64, 571-579	3.7	1
18	Long-term survival differences among low-anxious, high-anxious and repressive copers enrolled in the Montreal heart attack readjustment trial. <i>Psychosomatic Medicine</i> , 2002 , 64, 571-9	3.7	67
17	Alexithymia following myocardial infarction: psychometric properties and correlates of the Toronto Alexithymia Scale. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 487-95	4.1	57
16	Clinical implications of a reduction in psychological distress on cardiac prognosis in patients participating in a psychosocial intervention program. <i>Psychosomatic Medicine</i> , 2001 , 63, 257-66	3.7	91
15	Depression and 1-year prognosis in unstable angina. <i>Archives of Internal Medicine</i> , 2000 , 160, 1354-60		269
14	Psychosocial factors as predictors of functional status at 1 year in patients with left ventricular dysfunction. <i>Research in Nursing and Health</i> , 2000 , 23, 290-300	2	65
13	Coronary artery disease, depression and social support only the beginning. <i>European Heart Journal</i> , 2000 , 21, 1043-5	9.5	11
12	Social support, depression, and mortality during the first year after myocardial infarction. <i>Circulation</i> , 2000 , 101, 1919-24	16.7	468
11	Depression and health-care costs during the first year following myocardial infarction. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 471-8	4.1	157
10	Depression in patients with cardiac disease: a practical review. <i>Journal of Psychosomatic Research</i> , 2000 , 48, 379-91	4.1	229
9	An open-label preliminary trial of sertraline for treatment of major depression after acute myocardial infarction (the SADHAT Trial). Sertraline Anti-Depressant Heart Attack Trial. <i>American Heart Journal</i> , 1999 , 137, 1100-6	4.9	128
8	The seduction of death. <i>Psychosomatic Medicine</i> , 1999 , 61, 18-20	3.7	28

7	Gender, depression, and one-year prognosis after myocardial infarction. <i>Psychosomatic Medicine</i> , 1999 , 61, 26-37	3.7	376
6	Randomised trial of home-based psychosocial nursing intervention for patients recovering from myocardial infarction. <i>Lancet, The</i> , 1997 , 350, 473-9	4.0	387
5	Negative emotions and coronary heart disease: getting to the heart of the matter. <i>Lancet, The</i> , 1996 , 347, 414-5	4.0	54
4	Major depression before and after myocardial infarction: its nature and consequences. <i>Psychosomatic Medicine</i> , 1996 , 58, 99-110	3.7	333
3	The impact of negative emotions on prognosis following myocardial infarction: Is it more than depression?. <i>Health Psychology</i> , 1995 , 14, 388-398	5	379
2	Depression and 18-month prognosis after myocardial infarction. <i>Circulation</i> , 1995 , 91, 999-1005	16.7	1073
1	Differential long-term impact of in-hospital symptoms of psychological stress after non-Q-wave and Q-wave acute myocardial infarction. <i>American Journal of Cardiology</i> , 1992 , 69, 1128-34	3	26