
De-Yong Long

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9385831/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Achievement of Pulmonary Vein Isolation in Patients Undergoing Circumferential Pulmonary Vein Ablation: A Randomized Comparison Between Two Different Isolation Approaches. Journal of Cardiovascular Electrophysiology, 2006, 17, 1263-1270.	1.7	94
2	Current Status and Time Trends of Oral Anticoagulation Use Among Chinese Patients With Nonvalvular Atrial Fibrillation. Stroke, 2016, 47, 1803-1810.	2.0	86
3	Prospective randomized comparison between a fixed â€~2C3L' approach vs. stepwise approach for catheter ablation of persistent atrial fibrillation. Europace, 2015, 17, 1798-1806.	1.7	84
4	Rationale and design of the Chinese Atrial Fibrillation Registry Study. BMC Cardiovascular Disorders, 2016, 16, 130.	1.7	59
5	Serum Uric Acid and Risk of Left Atrial Thrombus in Patients With Nonvalvular Atrial Fibrillation. Canadian Journal of Cardiology, 2014, 30, 1415-1421.	1.7	43
6	Atrial Tachycardia Arising Adjacent to Noncoronary Aortic Sinus. Journal of the American College of Cardiology, 2010, 56, 796-804.	2.8	41
7	The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. Europace, 2020, 22, 90-99.	1.7	41
8	Advanced interatrial block predicts clinical recurrence of atrial fibrillation after catheter ablation. Journal of Cardiology, 2016, 68, 352-356.	1.9	40
9	Predictors of recurrence after a repeat ablation procedure for paroxysmal atrial fibrillation: role of left atrial enlargement. Europace, 2014, 16, 1569-1574.	1.7	31
10	Association Between Blood Lipid Profiles and Atrial Fibrillation: A Case-Control Study. Medical Science Monitor, 2018, 24, 3903-3908.	1.1	25
11	Isolated Conduction Within the Left His-Purkenje System During Sinus Rhythm and Idiopathic Left Ventricle Tachycardia. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 522-527.	4.8	24
12	Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA2DS2-VASc score. Europace, 2018, 20, 1093-1098.	1.7	24
13	Long-Term Persistence with Newly-Initiated Warfarin or Non-VKA Oral Anticoagulant (NOAC) in Patients with Non-Valvular Atrial Fibrillation: Insights from the Prospective China-AF Registry. Medical Science Monitor, 2019, 25, 2649-2657.	1.1	22
14	A New Method to Evaluate Linear Block at the Left Atrial Roof: Is It Reliable Without Pacing?. Journal of Cardiovascular Electrophysiology, 2010, 21, 741-746.	1.7	21
15	Plasma homocysteine levels predict early recurrence after catheter ablation of persistent atrial fibrillation. Europace, 2016, 19, euw081.	1.7	21
16	Ablation of Right-Sided Accessory Pathways With Atrial Insertion Far From the Tricuspid Annulus Using an Electroanatomical Mapping System. Journal of Cardiovascular Electrophysiology, 2011, 22, 499-505.	1.7	20
17	Maternal arrhythmia in structurally normal heart: Prevalence and feasibility of catheter ablation without fluoroscopy. PACE - Pacing and Clinical Electrophysiology, 2019, 42, 1566-1572.	1.2	18
18	Incidence and clinical characteristics of transient ST-T elevation during transseptal catheterization for atrial fibrillation ablation. Europace, 2015, 17, 579-583.	1.7	17

#	Article	IF	CITATIONS
19	Transseptal puncture and catheter ablation of atrial fibrillation in patients with atrial septal occluder: initial experience of a single centre. Europace, 2018, 20, 1468-1474.	1.7	17
20	Effectiveness of ethanol infusion into the vein of Marshall combined with a fixed anatomical ablation strategy (the "upgraded 2C3L―approach) for catheter ablation of persistent atrial fibrillation. Journal of Cardiovascular Electrophysiology, 2021, 32, 1849-1856.	1.7	17
21	Atrial fibrillation is associated with an increased risk of myocardial infarction: Insights from a meta-analysis. Atherosclerosis, 2016, 254, 1-7.	0.8	16
22	Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. Thrombosis and Haemostasis, 2018, 118, 1815-1822.	3.4	16
23	Longâ€ŧerm outcome of catheter ablation for atrial fibrillation in patients with apical hypertrophic cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2018, 29, 951-957.	1.7	15
24	Postablation neutrophil/lymphocyte ratio correlates with arrhythmia recurrence after catheter ablation of lone atrial fibrillation. Chinese Medical Journal, 2014, 127, 1033-8.	2.3	14
25	Integrative Analysis of miRNA and mRNA Expression Profiles Associated With Human Atrial Aging. Frontiers in Physiology, 2019, 10, 1226.	2.8	13
26	Inadvertent transseptal puncture into the aortic root: the narrow edge between luck and catastrophe in interventional cardiology. Europace, 2019, 21, 1106-1115.	1.7	13
27	Impact of COVID-19 Pandemic on Hospital Admissions of Acute Coronary Syndrome: A Beijing Inpatient Database Study. The Lancet Regional Health - Western Pacific, 2022, 19, 100335.	2.9	13
28	QTc Interval Prolongation Predicts Arrhythmia Recurrence After Catheter Ablation of Atrial Fibrillation in Patients With Hypertrophic Cardiomyopathy. Circulation Journal, 2015, 79, 1024-1030.	1.6	12
29	Right atrial diameter and outcome of catheter ablation of atrial fibrillation. Journal of Interventional Cardiac Electrophysiology, 2017, 49, 157-164.	1.3	12
30	U-shaped association between serum free triiodothyronine and recurrence of atrial fibrillation after catheter ablation. Journal of Interventional Cardiac Electrophysiology, 2018, 51, 263-270.	1.3	12
31	Prevalence of modifiable risk factors and relation to stroke and death in patients with atrial fibrillation: A report from the China atrial fibrillation registry study. Journal of Cardiovascular Electrophysiology, 2019, 30, 2759-2767.	1.7	12
32	Ridge-related reentry despite apparent bidirectional mitral isthmus block. Heart Rhythm, 2016, 13, 1845-1851.	0.7	11
33	Electrocardiographic left ventricular hypertrophy predicts recurrence of atrial arrhythmias after catheter ablation of paroxysmal atrial fibrillation. Clinical Cardiology, 2018, 41, 797-802.	1.8	11
34	Ethanol infusion into the vein of Marshall for recurrent perimitral atrial tachycardia after catheter ablation for persistent atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 773-781.	1.2	11
35	Healthcare quality and mortality among patients hospitalized for heart failure by hospital level in Beijing, China. ESC Heart Failure, 2021, 8, 1186-1194.	3.1	11
36	Ablation of Left‣ided Accessory Pathways with Atrial Insertion Away from the Mitral Annulus Using an Electroanatomical Mapping System. Journal of Cardiovascular Electrophysiology, 2013, 24, 788-792.	1.7	10

#	Article	IF	CITATIONS
37	Catheter Ablation of Premature Ventricular Contractions Originating in the Aortic Sinus Cusp or Great Cardiac Vein: Two QRS Morphologies with One Origin. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 1029-1038.	1.2	10
38	Relationship Between Ablation Lesion Size Estimated by Ablation Index and Different Ablation Settings—an Ex Vivo Porcine Heart Study. Journal of Cardiovascular Translational Research, 2020, 13, 965-969.	2.4	10
39	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. Journal of Cardiology, 2015, 66, 320-325.	1.9	9
40	Body mass index and all-cause mortality in patients with atrial fibrillation: insights from the China atrial fibrillation registry study. Clinical Research in Cardiology, 2019, 108, 1371-1380.	3.3	9
41	Catheter ablation of atrial fibrillation in situs inversus dextrocardia: Challenge, improved procedure, outcomes, and literature review. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 293-305.	1.2	9
42	Effect of valsartan on atrial fibrillation recurrence following pulmonary vein isolation in patients. Experimental and Therapeutic Medicine, 2015, 9, 631-635.	1.8	8
43	Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. Journal of Interventional Cardiac Electrophysiology, 2019, 55, 137-143.	1.3	8
44	A simple and easily implemented risk model to predict 1-year ischemic stroke and systemic embolism in Chinese patients with atrial fibrillation. Chinese Medical Journal, 2021, 134, 2293-2298.	2.3	8
45	Incidence and predictors of hospitalization in patients with atrial fibrillation: results from the Chinese atrial fibrillation registry study. BMC Cardiovascular Disorders, 2021, 21, 146.	1.7	7
46	Pericardial access via wireâ€guided puncture without contrast: The feasibility and safety of a modified approach. Journal of Cardiovascular Electrophysiology, 2020, 31, 30-37.	1.7	6
47	Atrioesophageal fistula post atrial fibrillation ablation: A multicenter study from China. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 627-632.	1.2	6
48	Evidence of 2 conduction exits of the moderator band: Findings from activation and pace mapping study. Heart Rhythm, 2020, 17, 1856-1863.	0.7	6
49	Effectiveness and safety of atrial fibrillation ablation in females. PACE - Pacing and Clinical Electrophysiology, 2020, 43, 583-592.	1.2	6
50	New-Onset Atrial Fibrillation and Adverse In-Hospital Outcome in Patients with Acute Pulmonary Embolism. Seminars in Thrombosis and Hemostasis, 2020, 46, 887-894.	2.7	6
51	Associations of anemia with death and major bleeding in patients with atrial fibrillation: A report from the Chinese Atrial Fibrillation Registry Study. Clinical Cardiology, 2022, 45, 91-100.	1.8	6
52	Risk Stratification for Acute Pulmonary Embolism in Patients with Atrial Fibrillation: Role of CHADS2 Score. Seminars in Thrombosis and Hemostasis, 2017, 43, 864-870.	2.7	5
53	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. Heart Rhythm, 2020, 17, 1337-1345.	0.7	5
54	Long-term results of single-procedure catheter ablation for atrial fibrillationin pre- and post-menopausal women. Journal of Geriatric Cardiology, 2014, 11, 120-5.	0.2	5

#	Article	IF	CITATIONS
55	Integrated Care of Atrial Fibrillation Using the ABC (Atrial fibrillation Better Care) Pathway Improves Clinical Outcomes in Chinese Population: An Analysis From the Chinese Atrial Fibrillation Registry. Frontiers in Cardiovascular Medicine, 2021, 8, 762245.	2.4	5
56	Transseptal puncture in patients with septal occluder devices during catheter ablation of atrial fibrillation. EuroIntervention, 2022, 17, 1112-1119.	3.2	5
57	Uptake of evidence-based statin therapy among atrial fibrillation patients in China: A report from the CAFR (Chinese Atrial Fibrillation Registry) Study. International Journal of Cardiology, 2016, 220, 284-289.	1.7	4
58	A comparison of the real world effectiveness of catheter ablation and drug therapy in atrial fibrillation patients in a Chinese setting. BMC Cardiovascular Disorders, 2017, 17, 204.	1.7	4
59	Depolarization and repolarization parameters on ECG predict recurrence after atrial fibrillation ablation in patients with hypertrophic cardiomyopathy. Journal of Cardiovascular Electrophysiology, 2019, 30, 2405-2413.	1.7	4
60	Right free-wall accessory pathway with branched atrial insertions: Clinical, electrocardiographic, and electrophysiological characteristics. Heart Rhythm, 2020, 17, 243-249.	0.7	4
61	Biatrial enlargement as a predictor for reablation of atrial fibrillation. International Journal of Medical Sciences, 2020, 17, 3031-3038.	2.5	4
62	Comparison of prognosis and outcomes of catheter ablation versus drug therapy in patients with atrial fibrillation and stable coronary artery disease: A prospective <scp>propensityâ€score</scp> matched cohort study. Clinical Cardiology, 2021, 44, 1422-1431.	1.8	4
63	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. International Journal of Cardiology, 2014, 172, 217-219.	1.7	3
64	Pouched Mitral Isthmus Is Associated with Incomplete Linear Block in Atrial Fibrillation Patients with Mechanical Mitral Valve Replacement. Journal of Cardiovascular Electrophysiology, 2015, 26, 501-508.	1.7	3
65	An automatic and accurate registration method for electroâ€anatomical map and CT surface. International Journal of Medical Robotics and Computer Assisted Surgery, 2017, 13, e1818.	2.3	3
66	A Long-Term Cost-Effectiveness Analysis Comparing Radiofrequency Catheter Ablation with Antiarrhythmic Drugs in Treatment of Chinese Patients with Atrial Fibrillation. American Journal of Cardiovascular Drugs, 2019, 19, 569-577.	2.2	3
67	Use of oral anticoagulants and its associated factors among nonvalvular atrial fibrillation patients with newâ€onset acute ischemic stroke: A report from the China Atrial Fibrillation Registry study. Clinical Cardiology, 2022, 45, 60-67.	1.8	3
68	Association Between CHADS ₂ Score and the Development of Interatrial Block. International Heart Journal, 2018, 59, 1261-1265.	1.0	2
69	Catheter ablation of a right epicardial accessory pathway via the small cardiac vein: Two case reports. Journal of Electrocardiology, 2019, 52, 106-108.	0.9	2
70	Effect of family history of atrial fibrillation on recurrence after atrial fibrillation ablation: A report from the Chinese Atrial Fibrillation Registry Study. Journal of Cardiovascular Electrophysiology, 2021, 32, 678-685.	1.7	2
71	Electrocardiographic Characteristics and Catheter Ablation of Ventricular Arrhythmias Originating From the Moderator Band in Children. Frontiers in Pediatrics, 2022, 10, 740230.	1.9	2
72	Factors associated with depression and anxiety among caregivers of patients with atrial fibrillation. Journal of Clinical Nursing, 2021, , .	3.0	2

#	Article	IF	CITATIONS
73	Successful ablation of a right atriumâ^'axillary ventricular accessory pathway associated with Wolffâ€Parkinsonâ€White syndrome. PACE - Pacing and Clinical Electrophysiology, 2017, 40, 1489-1491.	1.2	1
74	Left-sided accessory pathways successfully ablated from the aortomitral continuity region: distinctive atrial activation patterns and anatomic concerns. Europace, 2020, 22, 1712-1717.	1.7	1
75	Electrophysiological manifestations of rare supra-ventricular tachycardias with concealed nodo-ventricular fibers. Journal of Interventional Cardiac Electrophysiology, 2021, 62, 31-38.	1.3	1
76	A strategy of idarucizumab for pericardial tamponade during perioperative period of atrial fibrillation ablation. PACE - Pacing and Clinical Electrophysiology, 2021, 44, 1824-1831.	1.2	1
77	Lambl's excrescence and the safety of radiofrequency ablation for atrial fibrillation. PACE - Pacing and Clinical Electrophysiology, 2022, 45, 821-825.	1.2	1
78	Author's Reply. Journal of Cardiology, 2016, 68, 270.	1.9	0
79	Safety and efficacy of catheter ablation for atrial fibrillation in abdominal solid organ (renal and) Tj ETQq1 1 0.784 Electrophysiology, 2020, 31, 3141-3149.	4314 rgBT 1.7	Overlock 0
80	Antithrombotic strategy and its relationship with outcomes in patients with atrial fibrillation and chronic coronary syndrome. Journal of Thrombosis and Thrombolysis, 2021, , 1.	2.1	0
81	Catheter ablation for atrial fibrillation is associated with reduced risk of mortality in the elderly: a prospective cohort study and propensity score analysis. Journal of Geriatric Cardiology, 2020, 17, 740-749.	0.2	Ο
82	Emergency pericardiocentensis with two-pigtail technique in a patient with cardiac tamponade during atrial fibrillation ablation. Chinese Medical Journal, 2014, 127, 1185-6.	2.3	0
83	Impact of Low-density Lipoprotein Cholesterol Levels on Outcomes in Nonvalvular Atrial Fibrillation: Results from the China Atrial Fibrillation Registry Study. Medical Science Monitor, 2022, 28, e934747.	1.1	0