

# De-Yong Long

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9385831/publications.pdf>

Version: 2024-02-01

83  
papers

1,145  
citations

586496

16  
h-index

536525

29  
g-index

90  
all docs

90  
docs citations

90  
times ranked

1739  
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of COVID-19 Pandemic on Hospital Admissions of Acute Coronary Syndrome: A Beijing Inpatient Database Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 19, 100335.	1.3	13
2	Transseptal puncture in patients with septal occluder devices during catheter ablation of atrial fibrillation. <i>EuroIntervention</i> , 2022, 17, 1112-1119.	1.4	5
3	Electrocardiographic Characteristics and Catheter Ablation of Ventricular Arrhythmias Originating From the Moderator Band in Children. <i>Frontiers in Pediatrics</i> , 2022, 10, 740230.	0.9	2
4	Impact of Low-density Lipoprotein Cholesterol Levels on Outcomes in Nonvalvular Atrial Fibrillation: Results from the China Atrial Fibrillation Registry Study. <i>Medical Science Monitor</i> , 2022, 28, e934747.	0.5	0
5	Associations of anemia with death and major bleeding in patients with atrial fibrillation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Clinical Cardiology</i> , 2022, 45, 91-100.	0.7	6
6	Use of oral anticoagulants and its associated factors among nonvalvular atrial fibrillation patients with new-onset acute ischemic stroke: A report from the China Atrial Fibrillation Registry study. <i>Clinical Cardiology</i> , 2022, 45, 60-67.	0.7	3
7	Lambli's excrescence and the safety of radiofrequency ablation for atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2022, 45, 821-825.	0.5	1
8	Electrophysiological manifestations of rare supra-ventricular tachycardias with concealed nodo-ventricular fibers. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2021, 62, 31-38.	0.6	1
9	Ethanol infusion into the vein of Marshall for recurrent perimitral atrial tachycardia after catheter ablation for persistent atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 773-781.	0.5	11
10	Effect of family history of atrial fibrillation on recurrence after atrial fibrillation ablation: A report from the Chinese Atrial Fibrillation Registry Study. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 678-685.	0.8	2
11	Incidence and predictors of hospitalization in patients with atrial fibrillation: results from the Chinese atrial fibrillation registry study. <i>BMC Cardiovascular Disorders</i> , 2021, 21, 146.	0.7	7
12	A simple and easily implemented risk model to predict 1-year ischemic stroke and systemic embolism in Chinese patients with atrial fibrillation. <i>Chinese Medical Journal</i> , 2021, 134, 2293-2298.	0.9	8
13	Effectiveness of ethanol infusion into the vein of Marshall combined with a fixed anatomical ablation strategy (the "upgraded 2C3L" approach) for catheter ablation of persistent atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2021, 32, 1849-1856.	0.8	17
14	Comparison of prognosis and outcomes of catheter ablation versus drug therapy in patients with atrial fibrillation and stable coronary artery disease: A prospective propensity score matched cohort study. <i>Clinical Cardiology</i> , 2021, 44, 1422-1431.	0.7	4
15	A strategy of idarucizumab for pericardial tamponade during perioperative period of atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1824-1831.	0.5	1
16	Catheter ablation of atrial fibrillation in situs inversus dextrocardia: Challenge, improved procedure, outcomes, and literature review. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 293-305.	0.5	9
17	Healthcare quality and mortality among patients hospitalized for heart failure by hospital level in Beijing, China. <i>ESC Heart Failure</i> , 2021, 8, 1186-1194.	1.4	11
18	Antithrombotic strategy and its relationship with outcomes in patients with atrial fibrillation and chronic coronary syndrome. <i>Journal of Thrombosis and Thrombolysis</i> , 2021, , 1.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Integrated Care of Atrial Fibrillation Using the ABC (Atrial fibrillation Better Care) Pathway Improves Clinical Outcomes in Chinese Population: An Analysis From the Chinese Atrial Fibrillation Registry. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 762245.	1.1	5
20	Factors associated with depression and anxiety among caregivers of patients with atrial fibrillation. <i>Journal of Clinical Nursing</i> , 2021, , .	1.4	2
21	The safety of discontinuation of oral anticoagulation therapy after apparently successful atrial fibrillation ablation: a report from the Chinese Atrial Fibrillation Registry study. <i>Europace</i> , 2020, 22, 90-99.	0.7	41
22	Right free-wall accessory pathway with branched atrial insertions: Clinical, electrocardiographic, and electrophysiological characteristics. <i>Heart Rhythm</i> , 2020, 17, 243-249.	0.3	4
23	Pericardial access via wireâ€­guided puncture without contrast: The feasibility and safety of a modified approach. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 30-37.	0.8	6
24	Safety and efficacy of catheter ablation for atrial fibrillation in abdominal solid organ (renal and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 54 <i>Electrophysiology</i> , 2020, 31, 3141-3149.	0.8	0
25	Left-sided accessory pathways successfully ablated from the aortomitral continuity region: distinctive atrial activation patterns and anatomic concerns. <i>Europace</i> , 2020, 22, 1712-1717.	0.7	1
26	Biatrial enlargement as a predictor for reablation of atrial fibrillation. <i>International Journal of Medical Sciences</i> , 2020, 17, 3031-3038.	1.1	4
27	Relationship Between Ablation Lesion Size Estimated by Ablation Index and Different Ablation Settingsâ€™an Ex Vivo Porcine Heart Study. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 965-969.	1.1	10
28	Atrioesophageal fistula post atrial fibrillation ablation: A multicenter study from China. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 627-632.	0.5	6
29	Atrial tachycardia eliminated at the ventricular side in patients with congenitally corrected transposition of the great arteries: Electrophysiological findings and anatomical concerns. <i>Heart Rhythm</i> , 2020, 17, 1337-1345.	0.3	5
30	Evidence of 2 conduction exits of the moderator band: Findings from activation and pace mapping study. <i>Heart Rhythm</i> , 2020, 17, 1856-1863.	0.3	6
31	Effectiveness and safety of atrial fibrillation ablation in females. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 583-592.	0.5	6
32	New-Onset Atrial Fibrillation and Adverse In-Hospital Outcome in Patients with Acute Pulmonary Embolism. <i>Seminars in Thrombosis and Hemostasis</i> , 2020, 46, 887-894.	1.5	6
33	Catheter ablation for atrial fibrillation is associated with reduced risk of mortality in the elderly: a prospective cohort study and propensity score analysis. <i>Journal of Geriatric Cardiology</i> , 2020, 17, 740-749.	0.2	0
34	Integrative Analysis of miRNA and mRNA Expression Profiles Associated With Human Atrial Aging. <i>Frontiers in Physiology</i> , 2019, 10, 1226.	1.3	13
35	Prevalence of modifiable risk factors and relation to stroke and death in patients with atrial fibrillation: A report from the China atrial fibrillation registry study. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2759-2767.	0.8	12
36	Maternal arrhythmia in structurally normal heart: Prevalence and feasibility of catheter ablation without fluoroscopy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1566-1572.	0.5	18

#	ARTICLE	IF	CITATIONS
37	Depolarization and repolarization parameters on ECG predict recurrence after atrial fibrillation ablation in patients with hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2405-2413.	0.8	4
38	Association between the use of contact force-sensing catheters and cardiac tamponade in atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2019, 55, 137-143.	0.6	8
39	A Long-Term Cost-Effectiveness Analysis Comparing Radiofrequency Catheter Ablation with Antiarrhythmic Drugs in Treatment of Chinese Patients with Atrial Fibrillation. <i>American Journal of Cardiovascular Drugs</i> , 2019, 19, 569-577.	1.0	3
40	Inadvertent transseptal puncture into the aortic root: the narrow edge between luck and catastrophe in interventional cardiology. <i>Europace</i> , 2019, 21, 1106-1115.	0.7	13
41	Body mass index and all-cause mortality in patients with atrial fibrillation: insights from the China atrial fibrillation registry study. <i>Clinical Research in Cardiology</i> , 2019, 108, 1371-1380.	1.5	9
42	Catheter ablation of a right epicardial accessory pathway via the small cardiac vein: Two case reports. <i>Journal of Electrocardiology</i> , 2019, 52, 106-108.	0.4	2
43	Long-Term Persistence with Newly-Initiated Warfarin or Non-VKA Oral Anticoagulant (NOAC) in Patients with Non-Valvular Atrial Fibrillation: Insights from the Prospective China-AF Registry. <i>Medical Science Monitor</i> , 2019, 25, 2649-2657.	0.5	22
44	U-shaped association between serum free triiodothyronine and recurrence of atrial fibrillation after catheter ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2018, 51, 263-270.	0.6	12
45	Transseptal puncture and catheter ablation of atrial fibrillation in patients with atrial septal occluder: initial experience of a single centre. <i>Europace</i> , 2018, 20, 1468-1474.	0.7	17
46	Electrocardiographic left ventricular hypertrophy predicts recurrence of atrial arrhythmias after catheter ablation of paroxysmal atrial fibrillation. <i>Clinical Cardiology</i> , 2018, 41, 797-802.	0.7	11
47	Elevated homocysteine increases the risk of left atrial/left atrial appendage thrombus in non-valvular atrial fibrillation with low CHA2DS2-VASc score. <i>Europace</i> , 2018, 20, 1093-1098.	0.7	24
48	Association Between Blood Lipid Profiles and Atrial Fibrillation: A Case-Control Study. <i>Medical Science Monitor</i> , 2018, 24, 3903-3908.	0.5	25
49	Association Between CHADS <sub>2</sub> Score and the Development of Interatrial Block. <i>International Heart Journal</i> , 2018, 59, 1261-1265.	0.5	2
50	Patient-Reported Treatment Satisfaction with Dabigatran versus Warfarin in Patients with Non-Valvular Atrial Fibrillation in China. <i>Thrombosis and Haemostasis</i> , 2018, 118, 1815-1822.	1.8	16
51	Long-term outcome of catheter ablation for atrial fibrillation in patients with apical hypertrophic cardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2018, 29, 951-957.	0.8	15
52	An automatic and accurate registration method for electroanatomical map and CT surface. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2017, 13, e1818.	1.2	3
53	Successful ablation of a right atrium axillary ventricular accessory pathway associated with Wolff-Parkinson-White syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1489-1491.	0.5	1
54	Risk Stratification for Acute Pulmonary Embolism in Patients with Atrial Fibrillation: Role of CHADS <sub>2</sub> Score. <i>Seminars in Thrombosis and Hemostasis</i> , 2017, 43, 864-870.	1.5	5

#	ARTICLE	IF	CITATIONS
55	Right atrial diameter and outcome of catheter ablation of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2017, 49, 157-164.	0.6	12
56	A comparison of the real world effectiveness of catheter ablation and drug therapy in atrial fibrillation patients in a Chinese setting. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 204.	0.7	4
57	Rationale and design of the Chinese Atrial Fibrillation Registry Study. <i>BMC Cardiovascular Disorders</i> , 2016, 16, 130.	0.7	59
58	Plasma homocysteine levels predict early recurrence after catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2016, 19, euw081.	0.7	21
59	Advanced interatrial block predicts clinical recurrence of atrial fibrillation after catheter ablation. <i>Journal of Cardiology</i> , 2016, 68, 352-356.	0.8	40
60	Atrial fibrillation is associated with an increased risk of myocardial infarction: Insights from a meta-analysis. <i>Atherosclerosis</i> , 2016, 254, 1-7.	0.4	16
61	Ridge-related reentry despite apparent bidirectional mitral isthmus block. <i>Heart Rhythm</i> , 2016, 13, 1845-1851.	0.3	11
62	Uptake of evidence-based statin therapy among atrial fibrillation patients in China: A report from the CAFR (Chinese Atrial Fibrillation Registry) Study. <i>International Journal of Cardiology</i> , 2016, 220, 284-289.	0.8	4
63	Author's Reply. <i>Journal of Cardiology</i> , 2016, 68, 270.	0.8	0
64	Current Status and Time Trends of Oral Anticoagulation Use Among Chinese Patients With Nonvalvular Atrial Fibrillation. <i>Stroke</i> , 2016, 47, 1803-1810.	1.0	86
65	QTc Interval Prolongation Predicts Arrhythmia Recurrence After Catheter Ablation of Atrial Fibrillation in Patients With Hypertrophic Cardiomyopathy. <i>Circulation Journal</i> , 2015, 79, 1024-1030.	0.7	12
66	Prospective randomized comparison between a fixed 3:1 approach vs. stepwise approach for catheter ablation of persistent atrial fibrillation. <i>Europace</i> , 2015, 17, 1798-1806.	0.7	84
67	Effect of valsartan on atrial fibrillation recurrence following pulmonary vein isolation in patients. <i>Experimental and Therapeutic Medicine</i> , 2015, 9, 631-635.	0.8	8
68	Catheter ablation of atrial fibrillation in patients with rheumatoid arthritis. <i>Journal of Cardiology</i> , 2015, 66, 320-325.	0.8	9
69	Pouched Mitral Isthmus Is Associated with Incomplete Linear Block in Atrial Fibrillation Patients with Mechanical Mitral Valve Replacement. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 501-508.	0.8	3
70	Catheter Ablation of Premature Ventricular Contractions Originating in the Aortic Sinus Cusp or Great Cardiac Vein: Two QRS Morphologies with One Origin. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 1029-1038.	0.5	10
71	Incidence and clinical characteristics of transient ST-T elevation during transeptal catheterization for atrial fibrillation ablation. <i>Europace</i> , 2015, 17, 579-583.	0.7	17
72	Serum Uric Acid and Risk of Left Atrial Thrombus in Patients With Nonvalvular Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1415-1421.	0.8	43

#	ARTICLE	IF	CITATIONS
73	Predictors of recurrence after a repeat ablation procedure for paroxysmal atrial fibrillation: role of left atrial enlargement. <i>Europace</i> , 2014, 16, 1569-1574.	0.7	31
74	Left ventricular synchronization and systolic function estimated by speckle tracking echocardiography pre-and post-radiofrequency ablation in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2014, 172, 217-219.	0.8	3
75	Long-term results of single-procedure catheter ablation for atrial fibrillation in pre- and post-menopausal women. <i>Journal of Geriatric Cardiology</i> , 2014, 11, 120-5.	0.2	5
76	Postablation neutrophil/lymphocyte ratio correlates with arrhythmia recurrence after catheter ablation of lone atrial fibrillation. <i>Chinese Medical Journal</i> , 2014, 127, 1033-8.	0.9	14
77	Emergency pericardiocentesis with two-pigtail technique in a patient with cardiac tamponade during atrial fibrillation ablation. <i>Chinese Medical Journal</i> , 2014, 127, 1185-6.	0.9	0
78	Ablation of Left-Sided Accessory Pathways with Atrial Insertion Away from the Mitral Annulus Using an Electroanatomical Mapping System. <i>Journal of Cardiovascular Electrophysiology</i> , 2013, 24, 788-792.	0.8	10
79	Isolated Conduction Within the Left His-Purkinje System During Sinus Rhythm and Idiopathic Left Ventricle Tachycardia. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2013, 6, 522-527.	2.1	24
80	Ablation of Right-Sided Accessory Pathways With Atrial Insertion Far From the Tricuspid Annulus Using an Electroanatomical Mapping System. <i>Journal of Cardiovascular Electrophysiology</i> , 2011, 22, 499-505.	0.8	20
81	A New Method to Evaluate Linear Block at the Left Atrial Roof: Is It Reliable Without Pacing?. <i>Journal of Cardiovascular Electrophysiology</i> , 2010, 21, 741-746.	0.8	21
82	Atrial Tachycardia Arising Adjacent to Noncoronary Aortic Sinus. <i>Journal of the American College of Cardiology</i> , 2010, 56, 796-804.	1.2	41
83	Achievement of Pulmonary Vein Isolation in Patients Undergoing Circumferential Pulmonary Vein Ablation: A Randomized Comparison Between Two Different Isolation Approaches. <i>Journal of Cardiovascular Electrophysiology</i> , 2006, 17, 1263-1270.	0.8	94