
## Antoaneta A Toncheva

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/9386/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of neuronal injury blood marker neurofilament light chain with mild-to-moderate COVID-19. Journal of Neurology, 2020, 267, 3476-3478.	3.6	83
2	Symptoms and immunoglobulin development in hospital staff exposed to a SARSâ€CoVâ€⊋ outbreak. Pediatric Allergy and Immunology, 2020, 31, 841-847.	2.6	64
3	Polymorphisms related to ORMDL3 are associated with asthma susceptibility, alterations in transcriptional regulation of ORMDL3, and changes in TH2 cytokine levels. Journal of Allergy and Clinical Immunology, 2015, 136, 893-903.e14.	2.9	54
4	Immune response to SARS-CoV-2 in health care workers following a COVID-19 outbreak: A prospective longitudinal study. Journal of Clinical Virology, 2020, 130, 104575.	3.1	47
5	Childhood asthma is associated with mutations and gene expression differences of <i><scp>ORMDL</scp></i> genes that can interact. Allergy: European Journal of Allergy and Clinical Immunology, 2015, 70, 1288-1299.	5.7	35
6	KUNO-Kids birth cohort study: rationale, design, and cohort description. Molecular and Cellular Pediatrics, 2019, 6, 1.	1.8	33
7	A polymorphism in the <scp>T</scp> <sub>H</sub> 2 locus control region is associated with changes in <scp>DNA</scp> methylation and gene expression. Allergy: European Journal of Allergy and Clinical Immunology, 2014, 69, 1171-1180.	5.7	30
8	Doublesex and mab-3 related transcription factor 1 (DMRT1) is a sex-specific genetic determinant of childhood-onset asthma and is expressed in testis and macrophages. Journal of Allergy and Clinical Immunology, 2016, 138, 421-431.	2.9	21
9	Protective effects of breastfeeding on respiratory symptoms in infants with 17q21 asthma risk variants. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 2388-2392.	5.7	17
10	Serum neurofilament light chain (sNfL) values in a large cross-sectional population of children with asymptomatic to moderate COVID-19. Journal of Neurology, 2021, 268, 3969-3974.	3.6	16
11	Genetic variants in <i>Protocadherinâ€1</i> , bronchial hyperâ€responsiveness, and asthma subphenotypes in German children. Pediatric Allergy and Immunology, 2012, 23, 636-641.	2.6	15
12	The cAMP response element modulator (CREM) regulates TH2 mediated inflammation. Oncotarget, 2015, 6, 38538-38551.	1.8	15
13	Human β-Defensin 2 Mutations Are Associated With Asthma and Atopy in Children and Its Application Prevents Atopic Asthma in a Mouse Model. Frontiers in Immunology, 2021, 12, 636061.	4.8	12
14	A System Pharmacology Multi-Omics Approach toward Uncontrolled Pediatric Asthma. Journal of Personalized Medicine, 2021, 11, 484.	2.5	11
15	Symptoms, SARS-CoV-2 Antibodies, and Neutralization Capacity in a Cross Sectional-Population of German Children. Frontiers in Pediatrics, 2021, 9, 678937.	1.9	10
16	Gingival Disease and Secretory Immunoglobulin a In Non-Stimulated Saliva in Children. Folia Medica, 2010, 52, 48-55.	0.5	8
17	6q12 and 11p14 variants are associated with postnatal exhaled nitric oxide levels and respiratory symptoms. Journal of Allergy and Clinical Immunology, 2017, 140, 1015-1023.	2.9	3
18	Asthmatic farm children show increased CD3+CD8low T-cells compared to non-asthmatic farm children. Clinical Immunology, 2017, 183, 285-292.	3.2	3

#	Article	IF	CITATIONS
19	LATE-BREAKING ABSTRACT: Interaction of 17q21 variants with breastfeeding in relation to respiratory symptoms in infancy. , 2016, , .		0