

Xiaohua He

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9386946/xiaohua-he-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

1,237
citations

20
h-index

33
g-index

74
ext. papers

1,529
ext. citations

4.3
avg, IF

4.31
L-index

#	Paper	IF	Citations
70	Moving Chemistry from Bench to Market: An Introduction to the Agricultural and Food Chemistry Technical Program at the 260th American Chemical Society Fall 2020 Virtual Meeting & Expo. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 13255-13259	5.7	
69	Prevalence and Genetic Analysis of Chromosomal in From U.S. Animal-Derived Samples. <i>Frontiers in Microbiology</i> , 2021 , 12, 667406	5.7	1
68	DNA adenine methylase, not the PstI restriction-modification system, regulates virulence gene expression in Shiga toxin-producing Escherichia coli. <i>Food Microbiology</i> , 2021 , 96, 103722	6	2
67	Hypoxic Preconditioning Enhances the Efficacy of Mesenchymal Stem Cells-Derived Conditioned Medium in Switching Microglia toward Anti-inflammatory Polarization in Ischemia/Reperfusion. <i>Cellular and Molecular Neurobiology</i> , 2021 , 41, 505-524	4.6	11
66	Differential induction of Shiga toxin in environmental Escherichia coli O145:H28 strains carrying the same genotype as the outbreak strains. <i>International Journal of Food Microbiology</i> , 2021 , 339, 109029	5.8	4
65	Rapid and Label-Free Immunosensing of Shiga Toxin Subtypes with Surface Plasmon Resonance Imaging. <i>Toxins</i> , 2020 , 12,	4.9	3
64	Low prevalence of mobile colistin-resistance in U.S. meat, catfish, poultry and genomic characterization of a mcr-1 positive Escherichia coli strain. <i>Food Control</i> , 2020 , 118, 107434	6.2	4
63	Genomic Insight into Natural Inactivation of Shiga Toxin 2 Production in an Environmental Strain Producing Shiga Toxin 1. <i>Foodborne Pathogens and Disease</i> , 2020 , 17, 555-567	3.8	1
62	Escherichia coli strains producing a novel Shiga toxin 2 subtype circulate in China. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 151377	3.7	32
61	Particulate Shiga Toxin 2 in Blood is Associated to the Development of Hemolytic Uremic Syndrome in Children. <i>Thrombosis and Haemostasis</i> , 2020 , 120, 107-120	7	7
60	T cell Receptor V β in Method for Rapidly Quantifying Active Staphylococcal Enterotoxin Type-A without Live Animals. <i>Toxins</i> , 2019 , 11,	4.9	2
59	Structural and Functional Characterization of Stx2k, a New Subtype of Shiga Toxin 2. <i>Microorganisms</i> , 2019 , 8,	4.9	10
58	Identification and pathogenomic analysis of an Escherichia coli strain producing a novel Shiga toxin 2 subtype. <i>Scientific Reports</i> , 2018 , 8, 6756	4.9	53
57	An Improved Method for the Sensitive Detection of Shiga Toxin 2 in Human Serum. <i>Toxins</i> , 2018 , 10,	4.9	6
56	Alternative to Animal Use for Detecting Biologically Active Staphylococcal Enterotoxin Type A. <i>Toxins</i> , 2018 , 10,	4.9	2
55	Development of novel antibodies for detection of mobile colistin-resistant bacteria contaminated in meats. <i>Scientific Reports</i> , 2018 , 8, 16744	4.9	5
54	Soluble Toll-Like Receptor 4 Impairs the Interaction of Shiga Toxin 2a with Human Serum Amyloid P Component. <i>Toxins</i> , 2018 , 10,	4.9	7

53	Shiga toxins 2017 ,		5
52	Novel monoclonal antibodies against Stx1d and 1e and their use for improving immunoassays. <i>Journal of Immunological Methods</i> , 2017 , 447, 52-56	2.5	4
51	Complete Genome Sequence of a Shiga Toxin-Producing Clinical Isolate. <i>Genome Announcements</i> , 2017 , 5,		4
50	Volatile compounds and odor traits of dry-cured ham (Prosciutto crudo) irradiated by electron beam and gamma rays. <i>Radiation Physics and Chemistry</i> , 2017 , 130, 265-272	2.5	17
49	Abrin Toxicity and Bioavailability after Temperature and pH Treatment. <i>Toxins</i> , 2017 , 9,	4.9	3
48	A Monoclonal-Monoclonal Antibody Based Capture ELISA for Abrin. <i>Toxins</i> , 2017 , 9,	4.9	2
47	Detection of Abrin Holotoxin Using Novel Monoclonal Antibodies. <i>Toxins</i> , 2017 , 9,	4.9	6
46	Screening for the presence of mcr-1/mcr-2 genes in Shiga toxin-producing Escherichia coli recovered from a major produce-production region in California. <i>PLoS ONE</i> , 2017 , 12, e0187827	3.7	8
45	Host cell interactions of outer membrane vesicle-associated virulence factors of enterohemorrhagic Escherichia coli O157: Intracellular delivery, trafficking and mechanisms of cell injury. <i>PLoS Pathogens</i> , 2017 , 13, e1006159	7.6	99
44	Detection Methods for Shiga Toxins and Shiga Toxin-Producing E. coli 2017 , 77-100		1
43	Significant Threats to Human Health 2017 , 63-75		
42	Conclusions and a Glimpse into the Future 2017 , 101-113		
41	Analysis of Castor by ELISAs that Distinguish Ricin and Ricinus communis agglutinin (RCA). <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2016 , 93, 359-363	1.8	2
40	Phage-mediated Shiga toxin (Stx) horizontal gene transfer and expression in non-Shiga toxigenic Enterobacter and Escherichia coli strains. <i>Pathogens and Disease</i> , 2016 , 74,	4.2	25
39	New Monoclonal Antibodies against a Novel Subtype of Shiga Toxin 1 Produced by Enterobacter cloacae and Their Use in Analysis of Human Serum. <i>MSphere</i> , 2016 , 1,	5	7
38	Improved method for extraction of castor seed for toxin determination. <i>Biocatalysis and Agricultural Biotechnology</i> , 2016 , 5, 56-57	4.2	1
37	Evaluation of Castor Oil Samples for Potential Toxin Contamination. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2016 , 93, 299-301	1.8	2
36	A New Immunoassay for Detecting All Subtypes of Shiga Toxins Produced by Shiga Toxin-Producing E. coli in Ground Beef. <i>PLoS ONE</i> , 2016 , 11, e0148092	3.7	14

35	An Environmental Shiga Toxin-Producing Escherichia coli O145 Clonal Population Exhibits High-Level Phenotypic Variation That Includes Virulence Traits. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 1090-1101	4.8	20
34	Plant compounds enhance the assay sensitivity for detection of active Bacillus cereus toxin. <i>Toxins</i> , 2015 , 7, 835-45	4.9	5
33	Immuno-PCR Assay for Sensitive Detection of Proteins in Real Time. <i>Methods in Molecular Biology</i> , 2015 , 1318, 139-48	1.4	9
32	Virulence from vesicles: Novel mechanisms of host cell injury by Escherichia coli O104:H4 outbreak strain. <i>Scientific Reports</i> , 2015 , 5, 13252	4.9	92
31	Serum Shiga toxin 2 values in patients during acute phase of diarrhoea-associated haemolytic uraemic syndrome. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2015 , 104, e564-8	3.1	15
30	Mass Spectrometry-Based Method of Detecting and Distinguishing Type 1 and Type 2 Shiga-Like Toxins in Human Serum. <i>Toxins</i> , 2015 , 7, 5236-53	4.9	13
29	New Stx2e Monoclonal Antibodies for Immunological Detection and Distinction of Stx2 Subtypes. <i>PLoS ONE</i> , 2015 , 10, e0132419	3.7	5
28	Detection of shiga toxins by lateral flow assay. <i>Toxins</i> , 2015 , 7, 1163-73	4.9	23
27	An in vitro combined antibiotic-antibody treatment eliminates toxicity from Shiga toxin-producing Escherichia coli. <i>Antimicrobial Agents and Chemotherapy</i> , 2015 , 59, 5435-44	5.9	11
26	Microwave Heating Inactivates Shiga Toxin (Stx2) in Reconstituted Fat-Free Milk and Adversely Affects the Nutritional Value of Cell Culture Medium. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 3301-3305	5.7	6
25	Toxin Content of Commercial Castor Cultivars. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2014 , 91, 1515-1519	1.8	8
24	Safe and effective means of detecting and quantitating Shiga-like toxins in attomole amounts. <i>Analytical Chemistry</i> , 2014 , 86, 4698-706	7.8	15
23	A high-throughput, precipitating colorimetric sandwich ELISA microarray for Shiga toxins. <i>Toxins</i> , 2014 , 6, 1855-72	4.9	11
22	New high-affinity monoclonal antibodies against Shiga toxin 1 facilitate the detection of hybrid Stx1/Stx2 in vivo. <i>PLoS ONE</i> , 2014 , 9, e99854	3.7	26
21	Detoxification of castor meal through reactive seed crushing. <i>Industrial Crops and Products</i> , 2013 , 43, 194-199	5.9	18
20	Development and characterization of monoclonal antibodies against Shiga toxin 2 and their application for toxin detection in milk. <i>Journal of Immunological Methods</i> , 2013 , 389, 18-28	2.5	37
19	Reducing the toxicity of castor seed meal through processing treatments. <i>Biocatalysis and Agricultural Biotechnology</i> , 2013 , 2, 159-161	4.2	7
18	Mouse in vivo neutralization of Escherichia coli Shiga toxin 2 with monoclonal antibodies. <i>Toxins</i> , 2013 , 5, 1845-58	4.9	16

17	Purification and characterization of Shiga toxin 2f, an immunologically unrelated subtype of Shiga toxin 2. <i>PLoS ONE</i> , 2013 , 8, e59760	3.7	23
16	Development of monoclonal antibodies and immunoassays for sensitive and specific detection of Shiga toxin Stx2f. <i>PLoS ONE</i> , 2013 , 8, e76563	3.7	17
15	A polyclonal antibody based immunoassay detects seven subtypes of Shiga toxin 2 produced by <i>Escherichia coli</i> in human and environmental samples. <i>PLoS ONE</i> , 2013 , 8, e76368	3.7	27
14	Evaluation and comparison of three enzyme-linked immunosorbent assay formats for the detection of ricin in milk and serum. <i>Biocatalysis and Agricultural Biotechnology</i> , 2012 , 1, 105-109	4.2	5
13	A single-step purification and molecular characterization of functional Shiga toxin 2 variants from pathogenic <i>Escherichia coli</i> . <i>Toxins</i> , 2012 , 4, 487-504	4.9	31
12	Milk inhibits the biological activity of ricin. <i>Journal of Biological Chemistry</i> , 2012 , 287, 27924-9	5.4	25
11	A Review on the Challenges for Increased Production of Castor. <i>Agronomy Journal</i> , 2012 , 104, 853-880	2.2	169
10	Sensitive detection of Shiga Toxin 2 and some of its variants in environmental samples by a novel immuno-PCR assay. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 3558-64	4.8	34
9	Ricin toxicokinetics and its sensitive detection in mouse sera or feces using immuno-PCR. <i>PLoS ONE</i> , 2010 , 5, e12858	3.7	50
8	Development of a novel immuno-PCR assay for detection of ricin in ground beef, liquid chicken egg, and milk. <i>Journal of Food Protection</i> , 2010 , 73, 695-700	2.5	47
7	Insights into the Structure and Function of Acyl-CoA: Diacylglycerol Acyltransferase 2010 , 1-30		0
6	Validation of a cell-free translation assay for detecting shiga toxin 2 in bacterial culture. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 5084-8	5.7	10
5	Effect of food matrices on the biological activity of ricin. <i>Journal of Food Protection</i> , 2008 , 71, 2053-8	2.5	32
4	Application of a real time polymerase chain reaction method to detect castor toxin contamination in fluid milk and eggs. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 6897-902	5.7	27
3	Detection of castor contamination by real-time polymerase chain reaction. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 545-50	5.7	23
2	A simple and sensitive assay for distinguishing the expression of ricin and <i>Ricinus communis</i> agglutinin genes in developing castor seed (<i>R. communis</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 2358-61	5.7	29
1	Incorporation of laurate and hydroxylaurate into phosphatidylcholines and acylglycerols in castor microsomes. <i>JAACS, Journal of the American Oil Chemists Society</i> , 2005 , 82, 495-499	1.8	