

Mitsuhiro Kawano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9389951/publications.pdf>

Version: 2024-02-01

147
papers

12,844
citations

87888

38
h-index

23533

111
g-index

160
all docs

160
docs citations

160
times ranked

5732
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus statement on the pathology of IgG4-related disease. <i>Modern Pathology</i> , 2012, 25, 1181-1192.	5.5	2,171
2	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	1.8	1,294
3	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	1.8	947
4	International Consensus Guidance Statement on the Management and Treatment of IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2015, 67, 1688-1699.	5.6	767
5	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	1.8	662
6	Th2 and regulatory immune reactions are increased in immunoglobulin G4-related sclerosing pancreatitis and cholangitis. <i>Hepatology</i> , 2007, 45, 1538-1546.	7.3	633
7	Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations. <i>Arthritis and Rheumatism</i> , 2012, 64, 3061-3067.	6.7	630
8	Proposal for a new clinical entity, IgG4-positive multiorgan lymphoproliferative syndrome: analysis of 64 cases of IgG4-related disorders. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1310-1315.	0.9	524
9	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	1.8	453
10	The 2019 American College of Rheumatology/European League Against Rheumatism classification criteria for IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 77-87.	0.9	390
11	Proposal for diagnostic criteria for IgG4-related kidney disease. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 615-626.	1.6	377
12	Clinicopathological characteristics of patients with IgG4-related tubulointerstitial nephritis. <i>Kidney International</i> , 2010, 78, 1016-1023.	5.2	349
13	The 2019 American College of Rheumatology/European League Against Rheumatism Classification Criteria for IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2020, 72, 7-19.	5.6	292
14	The 2020 revised comprehensive diagnostic (RCD) criteria for IgG4-RD. <i>Modern Rheumatology</i> , 2021, 31, 529-533.	1.8	219
15	Clinicopathologic analysis of <scp>TAFRO</scp> syndrome demonstrates a distinct subtype of <scp>HHV</scp>-negative multicentric Castleman disease. <i>American Journal of Hematology</i> , 2016, 91, 220-226.	4.1	208
16	Current approach to the diagnosis of IgG4-related disease – Combination of comprehensive diagnostic and organ-specific criteria. <i>Modern Rheumatology</i> , 2017, 27, 381-391.	1.8	175
17	The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833.	5.2	144
18	Cutoff Values of Serum IgG4 and Histopathological IgG4+ Plasma Cells for Diagnosis of Patients with IgG4-Related Disease. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-5.	1.6	133

#	ARTICLE	IF	CITATIONS
19	IgG4-Related Chronic Sclerosing Dacryoadenitis. JAMA Ophthalmology, 2007, 125, 1575.	2.4	115
20	IgG4-related kidney disease. Kidney International, 2014, 85, 251-257.	5.2	111
21	Characteristic tubulointerstitial nephritis in IgG4-related disease. Human Pathology, 2012, 43, 536-549.	2.0	110
22	Cytokine profile in adult-onset Still's disease: Comparison with systemic juvenile idiopathic arthritis. Clinical Immunology, 2016, 169, 8-13.	3.2	106
23	New clues to the nature of immunoglobulin G4-related disease: a retrospective Japanese multicenter study of baseline clinical features of 334 cases. Arthritis Research and Therapy, 2017, 19, 262.	3.5	97
24	Clinical course after corticosteroid therapy in IgG4-related aortitis/periaortitis and periarteritis: a retrospective multicenter study. Arthritis Research and Therapy, 2014, 16, R156.	3.5	88
25	IgG4-related disease and its pathogenesis—cross-talk between innate and acquired immunity. International Immunology, 2014, 26, 585-595.	4.0	72
26	Light-microscopic characteristics of IgG4-related tubulointerstitial nephritis: distinction from non-IgG4-related tubulointerstitial nephritis. Nephrology Dialysis Transplantation, 2012, 27, 2755-2761.	0.7	65
27	IgG4-related kidney disease — an update. Current Opinion in Nephrology and Hypertension, 2015, 24, 193-201.	2.0	65
28	Immunohistochemical Characteristics of IgG4-Related Tubulointerstitial Nephritis: Detailed Analysis of 20 Japanese Cases. International Journal of Rheumatology, 2012, 2012, 1-9.	1.6	62
29	Gastrointestinal manifestation of immunoglobulin G4-related disease: clarification through a multicenter survey. Journal of Gastroenterology, 2018, 53, 845-853.	5.1	60
30	Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study. Scientific Reports, 2018, 8, 10262.	3.3	54
31	Elevated serum interferon β -induced protein 10 kDa is associated with TAFRO syndrome. Scientific Reports, 2017, 7, 42316.	3.3	50
32	Clinical and laboratory features of anticentromere antibody positive primary Sjögren's syndrome. Journal of Rheumatology, 2001, 28, 2238-44.	2.0	48
33	Elevated serum levels of soluble membrane cofactor protein (CD46, MCP) in patients with systemic lupus erythematosus (SLE). Clinical and Experimental Immunology, 1999, 116, 542-546.	2.6	47
34	IgG4-related kidney disease and retroperitoneal fibrosis: An update. Modern Rheumatology, 2019, 29, 231-239.	1.8	47
35	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. Modern Rheumatology, 2012, 22, 859-870.	1.8	44
36	Endocapillary proliferative glomerulonephritis with crescent formation and concurrent tubulo-interstitial nephritis complicating retroperitoneal fibrosis with a high serum level of IgG4. Clinical Nephrology, 2007, 68, 308-314.	0.7	44

#	ARTICLE	IF	CITATIONS
37	Clonal relationship between infiltrating immunoglobulin G4 (IgG4)-positive plasma cells in lacrimal glands and circulating IgG4-positive lymphocytes in Mikulicz's disease. <i>Clinical and Experimental Immunology</i> , 2008, 152, 432-439.	2.6	41
38	IgG4-Related Skin Disease, a Mimic of Angiolymphoid Hyperplasia with Eosinophilia. <i>Dermatology</i> , 2011, 223, 301-305.	2.1	39
39	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	1.8	36
40	Clinical and Pathological Characteristics of IgG4-Related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts'™ Diagnosis. <i>Annals of Vascular Diseases</i> , 2019, 12, 460-472.	0.5	36
41	Significance of kidney biopsy in autosomal dominant tubulointerstitial kidney disease-UMOD: is kidney biopsy truly nonspecific?. <i>BMC Nephrology</i> , 2021, 22, 1.	1.8	35
42	Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020. <i>Journal of Gastroenterology</i> , 2022, 57, 225-245.	5.1	35
43	How to diagnose IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, e46-e46.	0.9	33
44	Multicentric Castleman Disease With Tubulointerstitial Nephritis Mimicking IgG4-related Disease. <i>American Journal of Surgical Pathology</i> , 2016, 40, 495-501.	3.7	32
45	Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 87-93.	1.6	32
46	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	1.8	31
47	IgG4-related periaortitis/periarteritis: An under-recognized condition that is potentially life-threatening. <i>Modern Rheumatology</i> , 2019, 29, 240-250.	1.8	31
48	Henoch-Schönlein purpura nephritis in a patient with IgG4-related disease: A possible association. <i>Clinical Nephrology</i> , 2013, 79, 246-252.	0.7	30
49	IgG4-related Skin Lesions in a Patient with IgG4-related Chronic Sclerosing Dacryoadenitis and Sialoadenitis. <i>Internal Medicine</i> , 2011, 50, 1465-1469.	0.7	29
50	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. <i>Modern Rheumatology</i> , 2012, 22, 859-870.	1.8	29
51	IgG4-related Tubulointerstitial Nephritis and Hepatic Inflammatory Pseudotumor without Hypocomplementemia. <i>Internal Medicine</i> , 2011, 50, 1239-1244.	0.7	28
52	Pericardial Involvement in IgG4-related Disease. <i>Internal Medicine</i> , 2015, 54, 1231-1235.	0.7	28
53	Decreased Expression of Innate Immunity-Related Genes in Peripheral Blood Mononuclear Cells from Patients with IgG4-Related Disease. <i>PLoS ONE</i> , 2015, 10, e0126582.	2.5	27
54	Factors related to renal cortical atrophy development after glucocorticoid therapy in IgG4-related kidney disease: a retrospective multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 273.	3.5	25

#	ARTICLE	IF	CITATIONS
55	The front line of research into immunoglobulin G4-related disease - Do autoantibodies cause immunoglobulin G4-related disease?. <i>Modern Rheumatology</i> , 2019, 29, 214-218.	1.8	25
56	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	1.8	24
57	Possible role of complement factor H in podocytes in clearing glomerular subendothelial immune complex deposits. <i>Scientific Reports</i> , 2019, 9, 7857.	3.3	21
58	A case of IgG4-related lymphadenopathy, pericarditis, coronary artery periarteritis and luminal stenosis. <i>Heart and Vessels</i> , 2016, 31, 1709-1713.	1.2	20
59	Validation of the diagnostic criteria for IgG4-related kidney disease (IgG4-RKD) 2011, and proposal of a new 2020 version. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 99-109.	1.6	20
60	LatY136F knock-in mouse model for human IgG4-related disease. <i>PLoS ONE</i> , 2018, 13, e0198417.	2.5	18
61	Abundant a proliferation-inducing ligand (APRIL)-producing macrophages contribute to plasma cell accumulation in immunoglobulin G4-related disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 960-969.	0.7	17
62	A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration. <i>Modern Rheumatology</i> , 2016, 26, 784-789.	1.8	16
63	IgG4-related stomach muscle lesion with a renal pseudotumor and multiple renal rim-like lesions: A rare manifestation of IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 188-192.	1.8	16
64	Estimation of the number of histological diagnosis for IgG4-related kidney disease referred to the data obtained from the Japan Renal Biopsy Registry (J-RBR) questionnaire and cases reported in the Japanese Society of Nephrology Meetings. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 97-103.	1.6	15
65	Absence of CD69 expression on peripheral eosinophils in episodic angioedema and eosinophilia. , 1996, 53, 43-45.		14
66	Immunoglobulin class switching to IgG4 in Warthin tumor and analysis of serum IgG4 levels and IgG4-positive plasma cells in the tumor. <i>Human Pathology</i> , 2014, 45, 793-801.	2.0	14
67	Distribution and components of interstitial inflammation and fibrosis in IgG4-related kidney disease: analysis of autopsy specimens. <i>Human Pathology</i> , 2016, 55, 164-173.	2.0	14
68	Complement regulatory proteins and autoimmunity. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2000, 48, 367-72.	2.3	14
69	Fatal cardiac beta2-microglobulin amyloidosis in patients on long-term hemodialysis. <i>American Journal of Kidney Diseases</i> , 1998, 31, e4.1-e4.5.	1.9	13
70	IgG4-Related Kidney Disease and IgG4-Related Retroperitoneal Fibrosis. <i>Seminars in Liver Disease</i> , 2016, 36, 283-290.	3.6	13
71	Changes in serum interleukin-6 levels as possible predictor of efficacy of tocilizumab treatment in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 592-598.	1.8	13
72	Tertiary lymphoid tissue in early-stage IgG4-related tubulointerstitial nephritis incidentally detected with a tumor lesion of the ureteropelvic junction: a case report. <i>BMC Nephrology</i> , 2021, 22, 34.	1.8	13

#	ARTICLE	IF	CITATIONS
73	Primary Sjögren's syndrome with chronic tubulointerstitial nephritis and lymphadenopathy mimicking IgG4-related disease. <i>Modern Rheumatology</i> , 2015, 25, 637-641.	1.8	12
74	Impact of double positive for anti-centromere and anti-SS-a/Ro antibodies on clinicopathological characteristics of primary Sjögren's syndrome: a retrospective cohort study. <i>Modern Rheumatology</i> , 2018, 28, 872-878.	1.8	12
75	Imaging and pathological features of gastric lesion of immunoglobulin G4-related disease: A case report and review of the recent literature. <i>Modern Rheumatology</i> , 2019, 29, 377-382.	1.8	12
76	Anticentromere antibody-positive primary Sjögren's syndrome: Epitope analysis of a subset of anticentromere antibody-positive patients. <i>Modern Rheumatology</i> , 2017, 27, 115-121.	1.8	11
77	A novel model for treatment of hypertrophic pachymeningitis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 431-444.	3.7	11
78	Hypocomplementemia is related to elevated serum levels of IgG subclasses other than IgG4 in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2021, 31, 241-248.	1.8	11
79	Renal Involvement in Retroperitoneal Fibrosis: Prevalence, Impact and Management Challenges. <i>International Journal of Nephrology and Renovascular Disease</i> , 2021, Volume 14, 279-289.	1.8	10
80	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	1.8	10
81	Decreased expression of 20-kD homologous restriction factor (HRF20, CD59) on T lymphocytes in Epstein-Barr virus (EBV)-induced infectious mononucleosis. <i>Clinical and Experimental Immunology</i> , 1997, 108, 266-271.	2.6	9
82	Positive disease-specific autoantibodies have limited clinical significance in diagnosing IgG4-related disease in daily clinical practice. <i>Rheumatology</i> , 2021, 60, 3317-3325.	1.9	9
83	Hints to the diagnosis of uromodulin kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 69-75.	2.9	8
84	Glucocorticoid receptor expression in resident and hematopoietic cells in IgG4-related disease. <i>Modern Pathology</i> , 2018, 31, 890-899.	5.5	8
85	A case report of crystalline light chain inclusion-associated kidney disease affecting podocytes but without Fanconi syndrome. <i>Medicine (United States)</i> , 2019, 98, e13915.	1.0	8
86	Pathogenic roles and therapeutic potential of the CCL8-CCR8 axis in a murine model of IgG4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2021, 23, 214.	3.5	8
87	Nationwide epidemiological survey of immunoglobulin G4-related disease with malignancy in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1022-1033.	2.8	8
88	Evaluating tubulointerstitial compartments in renal biopsy specimens using a deep learning-based approach for classifying normal and abnormal tubules. <i>PLoS ONE</i> , 2022, 17, e0271161.	2.5	8
89	Diagnostic sensitivity of cutoff values of IgG4-positive plasma cell number and IgG4-positive/CD138-positive cell ratio in typical multiple lesions of patients with IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 293-299.	1.8	7
90	Contribution of HLA-DRB1 * 09: 01 allele to development of minocycline induced antineutrophil cytoplasmic antibody (ANCA)-associated cutaneous vasculitis: report of two cases. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 267-271.	0.7	7

#	ARTICLE	IF	CITATIONS
91	Serum IgG4 levels at diagnosis can predict unfavorable outcomes of untreated patients with IgG4-related disease. <i>Scientific Reports</i> , 2021, 11, 13341.	3.3	7
92	CCR2- and CCR5-mediated macrophage infiltration contributes to glomerular endocapillary hypercellularity in antibody-induced lupus nephritis. <i>Rheumatology</i> , 2022, 61, 3033-3048.	1.9	7
93	Recent advances in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2023, 33, 242-251.	1.8	7
94	Post-infectious acute glomerulonephritis with podocytopathy induced by parvovirus B19 infection. <i>Pathology International</i> , 2018, 68, 190-195.	1.3	6
95	A case of IgG4-related tubulointerstitial nephritis and membranous glomerulonephritis during the clinical course of gastric cancer: Imaging features of IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2019, 29, 542-546.	1.8	6
96	Pneumonia and central nervous system infection caused by reactivation of varicella-zoster virus in a living-donor kidney transplantation patient: case report and review of the literature. <i>CEN Case Reports</i> , 2021, 10, 370-377.	0.9	6
97	Validation of the 2019 ACR/EULAR criteria for IgG4-related disease in a Japanese kidney disease cohort: a multicentre retrospective study by the IgG4-related kidney disease working group of the Japanese Society of Nephrology. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 956-957.	0.9	6
98	Treatment of IgG4-Related Disease. <i>Current Immunology Reviews</i> , 2011, 7, 246-251.	1.2	6
99	Clinical and Pathological Characteristics of IgG4-related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts'™ Diagnosis. <i>The Journal of Japanese College of Angiology</i> , 2018, 58, 117-129.	0.0	6
100	Analysis of IgG4-positive clones in affected organs of IgG4-related disease. <i>Modern Rheumatology</i> , 2016, 26, 923-928.	1.8	5
101	Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD. <i>Modern Rheumatology</i> , 2020, 30, 551-557.	1.8	5
102	ANCA-associated nephritis without crescent formation has atypical clinicopathological features: a multicenter retrospective study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 999-1006.	1.6	5
103	HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease. <i>Rheumatology</i> , 2021, 60, e3-e4.	1.9	4
104	Kidney and Urinary Tract Lesions. , 2014, , 99-105.		4
105	Prurigo nodularis-like skin eruptions in a patient with IgG4-related disease. <i>European Journal of Dermatology</i> , 2013, 23, 541-542.	0.6	4
106	Ultrasonography of IgG4-related dacryoadenitis and sialadenitis: Imaging features and clinical usefulness. <i>Modern Rheumatology</i> , 2022, 32, 986-993.	1.8	4
107	Ceftriaxone-induced encephalopathy in a patient with a solitary kidney. <i>International Journal of Infectious Diseases</i> , 2022, 122, 722-724.	3.3	4
108	A case developing minimal change disease during the course of IgG4-related disease. <i>Modern Rheumatology</i> , 2017, 27, 712-715.	1.8	3

#	ARTICLE	IF	CITATIONS
109	A case of IgG4-related kidney disease with predominantly unilateral renal atrophy. CEN Case Reports, 2019, 8, 8-13.	0.9	3
110	Involvement of two or more sets of lacrimal glands and/or major salivary glands is related to greater systemic disease activity due to multi-organ involvement in IgG4-related dacryoadenitis/sialadenitis. Modern Rheumatology, 2021, 31, 1164-1170.	1.8	3
111	Urinary abnormality in mixed connective tissue disease predicts development of other connective tissue diseases and decrease in renal function. Modern Rheumatology, 2021, , 1-8.	1.8	3
112	The pronounced lung lesions developing in LATY136F knock-in mice mimic human IgG4-related lung disease. PLoS ONE, 2021, 16, e0247173.	2.5	3
113	Cases with IgG4-related ophthalmic disease with mass lesions surrounding the optic nerve. American Journal of Ophthalmology Case Reports, 2022, 25, 101324.	0.7	3
114	The 2020 Revised Comprehensive Diagnostic Criteria for IgG4-Related Disease. The Research Program for Intractable Disease by the Ministry of Health, Labour and Welfare (MHLW) Japan. The Journal of the Japanese Society of Internal Medicine, 2021, 110, 962-969.	0.0	3
115	Immunoglobulin G4-related disease associated with extensive granulomatous changes. Rheumatology, 2017, 56, 1430-1433.	1.9	2
116	Different factors underlie recurrent and de novo organ involvement in immunoglobulin G4-related disease. Rheumatology, 2020, 59, 513-518.	1.9	2
117	New insights into the pathophysiology of IgG4-related disease and markers of disease activity. Expert Review of Clinical Immunology, 2019, 15, 231-239.	3.0	2
118	Fulminant myocarditis and pulmonary cavity lesion induced by disseminated mucormycosis in a chronic hemodialysis patient: Report of an autopsied case. Pathology International, 2020, 70, 557-562.	1.3	2
119	Wire-loop lesion is associated with serological immune abnormality, but not renal prognosis, in lupus nephritis. Lupus, 2020, 29, 407-412.	1.6	2
120	Glomerulonephritis with severe nephrotic syndrome induced by immune complexes composed of galactose-deficient IgA1 in primary Sjögren's syndrome: a case report. BMC Nephrology, 2021, 22, 108.	1.8	2
121	Factors contributing to discrepant estimated glomerular filtration values measured by creatinine and cystatin C in patients with rheumatoid arthritis. Scientific Reports, 2021, 11, 9884.	3.3	2
122	Retroperitoneal Fibrosis/Periaortitis and Hydronephrosis. , 2016, , 159-171.		2
123	The differential diagnosis of IgG4-related disease based on machine learning. Arthritis Research and Therapy, 2022, 24, 71.	3.5	2
124	ABO698...Latent tuberculosis: a potential extrinsic factor for IGG4-related disease. Annals of the Rheumatic Diseases, 2013, 71, 678.12-678.	0.9	1
125	FP052EFFECTIVENESS AND SAFETY OF TOLVAPTAN IN AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE PATIENTS WITH CKD STAGE G4: A RETROSPECTIVE MULTICENTER STUDY IN JAPAN. Nephrology Dialysis Transplantation, 2018, 33, i65-i65.	0.7	1
126	Tongue Ulceration from Cytomegalovirus Infection. New England Journal of Medicine, 2020, 383, 67-67.	27.0	1

#	ARTICLE	IF	CITATIONS
127	Antiphospholipid antibody syndrome-associated renal thrombotic microangiopathy improved not with rivaroxaban but with warfarin in a systemic lupus erythematosus patient without lupus nephritis. CEN Case Reports, 2021, 10, 409-413.	0.9	1
128	Multiple Malignant Lymphomas of the Bile Duct Developing after Spontaneous Regression of an Autoimmune Pancreatitis-like Mass. Internal Medicine, 2021, 60, 409-415.	0.7	1
129	Positron Emission Tomography with F-18 Fluorodeoxyglucose. , 2014, , 129-135.		1
130	IgG4-Related Kidney Disease. , 2014, , 169-179.		1
131	Comment on: HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease: reply. Rheumatology, 2021, 60, e76-e77.	1.9	1
132	IgG4-related Disease as Systemic Disease. The Journal of the Japanese Society of Internal Medicine, 2009, 98, 899-906.	0.0	0
133	SAT0526â€¦Clinical and Laboratory Features of IgG4-Related Disease: Retrospective Japanese Multicenter Study of 328 Cases. Annals of the Rheumatic Diseases, 2015, 74, 850.3-851.	0.9	0
134	MP052THE USEFULNESS OF TOLVAPTAN IN PATIENTS WITH AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE WITH CHRONIC KIDNEY DISEASE STAGE G3 TO G4. Nephrology Dialysis Transplantation, 2016, 31, i360-i360.	0.7	0
135	MP438EFFECTS OF FERRIC CITRATE HYDRATE IN HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i485-i486.	0.7	0
136	SP099CLINICAL CHARACTERISTICS OF PATIENTS WITH HEMATURIA AND FACTORS RELATED TO URINARY TRACT CANCER: ANALYSIS OF 6,747 JAPANESE CASES FROM ROUTINE CLINICAL UROLOGY PRACTICE. Nephrology Dialysis Transplantation, 2018, 33, i377-i378.	0.7	0
137	FP594THE USEFULNESS OF ETELCALCETIDE IN JAPANESE PATIENTS ON HEMODIALYSIS. Nephrology Dialysis Transplantation, 2018, 33, i242-i242.	0.7	0
138	Response to: â€˜Serum complement factor C5a in IgG4-related diseaseâ€™ by Fukui <i>et al</i>. Annals of the Rheumatic Diseases, 2019, 78, e66-e66.	0.9	0
139	THU0147â€¦FACTORS CONTRIBUTING TO DISCREPANT ESTIMATED GLOMERULAR FILTRATION VALUES MEASURED BY CREATININE AND CYSTATIN C IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). , 2019, , .		0
140	POS0527â€¦ACUTE KIDNEY INJURY (AKI) IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). Annals of the Rheumatic Diseases, 2021, 80, 497-497.	0.9	0
141	Olfactory dysfunction in LATY136F knock-in mice. Auris Nasus Larynx, 2021, , .	1.2	0
142	FRI0126â€¦Corticosteroid therapy-induced injury in patients with systemic lupus erythematosus. , 2001, , .		0
143	THU0094â€¦Experimental mycoplasma fermentans infection in rheumatoid synovial fibroblasts induces m161ag expression. , 2001, , .		0
144	Characteristic Distribution of Inflammatory Lesions in IgG4-Related Kidney Disease: Findings from Autopsy Case Series. , 2016, , 187-191.		0

#	ARTICLE	IF	CITATIONS
145	Does IgG4-Related Disease Have an Autoimmune Basis?. , 2016, , 55-63.		0
146	Differential Diagnosis of IgG4-Related Tubulointerstitial Nephritis: An Overview. , 2016, , 237-250.		0
147	FRI0503â€¦VALIDATION OF THE 2019 ACR/EULAR CLASSIFICATION CRITERIA FOR IGG4-RELATED DISEASE IN A JAPANESE KIDNEY DISEASE COHORT: A MULTI-CENTER RETROSPECTIVE STUDY BY THE IGG4-RELATED KIDNEY DISEASE (IGG4-RKD) WORKING GROUP OF THE JAPANESE SOCIETY OF NEPHROLOGY. Annals of the Rheumatic Diseases. 2020. 79. 849.1-850.	0.9	0