

Mitsuhiro Kawano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9389951/publications.pdf>

Version: 2024-02-01

147
papers

12,844
citations

87723

38
h-index

23472

111
g-index

160
all docs

160
docs citations

160
times ranked

5732
citing authors

#	ARTICLE	IF	CITATIONS
1	Consensus statement on the pathology of IgG4-related disease. <i>Modern Pathology</i> , 2012, 25, 1181-1192.	2.9	2,171
2	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	0.9	1,294
3	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	0.9	947
4	International Consensus Guidance Statement on the Management and Treatment of IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2015, 67, 1688-1699.	2.9	767
5	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	0.9	662
6	Th2 and regulatory immune reactions are increased in immunoglobulin G4-related sclerosing pancreatitis and cholangitis. <i>Hepatology</i> , 2007, 45, 1538-1546.	3.6	633
7	Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations. <i>Arthritis and Rheumatism</i> , 2012, 64, 3061-3067.	6.7	630
8	Proposal for a new clinical entity, IgG4-positive multiorgan lymphoproliferative syndrome: analysis of 64 cases of IgG4-related disorders. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1310-1315.	0.5	524
9	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	0.9	453
10	The 2019 American College of Rheumatology/European League Against Rheumatism classification criteria for IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 77-87.	0.5	390
11	Proposal for diagnostic criteria for IgG4-related kidney disease. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 615-626.	0.7	377
12	Clinicopathological characteristics of patients with IgG4-related tubulointerstitial nephritis. <i>Kidney International</i> , 2010, 78, 1016-1023.	2.6	349
13	The 2019 American College of Rheumatology/European League Against Rheumatism Classification Criteria for IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2020, 72, 7-19.	2.9	292
14	The 2020 revised comprehensive diagnostic (RCD) criteria for IgG4-RD. <i>Modern Rheumatology</i> , 2021, 31, 529-533.	0.9	219
15	Clinicopathologic analysis of <sc>TAFRO</sc> syndrome demonstrates a distinct subtype of <sc>HHV</sc>-negative multicentric Castleman disease. <i>American Journal of Hematology</i> , 2016, 91, 220-226.	2.0	208
16	Current approach to the diagnosis of IgG4-related disease – Combination of comprehensive diagnostic and organ-specific criteria. <i>Modern Rheumatology</i> , 2017, 27, 381-391.	0.9	175
17	The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833.	2.6	144
18	Cutoff Values of Serum IgG4 and Histopathological IgG4+ Plasma Cells for Diagnosis of Patients with IgG4-Related Disease. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-5.	0.9	133

#	ARTICLE	IF	CITATIONS
19	IgG4-Related Chronic Sclerosing Dacryoadenitis. <i>JAMA Ophthalmology</i> , 2007, 125, 1575.	2.6	115
20	IgG4-related kidney disease. <i>Kidney International</i> , 2014, 85, 251-257.	2.6	111
21	Characteristic tubulointerstitial nephritis in IgG4-related disease. <i>Human Pathology</i> , 2012, 43, 536-549.	1.1	110
22	Cytokine profile in adult-onset Still's disease: Comparison with systemic juvenile idiopathic arthritis. <i>Clinical Immunology</i> , 2016, 169, 8-13.	1.4	106
23	New clues to the nature of immunoglobulin G4-related disease: a retrospective Japanese multicenter study of baseline clinical features of 334 cases. <i>Arthritis Research and Therapy</i> , 2017, 19, 262.	1.6	97
24	Clinical course after corticosteroid therapy in IgG4-related aortitis/periaortitis and periarteritis: a retrospective multicenter study. <i>Arthritis Research and Therapy</i> , 2014, 16, R156.	1.6	88
25	IgG4-related disease and its pathogenesis—cross-talk between innate and acquired immunity. <i>International Immunology</i> , 2014, 26, 585-595.	1.8	72
26	Light-microscopic characteristics of IgG4-related tubulointerstitial nephritis: distinction from non-IgG4-related tubulointerstitial nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2755-2761.	0.4	65
27	IgG4-related kidney disease— an update. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 193-201.	1.0	65
28	Immunohistochemical Characteristics of IgG4-Related Tubulointerstitial Nephritis: Detailed Analysis of 20 Japanese Cases. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-9.	0.9	62
29	Gastrointestinal manifestation of immunoglobulin G4-related disease: clarification through a multicenter survey. <i>Journal of Gastroenterology</i> , 2018, 53, 845-853.	2.3	60
30	Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study. <i>Scientific Reports</i> , 2018, 8, 10262.	1.6	54
31	Elevated serum interferon β -induced protein 10 kDa is associated with TAFRO syndrome. <i>Scientific Reports</i> , 2017, 7, 42316.	1.6	50
32	Clinical and laboratory features of anticentromere antibody positive primary Sjögren's syndrome. <i>Journal of Rheumatology</i> , 2001, 28, 2238-44.	1.0	48
33	Elevated serum levels of soluble membrane cofactor protein (CD46, MCP) in patients with systemic lupus erythematosus (SLE). <i>Clinical and Experimental Immunology</i> , 1999, 116, 542-546.	1.1	47
34	IgG4-related kidney disease and retroperitoneal fibrosis: An update. <i>Modern Rheumatology</i> , 2019, 29, 231-239.	0.9	47
35	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. <i>Modern Rheumatology</i> , 2012, 22, 859-870.	0.9	44
36	Endocapillary proliferative glomerulonephritis with crescent formation and concurrent tubulo-interstitial nephritis complicating retroperitoneal fibrosis with a high serum level of IgG4. <i>Clinical Nephrology</i> , 2007, 68, 308-314.	0.4	44

#	ARTICLE	IF	CITATIONS
37	Clonal relationship between infiltrating immunoglobulin G4 (IgG4)-positive plasma cells in lacrimal glands and circulating IgG4-positive lymphocytes in Mikulicz's disease. <i>Clinical and Experimental Immunology</i> , 2008, 152, 432-439.	1.1	41
38	IgG4-Related Skin Disease, a Mimic of Angiolymphoid Hyperplasia with Eosinophilia. <i>Dermatology</i> , 2011, 223, 301-305.	0.9	39
39	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	0.9	36
40	Clinical and Pathological Characteristics of IgG4-Related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts'™ Diagnosis. <i>Annals of Vascular Diseases</i> , 2019, 12, 460-472.	0.2	36
41	Significance of kidney biopsy in autosomal dominant tubulointerstitial kidney disease-UMOD: is kidney biopsy truly nonspecific?. <i>BMC Nephrology</i> , 2021, 22, 1.	0.8	35
42	Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020. <i>Journal of Gastroenterology</i> , 2022, 57, 225-245.	2.3	35
43	How to diagnose IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, e46-e46.	0.5	33
44	Multicentric Castleman Disease With Tubulointerstitial Nephritis Mimicking IgG4-related Disease. <i>American Journal of Surgical Pathology</i> , 2016, 40, 495-501.	2.1	32
45	Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 87-93.	0.7	32
46	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	0.9	31
47	IgG4-related periaortitis/periarteritis: An under-recognized condition that is potentially life-threatening. <i>Modern Rheumatology</i> , 2019, 29, 240-250.	0.9	31
48	Henoch-Schœnlein purpura nephritis in a patient with IgG4-related disease: A possible association. <i>Clinical Nephrology</i> , 2013, 79, 246-252.	0.4	30
49	IgG4-related Skin Lesions in a Patient with IgG4-related Chronic Sclerosing Dacryoadenitis and Sialoadenitis. <i>Internal Medicine</i> , 2011, 50, 1465-1469.	0.3	29
50	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. <i>Modern Rheumatology</i> , 2012, 22, 859-870.	0.9	29
51	IgG4-related Tubulointerstitial Nephritis and Hepatic Inflammatory Pseudotumor without Hypocomplementemia. <i>Internal Medicine</i> , 2011, 50, 1239-1244.	0.3	28
52	Pericardial Involvement in IgG4-related Disease. <i>Internal Medicine</i> , 2015, 54, 1231-1235.	0.3	28
53	Decreased Expression of Innate Immunity-Related Genes in Peripheral Blood Mononuclear Cells from Patients with IgG4-Related Disease. <i>PLoS ONE</i> , 2015, 10, e0126582.	1.1	27
54	Factors related to renal cortical atrophy development after glucocorticoid therapy in IgG4-related kidney disease: a retrospective multicenter study. <i>Arthritis Research and Therapy</i> , 2016, 18, 273.	1.6	25

#	ARTICLE	IF	CITATIONS
55	The front line of research into immunoglobulin G4-related disease - Do autoantibodies cause immunoglobulin G4-related disease?. <i>Modern Rheumatology</i> , 2019, 29, 214-218.	0.9	25
56	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	0.9	24
57	Possible role of complement factor H in podocytes in clearing glomerular subendothelial immune complex deposits. <i>Scientific Reports</i> , 2019, 9, 7857.	1.6	21
58	A case of IgG4-related lymphadenopathy, pericarditis, coronary artery periarteritis and luminal stenosis. <i>Heart and Vessels</i> , 2016, 31, 1709-1713.	0.5	20
59	Validation of the diagnostic criteria for IgG4-related kidney disease (IgG4-RKD) 2011, and proposal of a new 2020 version. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 99-109.	0.7	20
60	LatY136F knock-in mouse model for human IgG4-related disease. <i>PLoS ONE</i> , 2018, 13, e0198417.	1.1	18
61	Abundant a proliferation-inducing ligand (APRIL)-producing macrophages contribute to plasma cell accumulation in immunoglobulin G4-related disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 960-969.	0.4	17
62	A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration. <i>Modern Rheumatology</i> , 2016, 26, 784-789.	0.9	16
63	IgG4-related stomach muscle lesion with a renal pseudotumor and multiple renal rim-like lesions: A rare manifestation of IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 188-192.	0.9	16
64	Estimation of the number of histological diagnosis for IgG4-related kidney disease referred to the data obtained from the Japan Renal Biopsy Registry (J-RBR) questionnaire and cases reported in the Japanese Society of Nephrology Meetings. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 97-103.	0.7	15
65	Absence of CD69 expression on peripheral eosinophils in episodic angioedema and eosinophilia. <i>Journal of Allergy and Clinical Immunology</i> , 1996, 53, 43-45.		14
66	Immunoglobulin class switching to IgG4 in Warthin tumor and analysis of serum IgG4 levels and IgG4-positive plasma cells in the tumor. <i>Human Pathology</i> , 2014, 45, 793-801.	1.1	14
67	Distribution and components of interstitial inflammation and fibrosis in IgG4-related kidney disease: analysis of autopsy specimens. <i>Human Pathology</i> , 2016, 55, 164-173.	1.1	14
68	Complement regulatory proteins and autoimmunity. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2000, 48, 367-72.	1.0	14
69	Fatal cardiac beta2-microglobulin amyloidosis in patients on long-term hemodialysis. <i>American Journal of Kidney Diseases</i> , 1998, 31, e4.1-e4.5.	2.1	13
70	IgG4-Related Kidney Disease and IgG4-Related Retroperitoneal Fibrosis. <i>Seminars in Liver Disease</i> , 2016, 36, 283-290.	1.8	13
71	Changes in serum interleukin-6 levels as possible predictor of efficacy of tocilizumab treatment in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 592-598.	0.9	13
72	Tertiary lymphoid tissue in early-stage IgG4-related tubulointerstitial nephritis incidentally detected with a tumor lesion of the ureteropelvic junction: a case report. <i>BMC Nephrology</i> , 2021, 22, 34.	0.8	13

#	ARTICLE	IF	CITATIONS
73	Primary Sjögren's syndrome with chronic tubulointerstitial nephritis and lymphadenopathy mimicking IgG4-related disease. <i>Modern Rheumatology</i> , 2015, 25, 637-641.	0.9	12
74	Impact of double positive for anti-centromere and anti-SS-a/Ro antibodies on clinicopathological characteristics of primary Sjögren's syndrome: a retrospective cohort study. <i>Modern Rheumatology</i> , 2018, 28, 872-878.	0.9	12
75	Imaging and pathological features of gastric lesion of immunoglobulin G4-related disease: A case report and review of the recent literature. <i>Modern Rheumatology</i> , 2019, 29, 377-382.	0.9	12
76	Anticentromere antibody-positive primary Sjögren's syndrome: Epitope analysis of a subset of anticentromere antibody-positive patients. <i>Modern Rheumatology</i> , 2017, 27, 115-121.	0.9	11
77	A novel model for treatment of hypertrophic pachymeningitis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 431-444.	1.7	11
78	Hypocomplementemia is related to elevated serum levels of IgG subclasses other than IgG4 in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2021, 31, 241-248.	0.9	11
79	Renal Involvement in Retroperitoneal Fibrosis: Prevalence, Impact and Management Challenges. <i>International Journal of Nephrology and Renovascular Disease</i> , 2021, Volume 14, 279-289.	0.8	10
80	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	0.9	10
81	Decreased expression of 20-kD homologous restriction factor (HRF20, CD59) on T lymphocytes in Epstein-Barr virus (EBV)-induced infectious mononucleosis. <i>Clinical and Experimental Immunology</i> , 1997, 108, 266-271.	1.1	9
82	Positive disease-specific autoantibodies have limited clinical significance in diagnosing IgG4-related disease in daily clinical practice. <i>Rheumatology</i> , 2021, 60, 3317-3325.	0.9	9
83	Hints to the diagnosis of uromodulin kidney disease. <i>CKJ: Clinical Kidney Journal</i> , 2016, 9, 69-75.	1.4	8
84	Glucocorticoid receptor expression in resident and hematopoietic cells in IgG4-related disease. <i>Modern Pathology</i> , 2018, 31, 890-899.	2.9	8
85	A case report of crystalline light chain inclusion-associated kidney disease affecting podocytes but without Fanconi syndrome. <i>Medicine (United States)</i> , 2019, 98, e13915.	0.4	8
86	Pathogenic roles and therapeutic potential of the CCL8-CCR8 axis in a murine model of IgG4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2021, 23, 214.	1.6	8
87	Nationwide epidemiological survey of immunoglobulin G4-related disease with malignancy in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1022-1033.	1.4	8
88	Evaluating tubulointerstitial compartments in renal biopsy specimens using a deep learning-based approach for classifying normal and abnormal tubules. <i>PLoS ONE</i> , 2022, 17, e0271161.	1.1	8
89	Diagnostic sensitivity of cutoff values of IgG4-positive plasma cell number and IgG4-positive/CD138-positive cell ratio in typical multiple lesions of patients with IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 293-299.	0.9	7
90	Contribution of HLA-DRB1 * 09: 01 allele to development of minocycline induced antineutrophil cytoplasmic antibody (ANCA)-associated cutaneous vasculitis: report of two cases. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 267-271.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Serum IgG4 levels at diagnosis can predict unfavorable outcomes of untreated patients with IgG4-related disease. <i>Scientific Reports</i> , 2021, 11, 13341.	1.6	7
92	CCR2- and CCR5-mediated macrophage infiltration contributes to glomerular endocapillary hypercellularity in antibody-induced lupus nephritis. <i>Rheumatology</i> , 2022, 61, 3033-3048.	0.9	7
93	Recent advances in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2023, 33, 242-251.	0.9	7
94	Post-infectious acute glomerulonephritis with podocytopeny induced by parvovirus B19 infection. <i>Pathology International</i> , 2018, 68, 190-195.	0.6	6
95	A case of IgG4-related tubulointerstitial nephritis and membranous glomerulonephritis during the clinical course of gastric cancer: Imaging features of IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2019, 29, 542-546.	0.9	6
96	Pneumonia and central nervous system infection caused by reactivation of varicella-zoster virus in a living-donor kidney transplantation patient: case report and review of the literature. <i>CEN Case Reports</i> , 2021, 10, 370-377.	0.5	6
97	Validation of the 2019 ACR/EULAR criteria for IgG4-related disease in a Japanese kidney disease cohort: a multicentre retrospective study by the IgG4-related kidney disease working group of the Japanese Society of Nephrology. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 956-957.	0.5	6
98	Treatment of IgG4-Related Disease. <i>Current Immunology Reviews</i> , 2011, 7, 246-251.	1.2	6
99	Clinical and Pathological Characteristics of IgG4-related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts'™ Diagnosis. <i>The Journal of Japanese College of Angiology</i> , 2018, 58, 117-129.	0.1	6
100	Analysis of IgG4-positive clones in affected organs of IgG4-related disease. <i>Modern Rheumatology</i> , 2016, 26, 923-928.	0.9	5
101	Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD. <i>Modern Rheumatology</i> , 2020, 30, 551-557.	0.9	5
102	ANCA-associated nephritis without crescent formation has atypical clinicopathological features: a multicenter retrospective study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 999-1006.	0.7	5
103	HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease. <i>Rheumatology</i> , 2021, 60, e3-e4.	0.9	4
104	Kidney and Urinary Tract Lesions. , 2014, , 99-105.		4
105	Prurigo nodularis-like skin eruptions in a patient with IgG4-related disease. <i>European Journal of Dermatology</i> , 2013, 23, 541-542.	0.3	4
106	Ultrasonography of IgG4-related dacryoadenitis and sialadenitis: Imaging features and clinical usefulness. <i>Modern Rheumatology</i> , 2022, 32, 986-993.	0.9	4
107	Ceftriaxone-induced encephalopathy in a patient with a solitary kidney. <i>International Journal of Infectious Diseases</i> , 2022, 122, 722-724.	1.5	4
108	A case developing minimal change disease during the course of IgG4-related disease. <i>Modern Rheumatology</i> , 2017, 27, 712-715.	0.9	3

#	ARTICLE	IF	CITATIONS
109	A case of IgG4-related kidney disease with predominantly unilateral renal atrophy. <i>CEN Case Reports</i> , 2019, 8, 8-13.	0.5	3
110	Involvement of two or more sets of lacrimal glands and/or major salivary glands is related to greater systemic disease activity due to multi-organ involvement in IgG4-related dacryoadenitis/sialadenitis. <i>Modern Rheumatology</i> , 2021, 31, 1164-1170.	0.9	3
111	Urinary abnormality in mixed connective tissue disease predicts development of other connective tissue diseases and decrease in renal function. <i>Modern Rheumatology</i> , 2021, , 1-8.	0.9	3
112	The pronounced lung lesions developing in LATY136F knock-in mice mimic human IgG4-related lung disease. <i>PLoS ONE</i> , 2021, 16, e0247173.	1.1	3
113	Cases with IgG4-related ophthalmic disease with mass lesions surrounding the optic nerve. <i>American Journal of Ophthalmology Case Reports</i> , 2022, 25, 101324.	0.4	3
114	The 2020 Revised Comprehensive Diagnostic Criteria for IgG4-Related Disease. The Research Program for Intractable Disease by the Ministry of Health, Labour and Welfare (MHLW) Japan. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 962-969.	0.0	3
115	Immunoglobulin G4-related disease associated with extensive granulomatous changes. <i>Rheumatology</i> , 2017, 56, 1430-1433.	0.9	2
116	Different factors underlie recurrent and de novo organ involvement in immunoglobulin G4-related disease. <i>Rheumatology</i> , 2020, 59, 513-518.	0.9	2
117	New insights into the pathophysiology of IgG4-related disease and markers of disease activity. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 231-239.	1.3	2
118	Fulminant myocarditis and pulmonary cavity lesion induced by disseminated mucormycosis in a chronic hemodialysis patient: Report of an autopsied case. <i>Pathology International</i> , 2020, 70, 557-562.	0.6	2
119	Wire-loop lesion is associated with serological immune abnormality, but not renal prognosis, in lupus nephritis. <i>Lupus</i> , 2020, 29, 407-412.	0.8	2
120	Glomerulonephritis with severe nephrotic syndrome induced by immune complexes composed of galactose-deficient IgA1 in primary Sjögren's syndrome: a case report. <i>BMC Nephrology</i> , 2021, 22, 108.	0.8	2
121	Factors contributing to discrepant estimated glomerular filtration values measured by creatinine and cystatin C in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 9884.	1.6	2
122	Retroperitoneal Fibrosis/Periaortitis and Hydronephrosis. , 2016, , 159-171.		2
123	The differential diagnosis of IgG4-related disease based on machine learning. <i>Arthritis Research and Therapy</i> , 2022, 24, 71.	1.6	2
124	ABO698...Latent tuberculosis: a potential extrinsic factor for IGG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 678.12-678.	0.5	1
125	FP052EFFECTIVENESS AND SAFETY OF TOLVAPTAN IN AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE PATIENTS WITH CKD STAGE G4: A RETROSPECTIVE MULTICENTER STUDY IN JAPAN. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i65-i65.	0.4	1
126	Tongue Ulceration from Cytomegalovirus Infection. <i>New England Journal of Medicine</i> , 2020, 383, 67-67.	13.9	1

#	ARTICLE	IF	CITATIONS
127	Antiphospholipid antibody syndrome-associated renal thrombotic microangiopathy improved not with rivaroxaban but with warfarin in a systemic lupus erythematosus patient without lupus nephritis. <i>CEN Case Reports</i> , 2021, 10, 409-413.	0.5	1
128	Multiple Malignant Lymphomas of the Bile Duct Developing after Spontaneous Regression of an Autoimmune Pancreatitis-like Mass. <i>Internal Medicine</i> , 2021, 60, 409-415.	0.3	1
129	Positron Emission Tomography with F-18 Fluorodeoxyglucose. , 2014, , 129-135.		1
130	IgG4-Related Kidney Disease. , 2014, , 169-179.		1
131	Comment on: HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease: reply. <i>Rheumatology</i> , 2021, 60, e76-e77.	0.9	1
132	IgG4-related Disease as Systemic Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2009, 98, 899-906.	0.0	0
133	SAT0526â€¦Clinical and Laboratory Features of IgG4-Related Disease: Retrospective Japanese Multicenter Study of 328 Cases. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 850.3-851.	0.5	0
134	MP052THE USEFULNESS OF TOLVAPTAN IN PATIENTS WITH AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE WITH CHRONIC KIDNEY DISEASE STAGE G3 TO G4. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i360-i360.	0.4	0
135	MP438EFFECTS OF FERRIC CITRATE HYDRATE IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i485-i486.	0.4	0
136	SP099CLINICAL CHARACTERISTICS OF PATIENTS WITH HEMATURIA AND FACTORS RELATED TO URINARY TRACT CANCER: ANALYSIS OF 6,747 JAPANESE CASES FROM ROUTINE CLINICAL UROLOGY PRACTICE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i377-i378.	0.4	0
137	FP594THE USEFULNESS OF ETELCALCETIDE IN JAPANESE PATIENTS ON HEMODIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i242-i242.	0.4	0
138	Response to: â€˜Serum complement factor C5a in IgG4-related diseaseâ€™™ by Fukui <i>et al</i>. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e66-e66.	0.5	0
139	THU0147â€¦FACTORS CONTRIBUTING TO DISCREPANT ESTIMATED GLOMERULAR FILTRATION VALUES MEASURED BY CREATININE AND CYSTATIN C IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). , 2019, , .		0
140	POS0527â€¦ACUTE KIDNEY INJURY (AKI) IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 497-497.	0.5	0
141	Olfactory dysfunction in LATY136F knock-in mice. <i>Auris Nasus Larynx</i> , 2021, , .	0.5	0
142	FRI0126â€¦Corticosteroid therapy-induced injury in patients with systemic lupus erythematosus. , 2001, , .		0
143	THU0094â€¦Experimental mycoplasma fermentans infection in rheumatoid synovial fibroblasts induces m161ag expression. , 2001, , .		0
144	Characteristic Distribution of Inflammatory Lesions in IgG4-Related Kidney Disease: Findings from Autopsy Case Series. , 2016, , 187-191.		0

#	ARTICLE	IF	CITATIONS
145	Does IgG4-Related Disease Have an Autoimmune Basis?. , 2016, , 55-63.		0
146	Differential Diagnosis of IgG4-Related Tubulointerstitial Nephritis: An Overview. , 2016, , 237-250.		0
147	FRI0503â€¦VALIDATION OF THE 2019 ACR/EULAR CLASSIFICATION CRITERIA FOR IGG4-RELATED DISEASE IN A JAPANESE KIDNEY DISEASE COHORT: A MULTI-CENTER RETROSPECTIVE STUDY BY THE IGG4-RELATED KIDNEY DISEASE (IGG4-RKD) WORKING GROUP OF THE JAPANESE SOCIETY OF NEPHROLOGY. Annals of the Rheumatic Diseases. 2020. 79. 849.1-850.	0.5	0