

Mitsuhiro Kawano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9389951/publications.pdf>

Version: 2024-02-01

147
papers

12,844
citations

87723

38
h-index

23472

111
g-index

160
all docs

160
docs citations

160
times ranked

5732
citing authors

#	ARTICLE	IF	CITATIONS
1	Recent advances in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2023, 33, 242-251.	0.9	7
2	CCR2- and CCR5-mediated macrophage infiltration contributes to glomerular endocapillary hypercellularity in antibody-induced lupus nephritis. <i>Rheumatology</i> , 2022, 61, 3033-3048.	0.9	7
3	Ultrasonography of IgG4-related dacryoadenitis and sialadenitis: Imaging features and clinical usefulness. <i>Modern Rheumatology</i> , 2022, 32, 986-993.	0.9	4
4	Cases with IgG4-related ophthalmic disease with mass lesions surrounding the optic nerve. <i>American Journal of Ophthalmology Case Reports</i> , 2022, 25, 101324.	0.4	3
5	Amendment of the Japanese consensus guidelines for autoimmune pancreatitis, 2020. <i>Journal of Gastroenterology</i> , 2022, 57, 225-245.	2.3	35
6	The differential diagnosis of IgG4-related disease based on machine learning. <i>Arthritis Research and Therapy</i> , 2022, 24, 71.	1.6	2
7	Nationwide epidemiological survey of immunoglobulin G4-related disease with malignancy in Japan. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, 37, 1022-1033.	1.4	8
8	Ceftriaxone-induced encephalopathy in a patient with a solitary kidney. <i>International Journal of Infectious Diseases</i> , 2022, 122, 722-724.	1.5	4
9	Evaluating tubulointerstitial compartments in renal biopsy specimens using a deep learning-based approach for classifying normal and abnormal tubules. <i>PLoS ONE</i> , 2022, 17, e0271161.	1.1	8
10	Positive disease-specific autoantibodies have limited clinical significance in diagnosing IgG4-related disease in daily clinical practice. <i>Rheumatology</i> , 2021, 60, 3317-3325.	0.9	9
11	HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease. <i>Rheumatology</i> , 2021, 60, e3-e4.	0.9	4
12	The 2020 revised comprehensive diagnostic (RCD) criteria for IgG4-RD. <i>Modern Rheumatology</i> , 2021, 31, 529-533.	0.9	219
13	Hypocomplementemia is related to elevated serum levels of IgG subclasses other than IgG4 in IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2021, 31, 241-248.	0.9	11
14	Tertiary lymphoid tissue in early-stage IgG4-related tubulointerstitial nephritis incidentally detected with a tumor lesion of the ureteropelvic junction: a case report. <i>BMC Nephrology</i> , 2021, 22, 34.	0.8	13
15	Significance of kidney biopsy in autosomal dominant tubulointerstitial kidney disease-UMOD: is kidney biopsy truly nonspecific?. <i>BMC Nephrology</i> , 2021, 22, 1.	0.8	35
16	Pneumonia and central nervous system infection caused by reactivation of varicella-zoster virus in a living-donor kidney transplantation patient: case report and review of the literature. <i>CEN Case Reports</i> , 2021, 10, 370-377.	0.5	6
17	Antiphospholipid antibody syndrome-associated renal thrombotic microangiopathy improved not with rivaroxaban but with warfarin in a systemic lupus erythematosus patient without lupus nephritis. <i>CEN Case Reports</i> , 2021, 10, 409-413.	0.5	1
18	Validation of the 2019 ACR/EULAR criteria for IgG4-related disease in a Japanese kidney disease cohort: a multicentre retrospective study by the IgG4-related kidney disease working group of the Japanese Society of Nephrology. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 956-957.	0.5	6

#	ARTICLE	IF	CITATIONS
19	Involvement of two or more sets of lacrimal glands and/or major salivary glands is related to greater systemic disease activity due to multi-organ involvement in IgG4-related dacryoadenitis/sialadenitis. <i>Modern Rheumatology</i> , 2021, 31, 1164-1170.	0.9	3
20	Multiple Malignant Lymphomas of the Bile Duct Developing after Spontaneous Regression of an Autoimmune Pancreatitis-like Mass. <i>Internal Medicine</i> , 2021, 60, 409-415.	0.3	1
21	Glomerulonephritis with severe nephrotic syndrome induced by immune complexes composed of galactose-deficient IgA1 in primary Sjögren's syndrome: a case report. <i>BMC Nephrology</i> , 2021, 22, 108.	0.8	2
22	Urinary abnormality in mixed connective tissue disease predicts development of other connective tissue diseases and decrease in renal function. <i>Modern Rheumatology</i> , 2021, , 1-8.	0.9	3
23	The pronounced lung lesions developing in LATY136F knock-in mice mimic human IgG4-related lung disease. <i>PLoS ONE</i> , 2021, 16, e0247173.	1.1	3
24	POS0527 ACUTE KIDNEY INJURY (AKI) IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 497-497.	0.5	0
25	Factors contributing to discrepant estimated glomerular filtration values measured by creatinine and cystatin C in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2021, 11, 9884.	1.6	2
26	Serum IgG4 levels at diagnosis can predict unfavorable outcomes of untreated patients with IgG4-related disease. <i>Scientific Reports</i> , 2021, 11, 13341.	1.6	7
27	Renal Involvement in Retroperitoneal Fibrosis: Prevalence, Impact and Management Challenges. <i>International Journal of Nephrology and Renovascular Disease</i> , 2021, Volume 14, 279-289.	0.8	10
28	Olfactory dysfunction in LATY136F knock-in mice. <i>Auris Nasus Larynx</i> , 2021, , .	0.5	0
29	Pathogenic roles and therapeutic potential of the CCL8-CCR8 axis in a murine model of IgG4-related sialadenitis. <i>Arthritis Research and Therapy</i> , 2021, 23, 214.	1.6	8
30	Validation of the diagnostic criteria for IgG4-related kidney disease (IgG4-RKD) 2011, and proposal of a new 2020 version. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 99-109.	0.7	20
31	Comment on: HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease: reply. <i>Rheumatology</i> , 2021, 60, e76-e77.	0.9	1
32	The 2020 Revised Comprehensive Diagnostic Criteria for IgG4-Related Disease. The Research Program for Intractable Disease by the Ministry of Health, Labour and Welfare (MHLW) Japan. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 962-969.	0.0	3
33	Different factors underlie recurrent and de novo organ involvement in immunoglobulin G4-related disease. <i>Rheumatology</i> , 2020, 59, 513-518.	0.9	2
34	Impaired expression of innate immunity-related genes in IgG4-related disease: A possible mechanism in the pathogenesis of IgG4-RD. <i>Modern Rheumatology</i> , 2020, 30, 551-557.	0.9	5
35	The 2019 American College of Rheumatology/European League Against Rheumatism classification criteria for IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 77-87.	0.5	390
36	The 2019 American College of Rheumatology/European League Against Rheumatism Classification Criteria for IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , 2020, 72, 7-19.	2.9	292

#	ARTICLE	IF	CITATIONS
37	ANCA-associated nephritis without crescent formation has atypical clinicopathological features: a multicenter retrospective study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 999-1006.	0.7	5
38	Fulminant myocarditis and pulmonary cavity lesion induced by disseminated mucormycosis in a chronic hemodialysis patient: Report of an autopsied case. <i>Pathology International</i> , 2020, 70, 557-562.	0.6	2
39	Tongue Ulceration from Cytomegalovirus Infection. <i>New England Journal of Medicine</i> , 2020, 383, 67-67.	13.9	1
40	Wire-loop lesion is associated with serological immune abnormality, but not renal prognosis, in lupus nephritis. <i>Lupus</i> , 2020, 29, 407-412.	0.8	2
41	Contribution of HLA-DRB1 * 09: 01 allele to development of minocycline induced antineutrophil cytoplasmic antibody (ANCA)-associated cutaneous vasculitis: report of two cases. <i>Modern Rheumatology Case Reports</i> , 2020, 4, 267-271.	0.3	7
42	FRI0503â€¦VALIDATION OF THE 2019 ACR/EULAR CLASSIFICATION CRITERIA FOR IGG4-RELATED DISEASE IN A JAPANESE KIDNEY DISEASE COHORT: A MULTI-CENTER RETROSPECTIVE STUDY BY THE IGG4-RELATED KIDNEY DISEASE (IGG4-RKD) WORKING GROUP OF THE JAPANESE SOCIETY OF NEPHROLOGY. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 849.1-850.	0.5	0
43	Response to: â€˜Serum complement factor C5a in IgG4-related diseaseâ€™™ by Fukui <i>et al</i>. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, e66-e66.	0.5	0
44	A case of IgG4-related kidney disease with predominantly unilateral renal atrophy. <i>CEN Case Reports</i> , 2019, 8, 8-13.	0.5	3
45	Possible role of complement factor H in podocytes in clearing glomerular subendothelial immune complex deposits. <i>Scientific Reports</i> , 2019, 9, 7857.	1.6	21
46	A novel model for treatment of hypertrophic pachymeningitis. <i>Annals of Clinical and Translational Neurology</i> , 2019, 6, 431-444.	1.7	11
47	THU0147â€¦FACTORS CONTRIBUTING TO DISCREPANT ESTIMATED GLOMERULAR FILTRATION VALUES MEASURED BY CREATININE AND CYSTATIN C IN PATIENTS WITH RHEUMATOID ARTHRITIS (RA). , 2019, , .		0
48	Clinical and Pathological Characteristics of IgG4-Related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Expertsâ€™™ Diagnosis. <i>Annals of Vascular Diseases</i> , 2019, 12, 460-472.	0.2	36
49	A case report of crystalline light chain inclusion-associated kidney disease affecting podocytes but without Fanconi syndrome. <i>Medicine (United States)</i> , 2019, 98, e13915.	0.4	8
50	The front line of research into immunoglobulin G4-related disease - Do autoantibodies cause immunoglobulin G4-related disease?. <i>Modern Rheumatology</i> , 2019, 29, 214-218.	0.9	25
51	New insights into the pathophysiology of IgG4-related disease and markers of disease activity. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 231-239.	1.3	2
52	IgG4-related periaortitis/periarteritis: An under-recognized condition that is potentially life-threatening. <i>Modern Rheumatology</i> , 2019, 29, 240-250.	0.9	31
53	Abundant a proliferation-inducing ligand (APRIL)-producing macrophages contribute to plasma cell accumulation in immunoglobulin G4-related disease. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 960-969.	0.4	17
54	IgG4-related kidney disease and retroperitoneal fibrosis: An update. <i>Modern Rheumatology</i> , 2019, 29, 231-239.	0.9	47

#	ARTICLE	IF	CITATIONS
55	Imaging and pathological features of gastric lesion of immunoglobulin G4-related disease: A case report and review of the recent literature. <i>Modern Rheumatology</i> , 2019, 29, 377-382.	0.9	12
56	A case of IgG4-related tubulointerstitial nephritis and membranous glomerulonephritis during the clinical course of gastric cancer: Imaging features of IgG4-related kidney disease. <i>Modern Rheumatology</i> , 2019, 29, 542-546.	0.9	6
57	Postinfectious acute glomerulonephritis with podocytopathy induced by parvovirus B19 infection. <i>Pathology International</i> , 2018, 68, 190-195.	0.6	6
58	Glucocorticoid receptor expression in resident and hematopoietic cells in IgG4-related disease. <i>Modern Pathology</i> , 2018, 31, 890-899.	2.9	8
59	Impact of double positive for anti-centromere and anti-SS-a/Ro antibodies on clinicopathological characteristics of primary Sjögren's syndrome: a retrospective cohort study. <i>Modern Rheumatology</i> , 2018, 28, 872-878.	0.9	12
60	IgG4-related stomach muscle lesion with a renal pseudotumor and multiple renal rim-like lesions: A rare manifestation of IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 188-192.	0.9	16
61	Diagnostic sensitivity of cutoff values of IgG4-positive plasma cell number and IgG4-positive/CD138-positive cell ratio in typical multiple lesions of patients with IgG4-related disease. <i>Modern Rheumatology</i> , 2018, 28, 293-299.	0.9	7
62	Changes in serum interleukin-6 levels as possible predictor of efficacy of tocilizumab treatment in rheumatoid arthritis. <i>Modern Rheumatology</i> , 2018, 28, 592-598.	0.9	13
63	Gastrointestinal manifestation of immunoglobulin G4-related disease: clarification through a multicenter survey. <i>Journal of Gastroenterology</i> , 2018, 53, 845-853.	2.3	60
64	FP052EFFECTIVENESS AND SAFETY OF TOLVAPTAN IN AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE PATIENTS WITH CKD STAGE G4: A RETROSPECTIVE MULTICENTER STUDY IN JAPAN. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i65-i65.	0.4	1
65	SP099CLINICAL CHARACTERISTICS OF PATIENTS WITH HEMATURIA AND FACTORS RELATED TO URINARY TRACT CANCER: ANALYSIS OF 6,747 JAPANESE CASES FROM ROUTINE CLINICAL UROLOGY PRACTICE. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i377-i378.	0.4	0
66	Factors in glucocorticoid regimens associated with treatment response and relapses of IgG4-related disease: a multicentre study. <i>Scientific Reports</i> , 2018, 8, 10262.	1.6	54
67	FP594THE USEFULNESS OF ETELCALCETIDE IN JAPANESE PATIENTS ON HEMODIALYSIS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i242-i242.	0.4	0
68	LatY136F knock-in mouse model for human IgG4-related disease. <i>PLoS ONE</i> , 2018, 13, e0198417.	1.1	18
69	Clinical and Pathological Characteristics of IgG4-related Periaortitis/Periarteritis and Retroperitoneal Fibrosis Diagnosed Based on Experts' Diagnosis. <i>The Journal of Japanese College of Angiology</i> , 2018, 58, 117-129.	0.1	6
70	A case developing minimal change disease during the course of IgG4-related disease. <i>Modern Rheumatology</i> , 2017, 27, 712-715.	0.9	3
71	Estimation of the number of histological diagnosis for IgG4-related kidney disease referred to the data obtained from the Japan Renal Biopsy Registry (J-RBR) questionnaire and cases reported in the Japanese Society of Nephrology Meetings. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 97-103.	0.7	15
72	Anticentromere antibody-positive primary Sjögren's syndrome: Epitope analysis of a subset of anticentromere antibody-positive patients. <i>Modern Rheumatology</i> , 2017, 27, 115-121.	0.9	11

#	ARTICLE	IF	CITATIONS
73	Elevated serum interferon $\hat{\beta}$ -induced protein 10 kDa is associated with TAFRO syndrome. Scientific Reports, 2017, 7, 42316.	1.6	50
74	How to diagnose IgG4-related disease. Annals of the Rheumatic Diseases, 2017, 76, e46-e46.	0.5	33
75	Current approach to the diagnosis of IgG4-related disease – Combination of comprehensive diagnostic and organ-specific criteria. Modern Rheumatology, 2017, 27, 381-391.	0.9	175
76	Immunoglobulin G4-related disease associated with extensive granulomatous changes. Rheumatology, 2017, 56, 1430-1433.	0.9	2
77	New clues to the nature of immunoglobulin G4-related disease: a retrospective Japanese multicenter study of baseline clinical features of 334 cases. Arthritis Research and Therapy, 2017, 19, 262.	1.6	97
78	MPO52THE USEFULNESS OF TOLVAPTAN IN PATIENTS WITH AUTOSOMAL DOMINANT POLYCYSTIC KIDNEY DISEASE WITH CHRONIC KIDNEY DISEASE STAGE G3 TO G4. Nephrology Dialysis Transplantation, 2016, 31, i360-i360.	0.4	0
79	MP438EFFECTS OF FERRIC CITRATE HYDRATE IN HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i485-i486.	0.4	0
80	Cytokine profile in adult-onset Still's disease: Comparison with systemic juvenile idiopathic arthritis. Clinical Immunology, 2016, 169, 8-13.	1.4	106
81	Multicentric Castleman Disease With Tubulointerstitial Nephritis Mimicking IgG4-related Disease. American Journal of Surgical Pathology, 2016, 40, 495-501.	2.1	32
82	A condition closely mimicking IgG4-related disease despite the absence of serum IgG4 elevation and IgG4-positive plasma cell infiltration. Modern Rheumatology, 2016, 26, 784-789.	0.9	16
83	Distribution and components of interstitial inflammation and fibrosis in IgG4-related kidney disease: analysis of autopsy specimens. Human Pathology, 2016, 55, 164-173.	1.1	14
84	Clinicopathologic analysis of <sc>TAFRO</sc> syndrome demonstrates a distinct subtype of <sc>HHV</sc>-negative multicentric Castleman disease. American Journal of Hematology, 2016, 91, 220-226.	2.0	208
85	IgG4-Related Kidney Disease and IgG4-Related Retroperitoneal Fibrosis. Seminars in Liver Disease, 2016, 36, 283-290.	1.8	13
86	Analysis of IgG4-positive clones in affected organs of IgG4-related disease. Modern Rheumatology, 2016, 26, 923-928.	0.9	5
87	Factors related to renal cortical atrophy development after glucocorticoid therapy in IgG4-related kidney disease: a retrospective multicenter study. Arthritis Research and Therapy, 2016, 18, 273.	1.6	25
88	A case of IgG4-related lymphadenopathy, pericarditis, coronary artery periarteritis and luminal stenosis. Heart and Vessels, 2016, 31, 1709-1713.	0.5	20
89	Hints to the diagnosis of uromodulin kidney disease. CKJ: Clinical Kidney Journal, 2016, 9, 69-75.	1.4	8
90	Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. Clinical and Experimental Nephrology, 2016, 20, 87-93.	0.7	32

#	ARTICLE	IF	CITATIONS
91	Retroperitoneal Fibrosis/Periaortitis and Hydronephrosis. , 2016, , 159-171.		2
92	Characteristic Distribution of Inflammatory Lesions in IgG4-Related Kidney Disease: Findings from Autopsy Case Series. , 2016, , 187-191.		0
93	Does IgG4-Related Disease Have an Autoimmune Basis?. , 2016, , 55-63.		0
94	Differential Diagnosis of IgG4-Related Tubulointerstitial Nephritis: An Overview. , 2016, , 237-250.		0
95	Pericardial Involvement in IgG4-related Disease. Internal Medicine, 2015, 54, 1231-1235.	0.3	28
96	SAT0526â€¦Clinical and Laboratory Features of IgG4-Related Disease: Retrospective Japanese Multicenter Study of 328 Cases. Annals of the Rheumatic Diseases, 2015, 74, 850.3-851.	0.5	0
97	Primary Sjögren's syndrome with chronic tubulointerstitial nephritis and lymphadenopathy mimicking IgG4-related disease. Modern Rheumatology, 2015, 25, 637-641.	0.9	12
98	International Consensus Guidance Statement on the Management and Treatment of IgG4-Related Disease. Arthritis and Rheumatology, 2015, 67, 1688-1699.	2.9	767
99	IgG4-related kidney disease â€” an update. Current Opinion in Nephrology and Hypertension, 2015, 24, 193-201.	1.0	65
100	Decreased Expression of Innate Immunity-Related Genes in Peripheral Blood Mononuclear Cells from Patients with IgG4-Related Disease. PLoS ONE, 2015, 10, e0126582.	1.1	27
101	IgG4-related disease and its pathogenesisâ€”cross-talk between innate and acquired immunity. International Immunology, 2014, 26, 585-595.	1.8	72
102	IgG4-related kidney disease. Kidney International, 2014, 85, 251-257.	2.6	111
103	Immunoglobulin class switching to IgG4 in Warthin tumor and analysis of serum IgG4 levels and IgG4-positive plasma cells in the tumor. Human Pathology, 2014, 45, 793-801.	1.1	14
104	Clinical course after corticosteroid therapy in IgG4-related aortitis/periaortitis and periarteritis: a retrospective multicenter study. Arthritis Research and Therapy, 2014, 16, R156.	1.6	88
105	Kidney and Urinary Tract Lesions. , 2014, , 99-105.		4
106	Positron Emission Tomography with F-18 Fluorodeoxyglucose. , 2014, , 129-135.		1
107	IgG4-Related Kidney Disease. , 2014, , 169-179.		1
108	Investigations of IgG4-related disease involving the skin. Modern Rheumatology, 2013, 23, 986-993.	0.9	31

#	ARTICLE	IF	CITATIONS
109	The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833.	2.6	144
110	ABO698â€¦Latent tuberculosis: a potential extrinsic factor for IGG4-related disease. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 678.12-678.	0.5	1
111	Investigations of IgG4-related disease involving the skin. <i>Modern Rheumatology</i> , 2013, 23, 986-993.	0.9	10
112	Prurigo nodularis-like skin eruptions in a patient with IgG4-related disease. <i>European Journal of Dermatology</i> , 2013, 23, 541-542.	0.3	4
113	Henoch-SchÅ¶nlein purpura nephritis in a patient with IgG4-related disease: A possible association. <i>Clinical Nephrology</i> , 2013, 79, 246-252.	0.4	30
114	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	0.9	1,294
115	Cutoff Values of Serum IgG4 and Histopathological IgG4+ Plasma Cells for Diagnosis of Patients with IgG4-Related Disease. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-5.	0.9	133
116	Immunohistochemical Characteristics of IgG4-Related Tubulointerstitial Nephritis: Detailed Analysis of 20 Japanese Cases. <i>International Journal of Rheumatology</i> , 2012, 2012, 1-9.	0.9	62
117	Light-microscopic characteristics of IgG4-related tubulointerstitial nephritis: distinction from non-IgG4-related tubulointerstitial nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2755-2761.	0.4	65
118	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	0.9	662
119	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. <i>Modern Rheumatology</i> , 2012, 22, 859-870.	0.9	44
120	Characteristic tubulointerstitial nephritis in IgG4-related disease. <i>Human Pathology</i> , 2012, 43, 536-549.	1.1	110
121	Recommendations for the nomenclature of IgG4-related disease and its individual organ system manifestations. <i>Arthritis and Rheumatism</i> , 2012, 64, 3061-3067.	6.7	630
122	Consensus statement on the pathology of IgG4-related disease. <i>Modern Pathology</i> , 2012, 25, 1181-1192.	2.9	2,171
123	A novel clinical entity, IgG4-related disease (IgG4RD): general concept and details. <i>Modern Rheumatology</i> , 2012, 22, 1-14.	0.9	453
124	Comprehensive diagnostic criteria for IgG4-related disease (IgG4-RD), 2011. <i>Modern Rheumatology</i> , 2012, 22, 21-30.	0.9	947
125	Clinical and histological changes associated with corticosteroid therapy in IgG4-related tubulointerstitial nephritis. <i>Modern Rheumatology</i> , 2012, 22, 859-870.	0.9	29
126	IgG4-related Tubulointerstitial Nephritis and Hepatic Inflammatory Pseudotumor without Hypocomplementemia. <i>Internal Medicine</i> , 2011, 50, 1239-1244.	0.3	28

#	ARTICLE	IF	CITATIONS
127	IgG4-related Skin Lesions in a Patient with IgG4-related Chronic Sclerosing Dacryoadenitis and Sialoadenitis. <i>Internal Medicine</i> , 2011, 50, 1465-1469.	0.3	29
128	Proposal for diagnostic criteria for IgG4-related kidney disease. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 615-626.	0.7	377
129	IgG4-Related Skin Disease, a Mimic of Angiolymphoid Hyperplasia with Eosinophilia. <i>Dermatology</i> , 2011, 223, 301-305.	0.9	39
130	Treatment of IgG4-Related Disease. <i>Current Immunology Reviews</i> , 2011, 7, 246-251.	1.2	6
131	Clinicopathological characteristics of patients with IgG4-related tubulointerstitial nephritis. <i>Kidney International</i> , 2010, 78, 1016-1023.	2.6	349
132	Proposal for a new clinical entity, IgG4-positive multiorgan lymphoproliferative syndrome: analysis of 64 cases of IgG4-related disorders. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 1310-1315.	0.5	524
133	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	0.9	36
134	IgG4-related Disease as Systemic Disease. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2009, 98, 899-906.	0.0	0
135	A case of immunoglobulin G4-related chronic sclerosing sialadenitis and dacryoadenitis associated with tuberculosis. <i>Modern Rheumatology</i> , 2009, 19, 87-90.	0.9	24
136	Clonal relationship between infiltrating immunoglobulin G4 (IgG4)-positive plasma cells in lacrimal glands and circulating IgG4-positive lymphocytes in Mikulicz's disease. <i>Clinical and Experimental Immunology</i> , 2008, 152, 432-439.	1.1	41
137	IgG4-Related Chronic Sclerosing Dacryoadenitis. <i>JAMA Ophthalmology</i> , 2007, 125, 1575.	2.6	115
138	Th2 and regulatory immune reactions are increased in immunoglobulin G4-related sclerosing pancreatitis and cholangitis. <i>Hepatology</i> , 2007, 45, 1538-1546.	3.6	633
139	Endocapillary proliferative glomerulonephritis with crescent formation and concurrent tubulo-interstitial nephritis complicating retroperitoneal fibrosis with a high serum level of IgG4. <i>Clinical Nephrology</i> , 2007, 68, 308-314.	0.4	44
140	FRIO126â€¦Corticosteroid therapy-induced injury in patients with systemic lupus erythematosus. , 2001, , .		0
141	THU0094â€¦Experimental mycoplasma fermentans infection in rheumatoid synovial fibroblasts induces m161ag expression. , 2001, , .		0
142	Clinical and laboratory features of anticentromere antibody positive primary Sjögren's syndrome. <i>Journal of Rheumatology</i> , 2001, 28, 2238-44.	1.0	48
143	Complement regulatory proteins and autoimmunity. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2000, 48, 367-72.	1.0	14
144	Elevated serum levels of soluble membrane cofactor protein (CD46, MCP) in patients with systemic lupus erythematosus (SLE). <i>Clinical and Experimental Immunology</i> , 1999, 116, 542-546.	1.1	47

#	ARTICLE	IF	CITATIONS
145	Fatal cardiac beta2-microglobulin amyloidosis in patients on long-term hemodialysis. American Journal of Kidney Diseases, 1998, 31, e4.1-e4.5.	2.1	13
146	Decreased expression of 20-kD homologous restriction factor (HRF20, CD59) on T lymphocytes in Epstein-Barr virus (EBV)-induced infectious mononucleosis. Clinical and Experimental Immunology, 1997, 108, 266-271.	1.1	9
147	Absence of CD69 expression on peripheral eosinophils in episodic angioedema and eosinophilia. , 1996, 53, 43-45.		14