

Dominik PawÅ,owski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9391589/publications.pdf>

Version: 2024-02-01

27
papers

471
citations

623734

14
h-index

713466

21
g-index

27
all docs

27
docs citations

27
times ranked

367
citing authors

#	ARTICLE	IF	CITATIONS
1	Environmental influence on forest development and decline in the Warta River valley (Central Poland). <i>Journal of Environmental and Planetary Science</i> , 2017, 10, 1-14.	1.5	48
2	Drought as a stress driver of ecological changes in peatland - A palaeoecological study of peatland development between 3500 BCE and 200 BCE in central Poland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 461, 272-291.	2.3	43
3	A multiproxy study of Younger Dryas and Early Holocene climatic conditions from the Grabia River paleo-oxbow lake (central Poland). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 438, 34-50.	2.3	38
4	Palaeoecological record of natural changes and human impact in a small river valley in Central Poland. <i>Quaternary International</i> , 2015, 370, 12-28.	1.5	28
5	Younger Dryas flood events: A case study from the middle Warta River valley (Central Poland). <i>Quaternary International</i> , 2015, 386, 55-69.	1.5	27
6	A reconstruction of the palaeohydrological conditions of a floodplain: a multiproxy study from the Grabia River valley mire, central Poland. <i>Boreas</i> , 2015, 44, 543-562.	2.4	26
7	Late Weichselian and Holocene record of the paleoenvironmental changes in a small river valley in Central Poland. <i>Quaternary Science Reviews</i> , 2016, 135, 24-40.	3.0	25
8	A multi-proxy reconstruction from Lutomiersk Koźłowski, Central Poland, in the context of early modern hemp and flax processing. <i>Journal of Archaeological Science</i> , 2014, 50, 318-337.	2.4	24
9	Fen ecosystem responses to water level fluctuations during the early and middle Holocene in central Europe: a case study from Wilczkowo, Poland. <i>Boreas</i> , 2015, 44, 721-740.	2.4	21
10	The response of flood-plain ecosystems to the Late Glacial and Early Holocene hydrological changes: A case study from a small Central European river valley. <i>Catena</i> , 2016, 147, 411-428.	5.0	20
11	Evolution of small valley mire in central Poland as a result of hydroclimatic oscillations. <i>Geochronometria</i> , 2012, 39, 133-148.	0.8	19
12	Early Holocene hydrology and environments of the Ner River (Poland). <i>Quaternary Research</i> , 2016, 85, 187-203.	1.7	17
13	Changes in the biota and sediments of glacial Lake Kołomin, Poland, during the late Saalian (Illinoian). <i>Journal of Paleolimnology</i> , 2013, 49, 679-696.	1.6	16
14	Younger Dryas Cladocera assemblages from two valley mires in central Poland and their potential significance for climate reconstructions. <i>Geologos</i> , 2012, 18, .	0.6	15
15	Late Vistulian and Holocene changes in the Ner river valley in light of geological and palaeoecological data from the Ner-Zawada peatland. <i>Geologija</i> , 2010, 52, 25-33.	0.1	13
16	From oxbow to mire: Chironomidae and Cladocera as habitat palaeoindicators. <i>Hydrobiologia</i> , 2020, 847, 3257-3275.	2.0	12
17	On the border between land and water: The environmental conditions of the Neolithic occupation from 4.3 until 1.6 ka BC at Serteya, Western Russia. <i>Geoarchaeology - an International Journal</i> , 2021, 36, 173-202.	1.5	12
18	Multi-proxy records of Mesolithic activity in the Lubuskie Lakeland (western Poland). <i>Vegetation History and Archaeobotany</i> , 2020, 29, 153-171.	2.1	11

#	ARTICLE	IF	CITATIONS
19	Eemian and Vistulian (Weichselian) paleoenvironmental changes: A multi-proxy study of sediments and mammal remains from the Ławy paleolake (Eastern Poland). <i>Quaternary International</i> , 2018, 467, 131-146.	1.5	10
20	The environmental history of the oxbow in the Łużycki River valley – Study on the specific microclimate during Allerød and Younger Dryas in central Poland. <i>Quaternary International</i> , 2021, , .	1.5	9
21	Summer temperature drives the lake ecosystem during the Late Weichselian and Holocene in Eastern Europe: A case study from East European Plain. <i>Catena</i> , 2022, , 106206.	5.0	8
22	The usefulness of subfossil Cladocera remains in Younger Dryas climatic reconstructions in central Poland. <i>Acta Geologica Polonica</i> , 2017, 67, 567-584.	0.9	7
23	Early development of late Vistulian (Weichselian) lacustrine sediments in the Łabieniec swamp (central) Tj ETQq1 1 0.784314 rgBT / Qv	0.8	5
24	Elemental composition of biogenic sediments reveals palaeoclimatic changes during the Late Weichselian in a Central European river valley: A statistical approach. <i>Catena</i> , 2021, 200, 105188.	5.0	5
25	Middle Holocene Climate Oscillations Recorded in the Western Dvina Lakeland. <i>Water (Switzerland)</i> , 2021, 13, 1611.	2.7	5
26	Spatial variability of selected physicochemical parameters within peat deposits in small valley mire: a geostatistical approach. <i>Geologos</i> , 2014, 20, 269-288.	0.6	5
27	The persistent place at Lubrza: a small paradise for hunter-gatherers? Multi-disciplinary studies of Late Palaeolithic environment and human activity in the Łagów lake district (western Poland). <i>Vegetation History and Archaeobotany</i> , 2022, 31, 447-465.	2.1	2