

Alejandra Sánchez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9393496/publications.pdf>

Version: 2024-02-01

22
papers

307
citations

949033

11
h-index

939365

18
g-index

22
all docs

22
docs citations

22
times ranked

570
citing authors

#	ARTICLE	IF	CITATIONS
1	Predictive clinical genetic model of long-term non-response to tumor necrosis factor-alpha inhibitor therapy in spondyloarthritis. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1529-1537.	0.9	7
2	Clinical and genetic characteristics of ankylosing spondylitis patients with peripheral arthritis at disease onset. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 215-221.	0.4	4
3	FRI0420 Association of suppressor of cytokine signaling -3 (SOCS-3) expression with interleukin-23 receptor (IL-23R) single nucleotide polymorphisms (SNPs) in ankylosing spondylitis (AS). , 2017, , .		0
4	SAT0405 Clinical, biological and genetic factors, predictors of treatment nonresponse to tnf inhibitors (TNFI), in ankylosing spondylitis (AS) and psoriatic arthritis (PSA). , 2017, , .		0
5	A Single Nucleotide Polymorphism in the IL17ra Promoter Is Associated with Functional Severity of Ankylosing Spondylitis. <i>PLoS ONE</i> , 2016, 11, e0158905.	1.1	15
6	Activating killer immunoglobulin-like receptors genes are associated with increased susceptibility to ankylosing spondylitis. <i>Clinical and Experimental Immunology</i> , 2015, 180, 201-206.	1.1	18
7	Candidate's single-nucleotide polymorphism predictors of treatment nonresponse to the first anti-TNF inhibitor in ankylosing spondylitis. <i>Rheumatology International</i> , 2014, 34, 793-801.	1.5	12
8	AB0164 Analysis of Jak-Stat-Socs Signal Pathway mRNA Expression in Ankylosing Spondylitis (AS) Patients with Peripheral Arthritis (PA). <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 857.1-857.	0.5	0
9	Real-time detection of the chemokine CXCL12 in urine samples by surface plasmon resonance. <i>Talanta</i> , 2013, 109, 209-215.	2.9	20
10	A high density SNP genotyping approach within the 19q13 chromosome region identifies an association of a CNOT3 polymorphism with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 714-717.	0.5	14
11	Genetic polymorphisms inside and outside the MHC improve prediction of AS radiographic severity in addition to clinical variables. <i>Rheumatology</i> , 2012, 51, 1471-1478.	0.9	18
12	Dissociation of actin polymerization and lipid raft accumulation by ligation of the Inducible Costimulator (ICOS, CD278). <i>Inmunologia (Barcelona, Spain: 1987)</i> , 2012, 31, 4-12.	0.1	2
13	Both Baseline Clinical Factors and Genetic Polymorphisms Influence the Development of Severe Functional Status in Ankylosing Spondylitis. <i>PLoS ONE</i> , 2012, 7, e43428.	1.1	9
14	ERAP1 polymorphisms and haplotypes are associated with ankylosing spondylitis susceptibility and functional severity in a Spanish population. <i>Rheumatology</i> , 2011, 50, 1969-1975.	0.9	40
15	Fine mapping of a major histocompatibility complex in ankylosing spondylitis: Association of the <i>HLA-DPA1</i> and <i>HLA-DPB1</i> regions. <i>Arthritis and Rheumatism</i> , 2011, 63, 3305-3312.	6.7	17
16	Association of the Intergenic Single-Nucleotide Polymorphism rs10865331 (2p15) with Ankylosing Spondylitis in a Spanish Population. <i>Journal of Rheumatology</i> , 2010, 37, 2345-2347.	1.0	7
17	Membrane cofactor protein (MCP, CD46) binding to clinical isolates of <i>Streptococcus pyogenes</i> : Binding to M type 18 strains is independent of Emm or Enn proteins. <i>Molecular Immunology</i> , 2007, 44, 3571-3579.	1.0	12
18	O93 Membrane cofactor protein (CD46) binding to clinical isolates of <i>Streptococcus pyogenes</i> : binding to M type 18 strains is independent of Emm or Enn proteins. <i>International Journal of Antimicrobial Agents</i> , 2007, 29, S18-S19.	1.1	1

#	ARTICLE	IF	CITATIONS
19	Complement regulatory protein Crry/p65-mediated signaling in T lymphocytes: role of its cytoplasmic domain and partitioning into lipid rafts. <i>Journal of Leukocyte Biology</i> , 2005, 78, 1386-1396.	1.5	22
20	CD46-mediated costimulation induces a Th1-biased response and enhances early TCR/CD3 signaling in human CD4+ T lymphocytes. <i>European Journal of Immunology</i> , 2004, 34, 2439-2448.	1.6	40
21	Mechanisms of H4/ICOS costimulation: effects on proximal TCR signals and MAP kinase pathways. <i>European Journal of Immunology</i> , 2003, 33, 204-214.	1.6	39
22	Variability of invariant mouse CD3 μ chains detected by anti-CD3 antibodies. <i>European Journal of Immunology</i> , 2000, 30, 1469-1479.	1.6	10