

Alejandra Snchez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/9393496/alejandra-sanchez-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19
papers

260
citations

10
h-index

16
g-index

22
ext. papers

284
ext. citations

4.7
avg, IF

2.11
L-index

#	Paper	IF	Citations
19	Predictive clinical-genetic model of long-term non-response to tumor necrosis factor-alpha inhibitor therapy in spondyloarthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 1529-1537	2.3	5
18	Clinical and genetic characteristics of ankylosing spondylitis patients with peripheral arthritis at disease onset. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 215-221	2.2	4
17	A Single Nucleotide Polymorphism in the Il17ra Promoter Is Associated with Functional Severity of Ankylosing Spondylitis. <i>PLoS ONE</i> , 2016 , 11, e0158905	3.7	11
16	Activating killer immunoglobulin-like receptors genes are associated with increased susceptibility to ankylosing spondylitis. <i>Clinical and Experimental Immunology</i> , 2015 , 180, 201-6	6.2	15
15	AB0164 Analysis of Jak-Stat-Socs Signal Pathway mRNA Expression in Ankylosing Spondylitis (AS) Patients with Peripheral Arthritis (PA). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 857.1-857	2.4	
14	Candidate single-nucleotide polymorphism predictors of treatment nonresponse to the first anti-TNF inhibitor in ankylosing spondylitis. <i>Rheumatology International</i> , 2014 , 34, 793-801	3.6	9
13	Real-time detection of the chemokine CXCL12 in urine samples by surface plasmon resonance. <i>Talanta</i> , 2013 , 109, 209-15	6.2	15
12	Dissociation of actin polymerization and lipid raft accumulation by ligation of the Inducible Costimulator (ICOS, CD278). <i>Inmunologia (Barcelona, Spain: 1987)</i> , 2012 , 31, 4-12		2
11	A high density SNP genotyping approach within the 19q13 chromosome region identifies an association of a CNOT3 polymorphism with ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 714-7	2.4	11
10	Genetic polymorphisms inside and outside the MHC improve prediction of AS radiographic severity in addition to clinical variables. <i>Rheumatology</i> , 2012 , 51, 1471-8	3.9	13
9	Both baseline clinical factors and genetic polymorphisms influence the development of severe functional status in ankylosing spondylitis. <i>PLoS ONE</i> , 2012 , 7, e43428	3.7	4
8	ERAP1 polymorphisms and haplotypes are associated with ankylosing spondylitis susceptibility and functional severity in a Spanish population. <i>Rheumatology</i> , 2011 , 50, 1969-75	3.9	38
7	Fine mapping of a major histocompatibility complex in ankylosing spondylitis: association of the HLA-DPA1 and HLA-DPB1 regions. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3305-12		15
6	Association of the intergenic single-nucleotide polymorphism rs10865331 (2p15) with ankylosing spondylitis in a Spanish population. <i>Journal of Rheumatology</i> , 2010 , 37, 2345-7	4.1	6
5	Membrane cofactor protein (MCP, CD46) binding to clinical isolates of <i>Streptococcus pyogenes</i> : binding to M type 18 strains is independent of Emm or Enn proteins. <i>Molecular Immunology</i> , 2007 , 44, 3571-9	4.3	10
4	Complement regulatory protein Crry/p65-mediated signaling in T lymphocytes: role of its cytoplasmic domain and partitioning into lipid rafts. <i>Journal of Leukocyte Biology</i> , 2005 , 78, 1386-96	6.5	22
3	CD46-mediated costimulation induces a Th1-biased response and enhances early TCR/CD3 signaling in human CD4+ T lymphocytes. <i>European Journal of Immunology</i> , 2004 , 34, 2439-48	6.1	38

- 2 Mechanisms of H4/ICOS costimulation: effects on proximal TCR signals and MAP kinase pathways. *European Journal of Immunology*, **2003**, 33, 204-14 6.1 33
- 1 Variability of invariant mouse CD3epsilon chains detected by anti-CD3 antibodies. *European Journal of Immunology*, **2000**, 30, 1469-79 6.1 8