

# Luisa Amo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9393822/luisa-amo-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43  
papers

1,663  
citations

23  
h-index

40  
g-index

50  
ext. papers

1,866  
ext. citations

3.2  
avg, IF

4.6  
L-index

#	Paper	IF	Citations
43	Assessing behavioral sex differences to chemical cues of predation risk while provisioning nestlings in a hole-nesting bird.. <i>PLoS ONE</i> , <b>2022</b> , 17, e0268678	3.7	1
42	What do we know about birds' use of plant volatile cues in tritrophic interactions?. <i>Current Opinion in Insect Science</i> , <b>2019</b> , 32, 131-136	5.1	7
41	Egg concealment is an antipredatory strategy in a cavity-nesting bird. <i>Ethology</i> , <b>2019</b> , 125, 785-790	1.7	3
40	Covariation and phenotypic integration in chemical communication displays: biosynthetic constraints and eco-evolutionary implications. <i>New Phytologist</i> , <b>2018</b> , 220, 739-749	9.8	50
39	The Evolution of Olfactory Capabilities in Wild Birds: A Comparative Study. <i>Evolutionary Biology</i> , <b>2018</b> , 45, 27-36	3	9
38	Insectivorous birds eavesdrop on the pheromones of their prey. <i>PLoS ONE</i> , <b>2018</b> , 13, e0190415	3.7	11
37	Are wild insectivorous birds attracted to methyl-jasmonate-treated Pyrenean oak trees?. <i>Behaviour</i> , <b>2018</b> , 155, 945-967	1.4	2
36	Wild great and blue tits do not avoid chemical cues of predators when selecting cavities for roosting. <i>PLoS ONE</i> , <b>2018</b> , 13, e0203269	3.7	4
35	Role of chemical and visual cues of mammalian predators in nest defense in birds. <i>Behavioral Ecology and Sociobiology</i> , <b>2017</b> , 71, 1	2.5	15
34	Are naïve birds attracted to herbivore-induced plant defences?. <i>Behaviour</i> , <b>2016</b> , 153, 353-366	1.4	14
33	Evidence that the house finch ( <i>Carpodacus mexicanus</i> ) uses scent to avoid omnivore mammals. <i>Revista Chilena De Historia Natural</i> , <b>2015</b> , 88,	1.8	9
32	Olfaction: An Overlooked Sensory Modality in Applied Ethology and Animal Welfare. <i>Frontiers in Veterinary Science</i> , <b>2015</b> , 2, 69	3.1	19
31	Are female starlings able to recognize the scent of their offspring?. <i>PLoS ONE</i> , <b>2014</b> , 9, e109505	3.7	13
30	Birds exploit herbivore-induced plant volatiles to locate herbivorous prey. <i>Ecology Letters</i> , <b>2013</b> , 16, 1348-55	8.55	94
29	Olfactory detection of dimethyl sulphide in a krill-eating Antarctic penguin. <i>Marine Ecology - Progress Series</i> , <b>2013</b> , 474, 277-285	2.6	30
28	Sex recognition by odour and variation in the uropygial gland secretion in starlings. <i>Journal of Animal Ecology</i> , <b>2012</b> , 81, 605-13	4.7	79
27	Male quality and conspecific scent preferences in the house finch, <i>Carpodacus mexicanus</i> . <i>Animal Behaviour</i> , <b>2012</b> , 84, 1483-1489	2.8	41

26	Rollers smell the fear of nestlings. <i>Biology Letters</i> , <b>2012</b> , 8, 502-4	3.6	16
25	Sleeping birds do not respond to predator odour. <i>PLoS ONE</i> , <b>2011</b> , 6, e27576	3.7	27
24	Smelling Out Predators is Innate in Birds. <i>Ardea</i> , <b>2011</b> , 99, 177-184	0.9	52
23	Ultraviolet-blue reflectance of some nestling plumage patches mediates parental favouritism in great tits <i>Parus major</i> . <i>Journal of Avian Biology</i> , <b>2008</b> , 39, 277-282	1.9	37
22	Predator odour recognition and avoidance in a songbird. <i>Functional Ecology</i> , <b>2008</b> , 22, 289-293	5.6	128
21	Parasites and health affect multiple sexual signals in male common wall lizards, <i>Podarcis muralis</i> . <i>Die Naturwissenschaften</i> , <b>2008</b> , 95, 293-300	2	50
20	Pregnant female lizards <i>Iberolacerta cyreni</i> adjust refuge use to decrease thermal costs for their body condition and cell-mediated immune response. <i>Journal of Experimental Zoology</i> , <b>2007</b> , 307, 106-12		11
19	Chemical ornaments of male lizards <i>Psammotromus algirus</i> may reveal their parasite load and health state to females. <i>Behavioral Ecology and Sociobiology</i> , <b>2007</b> , 62, 173-179	2.5	65
18	Natural oak forest vs. ancient pine plantations: lizard microhabitat use may explain the effects of ancient reforestations on distribution and conservation of Iberian lizards. <i>Biodiversity and Conservation</i> , <b>2007</b> , 16, 3409-3422	3.4	28
17	Refuge use: a conflict between avoiding predation and losing mass in lizards. <i>Physiology and Behavior</i> , <b>2007</b> , 90, 334-43	3.5	56
16	Habitat deterioration affects body condition of lizards: A behavioral approach with <i>Iberolacerta cyreni</i> lizards inhabiting ski resorts. <i>Biological Conservation</i> , <b>2007</b> , 135, 77-85	6.2	58
15	Habitat deterioration affects antipredatory behavior, body condition, and parasite load of female <i>Psammotromus algirus</i> lizards. <i>Canadian Journal of Zoology</i> , <b>2007</b> , 85, 743-751	1.5	17
14	Nature-based tourism as a form of predation risk affects body condition and health state of <i>Podarcis muralis</i> lizards. <i>Biological Conservation</i> , <b>2006</b> , 131, 402-409	6.2	88
13	Can Wall Lizards Combine Chemical and Visual Cues to Discriminate Predatory from Non-Predatory Snakes Inside Refuges?. <i>Ethology</i> , <b>2006</b> , 112, 478-484	1.7	28
12	Reliable signaling by chemical cues of male traits and health state in male lizards, <i>Lacerta monticola</i> . <i>Journal of Chemical Ecology</i> , <b>2006</b> , 32, 473-88	2.7	100
11	Sources of individual shyBold variations in antipredator behaviour of male Iberian rock lizards. <i>Animal Behaviour</i> , <b>2005</b> , 69, 1-9	2.8	191
10	Prevalence and intensity of haemogregarine blood parasites and their mite vectors in the common wall lizard, <i>Podarcis muralis</i> . <i>Parasitology Research</i> , <b>2005</b> , 96, 378-81	2.4	55
9	Prevalence and intensity of blood and intestinal parasites in a field population of a Mediterranean lizard, <i>Lacerta lepida</i> . <i>Parasitology Research</i> , <b>2005</b> , 96, 413-7	2.4	33

8	Chemosensory Recognition of Its Lizard Prey by the Ambush Smooth Snake, <i>Coronella austriaca</i> . <i>Journal of Herpetology</i> , <b>2004</b> , 38, 451-454	1.1	9
7	Wall lizards combine chemical and visual cues of ambush snake predators to avoid overestimating risk inside refuges. <i>Animal Behaviour</i> , <b>2004</b> , 67, 647-653	2.8	83
6	Double gametocyte infections in apicomplexan parasites of birds and reptiles. <i>Parasitology Research</i> , <b>2004</b> , 94, 155-7	2.4	11
5	Prevalence and intensity of haemogregarinid blood parasites in a population of the Iberian rock lizard, <i>Lacerta monticola</i> . <i>Parasitology Research</i> , <b>2004</b> , 94, 290-3	2.4	46
4	Trade-offs in the choice of refuges by common wall lizards: do thermal costs affect preferences for predator-free refuges?. <i>Canadian Journal of Zoology</i> , <b>2004</b> , 82, 897-901	1.5	14
3	Chemosensory Recognition and Behavioral Responses of Wall Lizards, <i>Podarcis muralis</i> , to Scents of Snakes that Pose Different Risks of Predation. <i>Copeia</i> , <b>2004</b> , 2004, 691-696	1.1	23
2	Thermal dependence of chemical assessment of predation risk affects the ability of wall lizards, <i>Podarcis muralis</i> , to avoid unsafe refuges. <i>Physiology and Behavior</i> , <b>2004</b> , 82, 913-8	3.5	6
1	Risk Level and Thermal Costs Affect the Choice of Escape Strategy and Refuge Use in the Wall Lizard, <i>Podarcis muralis</i> . <i>Copeia</i> , <b>2003</b> , 2003, 899-905	1.1	22