Stephen s S Taylor

List of Publications by Citations

Source: https://exaly.com/author-pdf/9394094/stephen-s-s-taylor-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

9,213
citations

40
p-index
g-index

72
ext. papers

9.5
ext. citations

40
p-index
g-index

6.18
L-index

#	Paper	IF	Citations
70	Aurora B couples chromosome alignment with anaphase by targeting BubR1, Mad2, and Cenp-E to kinetochores. <i>Journal of Cell Biology</i> , 2003 , 161, 267-80	7.3	1021
69	Cancer cells display profound intra- and interline variation following prolonged exposure to antimitotic drugs. <i>Cancer Cell</i> , 2008 , 14, 111-22	24.3	624
68	Aurora-kinase inhibitors as anticancer agents. <i>Nature Reviews Cancer</i> , 2004 , 4, 927-36	31.3	564
67	The spindle assembly checkpoint. <i>Current Biology</i> , 2012 , 22, R966-80	6.3	522
66	Polo-like kinase-1 is activated by aurora A to promote checkpoint recovery. <i>Nature</i> , 2008 , 455, 119-23	50.4	520
65	Kinetochore localization of murine Bub1 is required for normal mitotic timing and checkpoint response to spindle damage. <i>Cell</i> , 1997 , 89, 727-35	56.2	488
64	The human homologue of Bub3 is required for kinetochore localization of Bub1 and a Mad3/Bub1-related protein kinase. <i>Journal of Cell Biology</i> , 1998 , 142, 1-11	7.3	377
63	Dissecting the role of MPS1 in chromosome biorientation and the spindle checkpoint through the small molecule inhibitor reversine. <i>Journal of Cell Biology</i> , 2010 , 190, 73-87	7-3	355
62	How do anti-mitotic drugs kill cancer cells?. <i>Journal of Cell Science</i> , 2009 , 122, 2579-85	5.3	279
61	Bub1 is required for kinetochore localization of BubR1, Cenp-E, Cenp-F and Mad2, and chromosome congression. <i>Journal of Cell Science</i> , 2004 , 117, 1577-89	5.3	267
60	The kinase haspin is required for mitotic histone H3 Thr 3 phosphorylation and normal metaphase chromosome alignment. <i>Genes and Development</i> , 2005 , 19, 472-88	12.6	259
59	Sustained Mps1 activity is required in mitosis to recruit O-Mad2 to the Mad1-C-Mad2 core complex. Journal of Cell Biology, 2010 , 190, 25-34	7-3	251
58	Validating Aurora B as an anti-cancer drug target. <i>Journal of Cell Science</i> , 2006 , 119, 3664-75	5.3	251
57	Recognizing and exploiting differences between RNAi and small-molecule inhibitors. <i>Nature Chemical Biology</i> , 2007 , 3, 739-44	11.7	211
56	Truncating APC mutations have dominant effects on proliferation, spindle checkpoint control, survival and chromosome stability. <i>Journal of Cell Science</i> , 2004 , 117, 6339-53	5.3	178
55	A visual screen of a GFP-fusion library identifies a new type of nuclear envelope membrane protein. Journal of Cell Biology, 1999 , 146, 29-44	7.3	167
54	Regulation of APC/C activity in oocytes by a Bub1-dependent spindle assembly checkpoint. <i>Current Biology</i> , 2009 , 19, 369-80	6.3	166

(2006-2001)

53	Kinetochore localisation and phosphorylation of the mitotic checkpoint components Bub1 and BubR1 are differentially regulated by spindle events in human cells. <i>Journal of Cell Science</i> , 2001 , 114, 4385-4395	5.3	150
52	Bub1 and aurora B cooperate to maintain BubR1-mediated inhibition of APC/CCdc20. <i>Journal of Cell Science</i> , 2005 , 118, 3639-52	5.3	147
51	Mitosis and apoptosis: how is the balance set?. Current Opinion in Cell Biology, 2013, 25, 780-5	9	141
50	Mps1 kinase activity restrains anaphase during an unperturbed mitosis and targets Mad2 to kinetochores. <i>Journal of Cell Biology</i> , 2008 , 181, 893-901	7.3	140
49	Aneuploid colon cancer cells have a robust spindle checkpoint. EMBO Reports, 2001, 2, 609-14	6.5	137
48	Cenp-F links kinetochores to Ndel1/Nde1/Lis1/dynein microtubule motor complexes. <i>Current Biology</i> , 2007 , 17, 1173-9	6.3	129
47	Polo and Aurora kinases: lessons derived from chemical biology. <i>Current Opinion in Cell Biology</i> , 2008 , 20, 77-84	9	117
46	The spindle checkpoint: a quality control mechanism which ensures accurate chromosome segregation. <i>Chromosome Research</i> , 2004 , 12, 599-616	4.4	110
45	Bub1 maintains centromeric cohesion by activation of the spindle checkpoint. <i>Developmental Cell</i> , 2007 , 13, 566-79	10.2	108
44	p31comet-mediated extraction of Mad2 from the MCC promotes efficient mitotic exit. <i>Journal of Cell Science</i> , 2011 , 124, 3905-16	5.3	107
43	Farnesylation of Cenp-F is required for G2/M progression and degradation after mitosis. <i>Journal of Cell Science</i> , 2002 , 115, 3403-3414	5.3	103
42	Molecular basis of drug resistance in aurora kinases. <i>Chemistry and Biology</i> , 2008 , 15, 552-62		98
41	Farnesylation of Cenp-F is required for G2/M progression and degradation after mitosis. <i>Journal of Cell Science</i> , 2002 , 115, 3403-14	5.3	95
40	BubR1 blocks substrate recruitment to the APC/C in a KEN-box-dependent manner. <i>Journal of Cell Science</i> , 2011 , 124, 4332-45	5.3	87
39	MYC Is a Major Determinant of Mitotic Cell Fate. Cancer Cell, 2015, 28, 129-40	24.3	85
38	Silencing Cenp-F weakens centromeric cohesion, prevents chromosome alignment and activates the spindle checkpoint. <i>Journal of Cell Science</i> , 2005 , 118, 4889-900	5.3	85
37	GSK-3 inhibitors induce chromosome instability. BMC Cell Biology, 2007, 8, 34		77
36	Cyclin-B1-mediated inhibition of excess separase is required for timely chromosome disjunction. Journal of Cell Science, 2006, 119, 3325-36	5.3	77

35	Mitotic driversinhibitors of the Aurora B Kinase. Cancer and Metastasis Reviews, 2009, 28, 185-95	9.6	55
34	DNA Replication Vulnerabilities Render Ovarian Cancer Cells Sensitive to Poly(ADP-Ribose) Glycohydrolase Inhibitors. <i>Cancer Cell</i> , 2019 , 35, 519-533.e8	24.3	49
33	Mcl-1 dynamics influence mitotic slippage and death in mitosis. <i>Oncotarget</i> , 2016 , 7, 5176-92	3.3	44
32	Cdc20 is required for the post-anaphase, KEN-dependent degradation of centromere protein F. <i>Journal of Cell Science</i> , 2010 , 123, 321-30	5.3	43
31	The Aurora B kinase activity is required for the maintenance of the differentiated state of murine myoblasts. <i>Cell Death and Differentiation</i> , 2009 , 16, 321-30	12.7	43
30	Cohesion fatigue explains why pharmacological inhibition of the APC/C induces a spindle checkpoint-dependent mitotic arrest. <i>PLoS ONE</i> , 2012 , 7, e49041	3.7	36
29	Sgo1 establishes the centromeric cohesion protection mechanism in G2 before subsequent Bub1-dependent recruitment in mitosis. <i>Journal of Cell Science</i> , 2010 , 123, 653-9	5.3	35
28	Glucocorticoid receptor regulates accurate chromosome segregation and is associated with malignancy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 5479-84	11.5	34
27	Chromosome segregation: dual control ensures fidelity. <i>Current Biology</i> , 1999 , 9, R562-4	6.3	33
26	A living biobank of ovarian cancer ex vivo models reveals profound mitotic heterogeneity. <i>Nature Communications</i> , 2020 , 11, 822	17.4	32
25	Mitochondrial targeting of adenomatous polyposis coli protein is stimulated by truncating cancer mutations: regulation of Bcl-2 and implications for cell survival. <i>Journal of Biological Chemistry</i> , 2008 , 283, 5950-9	5.4	32
24	Protein phosphatase 2A and separase form a complex regulated by separase autocleavage. <i>Journal of Biological Chemistry</i> , 2007 , 282, 24623-32	5.4	32
23	Analysis of extrachromosomal structures containing human centromeric alphoid satellite DNA sequences in mouse cells. <i>Chromosoma</i> , 1996 , 105, 70-81	2.8	32
22	Re-evaluating the role of Tao1 in the spindle checkpoint. <i>Chromosoma</i> , 2010 , 119, 371-9	2.8	31
21	Defining the role of APC in the mitotic spindle checkpoint in vivo: APC-deficient cells are resistant to Taxol. <i>Oncogene</i> , 2010 , 29, 6418-27	9.2	26
20	Cenp-E inhibitor GSK923295: Novel synthetic route and use as a tool to generate aneuploidy. <i>Oncotarget</i> , 2015 , 6, 20921-32	3.3	26
19	Inhibition of Bcl-xL sensitizes cells to mitotic blockers, but not mitotic drivers. <i>Open Biology</i> , 2016 , 6,	7	18
18	The p38l\(\text{Stress Kinase Suppresses Aneuploidy Tolerance by Inhibiting Hif-1\(\text{I}\) Cell Reports, 2018 , 25, 749-760.e6	10.6	17

LIST OF PUBLICATIONS

17	Addition of functional human telomeres to YACs. Human Molecular Genetics, 1994, 3, 1383-6	5.6	16
16	Oncogenic MYC amplifies mitotic perturbations. <i>Open Biology</i> , 2019 , 9, 190136	7	11
15	The Ipl1/Aurora kinase family: methods of inhibition and functional analysis in mammalian cells. <i>Methods in Molecular Biology</i> , 2005 , 296, 371-81	1.4	11
14	Mitotic entry: Non-genetic heterogeneity exposes the requirement for Plk1. Oncotarget, 2015, 6, 3647	2-8,8	11
13	Distinct transcriptional programs stratify ovarian cancer cell lines into the five major histological subtypes. <i>Genome Medicine</i> , 2021 , 13, 140	14.4	11
12	Bub1 up-regulation and hyperphosphorylation promote malignant transformation in SV40 tag-induced transgenic mouse models. <i>Molecular Cancer Research</i> , 2006 , 4, 957-69	6.6	8
11	Human spermbots for patient-representative 3D ovarian cancer cell treatment. <i>Nanoscale</i> , 2020 , 12, 20467-20481	7.7	8
10	A method for linking yeast artificial chromosomes. <i>Nucleic Acids Research</i> , 1996 , 24, 4192-6	20.1	7
9	Inactivating the spindle checkpoint kinase Bub1 during embryonic development results in a global shutdown of proliferation. <i>BMC Research Notes</i> , 2009 , 2, 190	2.3	5
8	Targeted nanopore sequencing for the identification of ABCB1 promoter translocations in cancer. <i>BMC Cancer</i> , 2020 , 20, 1075	4.8	4
7	DNA replication stress and emerging prospects for PARG inhibitors in ovarian cancer therapy. <i>Progress in Biophysics and Molecular Biology</i> , 2021 , 163, 160-170	4.7	3
6	TP53 loss initiates chromosomal instability in fallopian tube epithelial cells. <i>DMM Disease Models and Mechanisms</i> , 2021 , 14,	4.1	2
5	Comment on "A centrosome-independent role for gamma-TuRC proteins in the spindle assembly checkpoint". <i>Science</i> , 2007 , 316, 982; author reply 982	33.3	1
4	Inhibitors of the Bub1 spindle assembly checkpoint kinase: Synthesis of BAY-320 and comparison with 2OH-BNPP1		1
3	Replication catastrophe is responsible for intrinsic PAR glycohydrolase inhibitor-sensitivity in patient-derived ovarian cancer models. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 323	12.8	1
2	TP53 loss initiates chromosomal instability in high-grade serous ovarian cancer		1
1	Inhibitors of the Bub1 spindle assembly checkpoint kinase: synthesis of BAY-320 and comparison with 2OH-BNPP1 <i>Royal Society Open Science</i> , 2021 , 8, 210854	3.3	1