

Dao-Qing Dai

List of Publications by Citations

Source: <https://exaly.com/author-pdf/9394543/dao-qing-dai-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

1,934
citations

26
h-index

40
g-index

105
ext. papers

2,267
ext. citations

5
avg, IF

5.2
L-index

#	Paper	IF	Citations
97	Framelet algorithms for de-blurring images corrupted by impulse plus Gaussian noise. <i>IEEE Transactions on Image Processing</i> , 2011 , 20, 1822-37	8.7	150
96	Structured sparse error coding for face recognition with occlusion. <i>IEEE Transactions on Image Processing</i> , 2013 , 22, 1889-900	8.7	91
95	Regularized discriminant analysis and its application to face recognition. <i>Pattern Recognition</i> , 2003 , 36, 845-847	7.7	91
94	Kernel machine-based one-parameter regularized fisher discriminant method for face recognition. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2005 , 35, 659-69		82
93	Robust classification using $\ell_{2,1}$ -norm based regression model. <i>Pattern Recognition</i> , 2012 , 45, 2708-2718	7.7	67
92	Coupled kernel embedding for low resolution face image recognition. <i>IEEE Transactions on Image Processing</i> , 2012 , 21, 3770-83	8.7	66
91	Face recognition by regularized discriminant analysis. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2007 , 37, 1080-5		61
90	Finding Correlated Biclusters from Gene Expression Data. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2011 , 23, 568-584	4.2	52
89	Multiscale logarithm difference edgemaps for face recognition against varying lighting conditions. <i>IEEE Transactions on Image Processing</i> , 2015 , 24, 1735-47	8.7	46
88	Face recognition using dual-tree complex wavelet features. <i>IEEE Transactions on Image Processing</i> , 2009 , 18, 2593-9	8.7	46
87	Enhanced Local Gradient Order Features and Discriminant Analysis for Face Recognition. <i>IEEE Transactions on Cybernetics</i> , 2016 , 46, 2656-2669	10.2	45
86	Detecting temporal protein complexes from dynamic protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2014 , 15, 335	3.6	44
85	Determining minimum set of driver nodes in protein-protein interaction networks. <i>BMC Bioinformatics</i> , 2015 , 16, 146	3.6	42
84	Improved discriminate analysis for high-dimensional data and its application to face recognition. <i>Pattern Recognition</i> , 2007 , 40, 1570-1578	7.7	42
83	Incremental learning of bidirectional principal components for face recognition. <i>Pattern Recognition</i> , 2010 , 43, 318-330	7.7	40
82	Feature Extraction and Uncorrelated Discriminant Analysis for High-Dimensional Data. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2008 , 20, 601-614	4.2	40
81	Inverse Fisher discriminate criteria for small sample size problem and its application to face recognition. <i>Pattern Recognition</i> , 2005 , 38, 2192-2194	7.7	39

80	Discriminative multi-scale sparse coding for single-sample face recognition with occlusion. <i>Pattern Recognition</i> , 2017 , 66, 302-312	7.7	36
79	A framework for incorporating functional interrelationships into protein function prediction algorithms. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2012 , 9, 740-53	3	36
78	Band-Reweighed Gabor Kernel Embedding for Face Image Representation and Recognition. <i>IEEE Transactions on Image Processing</i> , 2014 , 23, 725-40	8.7	35
77	Detecting overlapping protein complexes based on a generative model with functional and topological properties. <i>BMC Bioinformatics</i> , 2014 , 15, 186	3.6	33
76	Biomarker identification and cancer classification based on microarray data using Laplace naive Bayes model with mean shrinkage. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2012 , 9, 1649-62	3	33
75	Multiframe Super-Resolution Reconstruction Using Sparse Directional Regularization. <i>IEEE Transactions on Circuits and Systems for Video Technology</i> , 2010 , 20, 945-956	6.4	32
74	Two-dimensional maximum margin feature extraction for face recognition. <i>IEEE Transactions on Systems, Man, and Cybernetics</i> , 2009 , 39, 1002-12		32
73	Sparse discriminant analysis for breast cancer biomarker identification and classification. <i>Progress in Natural Science: Materials International</i> , 2009 , 19, 1635-1641	3.6	31
72	Regularized coplanar discriminant analysis for dimensionality reduction. <i>Pattern Recognition</i> , 2017 , 62, 87-98	7.7	29
71	Detecting Protein Complexes from Signed Protein-Protein Interaction Networks. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2015 , 12, 1333-44	3	26
70	Transfer learning of structured representation for face recognition. <i>IEEE Transactions on Image Processing</i> , 2014 , 23, 5440-54	8.7	26
69	Discriminative multi-layer illumination-robust feature extraction for face recognition. <i>Pattern Recognition</i> , 2017 , 67, 201-212	7.7	25
68	Protein complex detection via weighted ensemble clustering based on Bayesian nonnegative matrix factorization. <i>PLoS ONE</i> , 2013 , 8, e62158	3.7	24
67	The theoretic framework of local weighted approximation for microarray missing value estimation. <i>Pattern Recognition</i> , 2010 , 43, 2993-3002	7.7	23
66	On continuous solutions of a generalized Cauchy-Biemann system with more than one singularity. <i>Journal of Differential Equations</i> , 2004 , 196, 67-90	2.1	22
65	Protein complexes discovery based on protein-protein interaction data via a regularized sparse generative network model. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2012 , 9, 857-70	3	19
64	Cancer subtype discovery and biomarker identification via a new robust network clustering algorithm. <i>PLoS ONE</i> , 2013 , 8, e66256	3.7	19
63	Discriminative and Compact Coding for Robust Face Recognition. <i>IEEE Transactions on Cybernetics</i> , 2015 , 45, 1900-12	10.2	18

62	Exploring overlapping functional units with various structure in protein interaction networks. <i>PLoS ONE</i> , 2012 , 7, e43092	3.7	18
61	Regularized logistic regression with network-based pairwise interaction for biomarker identification in breast cancer. <i>BMC Bioinformatics</i> , 2016 , 17, 108	3.6	17
60	Noisy 1-bit compressive sensing: models and algorithms. <i>Applied and Computational Harmonic Analysis</i> , 2016 , 40, 1-32	3.1	17
59	A New On-Board Image Codec Based on Binary Tree With Adaptive Scanning Order in Scan-Based Mode. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2012 , 50, 3737-3750	8.1	17
58	Dual Adversarial Autoencoders for Clustering. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2020 , 31, 1417-1424	10.3	16
57	A two-layer integration framework for protein complex detection. <i>BMC Bioinformatics</i> , 2016 , 17, 100	3.6	15
56	Identifying spurious interactions and predicting missing interactions in the protein-protein interaction networks via a generative network model. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2013 , 10, 219-25	3	15
55	Fusing landmark-based features at kernel level for face recognition. <i>Pattern Recognition</i> , 2017 , 63, 406-415	4.5	14
54	PRL-Dock: protein-ligand docking based on hydrogen bond matching and probabilistic relaxation labeling. <i>Proteins: Structure, Function and Bioinformatics</i> , 2012 , 80, 2137-53	4.2	14
53	Wavelet based discriminant analysis for face recognition. <i>Applied Mathematics and Computation</i> , 2006 , 175, 307-318	2.7	14
52	Multilayer surface albedo for face recognition with reference images in bad lighting conditions. <i>IEEE Transactions on Image Processing</i> , 2014 , 23, 4709-23	8.7	12
51	Sample Weighting: An Inherent Approach for Outlier Suppressing Discriminant Analysis. <i>IEEE Transactions on Knowledge and Data Engineering</i> , 2015 , 27, 3070-3083	4.2	10
50	Kernel Embedding Multiorientation Local Pattern for Image Representation. <i>IEEE Transactions on Cybernetics</i> , 2018 , 48, 1124-1135	10.2	10
49	Comparative analysis of housekeeping and tissue-specific driver nodes in human protein interaction networks. <i>BMC Bioinformatics</i> , 2016 , 17, 358	3.6	10
48	Estimation of reflectance from camera responses by the regularized local linear model. <i>Optics Letters</i> , 2011 , 36, 3933-5	3	10
47	Polynomial preserving algorithm for digital image interpolation. <i>Signal Processing</i> , 1998 , 67, 109-121	4.4	10
46	Radial Basis Functions With Adaptive Input and Composite Trend Representation for Portfolio Selection. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2018 , 29, 6214-6226	10.3	10
45	Identifying binary protein-protein interactions from affinity purification mass spectrometry data. <i>BMC Genomics</i> , 2015 , 16, 745	4.5	9

44	Bilinear Lanczos components for fast dimensionality reduction and feature extraction. <i>Pattern Recognition</i> , 2010 , 43, 3742-3752	7.7	9
43	Nonlocal boundary problems for a third-order one-dimensional nonlinear pseudoparabolic equation. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2007 , 66, 179-191	1.3	9
42	Remarks on a semilinear heat equation with integral boundary conditions. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2007 , 67, 468-475	1.3	8
41	The . <i>Journal of Mathematical Analysis and Applications</i> , 2007 , 332, 1351-1364	1.1	7
40	A moment problem for one-dimensional nonlinear pseudoparabolic equation. <i>Journal of Mathematical Analysis and Applications</i> , 2007 , 328, 1057-1067	1.1	7
39	Piecewise continuous solutions of nonlinear pseudoparabolic equations in two space dimensions*. <i>Proceedings of the Royal Society of Edinburgh Section A: Mathematics</i> , 1992 , 121, 203-217	1	7
38	Unsupervised Domain Adaptation via Discriminative Manifold Propagation. <i>IEEE Transactions on Pattern Analysis and Machine Intelligence</i> , 2020 , PP,	13.3	7
37	Hyperspectral image classification via discriminative convolutional neural network with an improved triplet loss. <i>Pattern Recognition</i> , 2021 , 112, 107744	7.7	7
36	Hyperspectral Image Classification via Discriminant Gabor Ensemble Filter. <i>IEEE Transactions on Cybernetics</i> , 2021 , PP,	10.2	7
35	Riemann mapping theorems for Beltrami equations by circle packings. <i>Pacific Journal of Mathematics</i> , 2004 , 217, 139-147	0.5	6
34	Discriminative Residual Analysis for Image Set Classification with Posture and Age Variations. <i>IEEE Transactions on Image Processing</i> , 2019 ,	8.7	6
33	Protein complex detection based on partially shared multi-view clustering. <i>BMC Bioinformatics</i> , 2016 , 17, 371	3.6	6
32	Wavelets and orthogonal polynomials based on harmonic oscillator eigenstates. <i>Journal of Mathematical Physics</i> , 2000 , 41, 3086-3103	1.2	5
31	The Riemann-Hilbert boundary value problem for semilinear pseudoparabolic equations. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 1994 , 23, 785-796	1.3	5
30	A Peak Price Tracking-Based Learning System for Portfolio Selection. <i>IEEE Transactions on Neural Networks and Learning Systems</i> , 2018 , 29, 2823-2832	10.3	4
29	Sparse approximation to discriminant projection learning and application to image classification. <i>Pattern Recognition</i> , 2019 , 96, 106963	7.7	4
28	Sparse Representation by Adding Noisy Duplicates for Enhanced Face Recognition: An Elastic Net Regularization Approach 2009 ,		4
27	. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2008 , 55, 3500-3512	3.9	4

26	Galerkin analysis for Schrödinger equation by wavelets. <i>Journal of Mathematical Physics</i> , 2004 , 45, 855-869.	2	4
25	Heterogeneous Domain Adaptation via Covariance Structured Feature Translators. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 2166-2177	10.2	4
24	Joint Transformation Learning via the L-Norm Metric for Robust Graph Matching. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 521-533	10.2	4
23	Learning Kernel for Conditional Moment-Matching Discrepancy-Based Image Classification. <i>IEEE Transactions on Cybernetics</i> , 2021 , 51, 2006-2018	10.2	4
22	Convergence of Circle Patterns to Minimal Surfaces. <i>Nagoya Mathematical Journal</i> , 2009 , 194, 149-167.	0.6	3
21	2D-ONPP: Two Dimensional Extension of Orthogonal Neighborhood Preserving Projections for Face Recognition 2008 ,		3
20	On a mixed problem with integral conditions for one-dimensional parabolic equation. <i>Applicable Analysis</i> , 2006 , 85, 1113-1121	0.8	3
19	LRSK: a low-rank self-representation K-means method for clustering single-cell RNA-sequencing data. <i>Molecular Omics</i> , 2020 , 16, 465-473	4.4	2
18	Piecewise Regularized Canonical Correlation Discrimination for Low-Resolution Face Recognition 2010 ,		2
17	Gene Selection and Visualization Based on Sparse Maximal Margin Features 2009 ,		2
16	The convergence of circle packings of bounded degree to the Riemann mapping. <i>Journal of Mathematical Analysis and Applications</i> , 2011 , 376, 1-10	1.1	2
15	On a nonlocal problem for nonlinear pseudoparabolic equations. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2006 , 64, 499-512	1.3	2
14	Subtype-WESLR: identifying cancer subtype with weighted ensemble sparse latent representation of multi-view data. <i>Briefings in Bioinformatics</i> , 2021 ,	13.4	2
13	Low-Resolution Face Recognition via Color Information and Regularized Coupled Mappings 2010 ,		1
12	Discriminant Dual-Tree Complex Wavelet Features for Face Recognition 2008 ,		1
11	Variational principles for branched circle patterns. <i>Nonlinear Analysis: Theory, Methods & Applications</i> , 2007 , 67, 498-511	1.3	1
10	Fourier Method for Riemann-Hilbert-Poincaré Problem of Analytic Function. <i>Complex Variables and Elliptic Equations</i> , 2002 , 47, 645-652		1
9	WMLRR: A Weighted Multi-View Low Rank Representation to Identify Cancer Subtypes From Multiple Types of Omics Data. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , 2021 , 18, 2891-2897	3	0

- 8 Approximation of conformal welding for finitely connected regions. *Complex Variables and Elliptic Equations*, **2017**, 62, 1117-1134 0.5
- 7 A Circle Pattern Algorithm via Combinatorial Ricci Flows. *Trends in Mathematics*, **2019**, 117-138 0.3
- 6 Quasiregular mapping by branched circle packing. *Complex Variables and Elliptic Equations*, **2008**, 53, 667-673 0.5
- 5 The C^2 -convergence of circle packings with bounded degree to the Riemann mapping. *Complex Variables and Elliptic Equations*, **2007**, 52, 1007-1016 0.5
- 4 Spectrum of the Riemann-Hilbert-Poincaré problem for analytic functions. *Complex Variables and Elliptic Equations*, **2005**, 50, 497-505
- 3 On non-normal Riemann boundary value problem for analytic functions. *Complex Variables and Elliptic Equations*, **2000**, 42, 1-9
- 2 On a boundary value problem for semilinear elliptic system of second order in the plane. *Complex Variables and Elliptic Equations*, **1993**, 22, 145-151
- 1 Discrete solutions of Dirichlet problems by circle patterns and finite volumes. *Applicable Analysis*, **2016**, 95, 902-918 0.8