Yea-Huei Kao Yang

List of Publications by Citations

Source: https://exaly.com/author-pdf/9394868/yea-huei-kao-yang-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

2,356
citations

25
h-index

85
ext. papers

2,970
ext. citations

4.8
avg, IF

L-index

#	Paper	IF	Citations
83	Validation of acute myocardial infarction cases in the national health insurance research database in taiwan. <i>Journal of Epidemiology</i> , 2014 , 24, 500-7	3.4	350
82	Taiwan National Health Insurance Research Database: past and future. Clinical Epidemiology, 2019 , 11, 349-358	5.9	324
81	Validity of in-hospital mortality data among patients with acute myocardial infarction or stroke in National Health Insurance Research Database in Taiwan. <i>International Journal of Cardiology</i> , 2015 , 201, 96-101	3.2	202
80	Compliance with antithrombotic prescribing guidelines for patients with atrial fibrillationa nationwide descriptive study in Taiwan. <i>Clinical Therapeutics</i> , 2008 , 30, 1726-36	3.5	119
79	Validation of algorithms to identify stroke risk factors in patients with acute ischemic stroke, transient ischemic attack, or intracerebral hemorrhage in an administrative claims database. <i>International Journal of Cardiology</i> , 2016 , 215, 277-82	3.2	95
78	The Chang Gung Research Database-A multi-institutional electronic medical records database for real-world epidemiological studies in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 593-600) 2.6	84
77	Developing a stroke severity index based on administrative data was feasible using data mining techniques. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1292-300	5.7	79
76	Financial incentives and physicians/prescription decisions on the choice between brand-name and generic drugs: evidence from Taiwan. <i>Journal of Health Economics</i> , 2009 , 28, 341-9	3.5	69
75	Epidemiology and predictors of short-term mortality in symptomatic venous thromboembolism. <i>Circulation Journal</i> , 2011 , 75, 1998-2004	2.9	50
74	The Asian Pharmacoepidemiology Network (AsPEN): promoting multi-national collaboration for pharmacoepidemiologic research in Asia. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 700-4	2.6	49
73	Validity of a stroke severity index for administrative claims data research: a retrospective cohort study. <i>BMC Health Services Research</i> , 2016 , 16, 509	2.9	49
72	Multi-country rapid adverse drug event assessment: the Asian Pharmacoepidemiology Network (AsPEN) antipsychotic and acute hyperglycaemia study. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 915-24	2.6	42
71	Brief Report: Databases in the Asia-Pacific Region: The Potential for a Distributed Network Approach. <i>Epidemiology</i> , 2015 , 26, 815-20	3.1	41
70	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 567-582	12.1	39
69	Validation of a novel claims-based stroke severity index in patients with intracerebral hemorrhage. <i>Journal of Epidemiology</i> , 2017 , 27, 24-29	3.4	39
68	Risk of extrapyramidal syndrome in schizophrenic patients treated with antipsychotics: a population-based study. <i>Clinical Pharmacology and Therapeutics</i> , 2007 , 81, 586-94	6.1	38
67	Trends in the incidence and management of acute myocardial infarction from 1999 to 2008: get with the guidelines performance measures in Taiwan. <i>Journal of the American Heart Association</i> , 2014 , 3,	6	37

66	Detecting Potential Adverse Drug Reactions Using a Deep Neural Network Model. <i>Journal of Medical Internet Research</i> , 2019 , 21, e11016	7.6	35
65	Prescription sequence symmetry analysis: assessing risk, temporality, and consistency for adverse drug reactions across datasets in five countries. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 858-6	54 ^{.6}	32
64	Alendronate adherence and its impact on hip-fracture risk in patients with established osteoporosis in Taiwan. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 90, 109-16	6.1	32
63	Cardiovascular and Bleeding Risks in Acute Myocardial Infarction Newly Treated With Ticagrelor vs. Clopidogrel in Taiwan. <i>Circulation Journal</i> , 2018 , 82, 747-756	2.9	29
62	Use of antiepileptic drugs and risk of hypothyroidism. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1071-9	2.6	27
61	Comparative risk evaluation for cardiovascular events associated with dapagliflozin vs. empagliflozin in real-world type 2 diabetes patients: a multi-institutional cohort study. <i>Cardiovascular Diabetology</i> , 2019 , 18, 120	8.7	26
60	Proton pump inhibitors and risk of Clostridium difficile infection: a multi-country study using sequence symmetry analysis. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1589-1595	4.1	26
59	Incidence and risk of osteonecrosis of the jaw among the Taiwan osteoporosis population. <i>Osteoporosis International</i> , 2014 , 25, 1503-11	5.3	26
58	Trastuzumab-Related Cardiotoxic Effects in Taiwanese Women: A Nationwide Cohort Study. <i>JAMA Oncology</i> , 2016 , 2, 1317-1325	13.4	22
57	Effectiveness of sulpiride in adult patients with schizophrenia. Schizophrenia Bulletin, 2013, 39, 673-83	1.3	22
56	Comparative stroke risk of antiepileptic drugs in patients with epilepsy. <i>Epilepsia</i> , 2013 , 54, 172-80	6.4	20
55	Favorable pleiotropic effects of sodium glucose cotransporter 2 inhibitors: head-to-head comparisons with dipeptidyl peptidase-4 inhibitors in type 2 diabetes patients. <i>Cardiovascular Diabetology</i> , 2020 , 19, 17	8.7	19
54	Net clinical benefit of oral anticoagulants: a multiple criteria decision analysis. <i>PLoS ONE</i> , 2015 , 10, e012	2 48 06	19
53	Chronic kidney disease and stroke. <i>Lancet Neurology, The</i> , 2014 , 13, 1071	24.1	17
52	Detecting potential adverse reactions of sulpiride in schizophrenic patients by prescription sequence symmetry analysis. <i>PLoS ONE</i> , 2014 , 9, e89795	3.7	16
51	Universal pharmacological thromboprophylaxis for total knee arthroplasty may not be necessary in low-risk populations: a nationwide study in Taiwan. <i>Journal of Thrombosis and Haemostasis</i> , 2012 , 10, 56-63	15.4	16
50	Sodium glucose co-transporter 2 inhibitors and cardiovascular event protections: how applicable are clinical trials and observational studies to real-world patients?. <i>BMJ Open Diabetes Research and Care</i> , 2019 , 7,	4.5	16
49	Cost-effectiveness of dabigatran etexilate for the prevention of stroke and systemic embolism in atrial fibrillation in Taiwan. <i>Thrombosis Research</i> , 2014 , 133, 782-9	8.2	15

48	The determinants of the adoption of pharmaceutical innovation: evidence from Taiwan. <i>Social Science and Medicine</i> , 2011 , 72, 919-27	5.1	15
47	A practical approach to minimize the interaction of dietary vitamin K with warfarin. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2014 , 39, 56-60	2.2	14
46	Regulation and competition in the Taiwanese pharmaceutical market under national health insurance. <i>Journal of Health Economics</i> , 2012 , 31, 471-83	3.5	14
45	Comparative Risk of Cardiovascular Outcomes Between Topical and Oral Nonselective NSAIDs in Taiwanese Patients With Rheumatoid Arthritis. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	11
44	Effects of sodium-glucose co-transporter-2 inhibitors on serum alanine aminotransferase levels in people with type 2 diabetes: A multi-institutional cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 128-134	6.7	11
43	Risk of pneumonia in new users of cholinesterase inhibitors for dementia. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 869-76	5.6	10
42	Utilization patterns of antihyperuricemic agents following safety announcement on allopurinol and benzbromarone by Taiwan Food and Drug Administration. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 309-13	2.6	8
41	Frequent Dental Scaling Is Associated with a Reduced Risk of Periprosthetic Infection following Total Knee Arthroplasty: A Nationwide Population-Based Nested Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0158096	3.7	8
40	Increased risk of coronary heart disease among patients with idiopathic inflammatory myositis: a nationwide population study in Taiwan. <i>Rheumatology</i> , 2019 , 58, 1935-1941	3.9	7
39	Medication knowledge to be improved in participants in community universities in Taiwan: Outcome of a nationwide community university program. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 1267-79	3.2	7
38	Utilization of oral antidiabetic medications in Taiwan following strategies to promote access to medicines for chronic diseases in community pharmacies. <i>Journal of Pharmaceutical Policy and Practice</i> , 2015 , 8, 15	3.2	7
37	Aromatase Inhibitors and Risk of Arthritis and Carpal Tunnel Syndrome among Taiwanese Women with Breast Cancer: A Nationwide Claims Data Analysis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
36	Hormone therapy and risk of venous thromboembolism among postmenopausal women in Taiwan - a 10-year nationwide population-based study. <i>Circulation Journal</i> , 2015 , 79, 1107-14	2.9	7
35	International Multi-database Pharmacoepidemiology: Potentials and Pitfalls. <i>Current Epidemiology Reports</i> , 2015 , 2, 229-238	2.9	7
34	Effects of safety warnings and risk management plan for Thiazolidinediones in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2015 , 24, 1026-35	2.6	7
33	Comparative effectiveness of osteoporosis drugs in preventing secondary nonvertebral fractures in Taiwanese women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 4717-26	5.6	7
32	Complication rate of neurogenic lower urinary tract dysfunction after spinal cord injury in Taiwan. <i>International Urology and Nephrology</i> , 2014 , 46, 1063-71	2.3	6
31	Compliance with dosing recommendations from common references in prescribing antibiotics for preterm neonates. <i>Pharmacoepidemiology and Drug Safety</i> , 2010 , 19, 51-8	2.6	6

(2021-2016)

30	Comparative risk of oral ulcerations among antipsychotics users - population-based retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 123-32	2.6	6
29	Penetration of new antidiabetic medications in East Asian countries and the United States: A cross-national comparative study. <i>PLoS ONE</i> , 2018 , 13, e0208796	3.7	6
28	Comparative safety of NSAIDs for gastrointestinal events in Asia-Pacific populations: A multi-database, international cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1223-1230	o ^{2.6}	6
27	Pay for performance program reduces treatment needed diabetic retinopathy - a nationwide matched cohort study in Taiwan. <i>BMC Health Services Research</i> , 2018 , 18, 638	2.9	5
26	Incidence and risk of venous thromboembolism among Taiwan osteoporotic fracture population under osteoporosis pharmacological treatments. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 1599-607	5.6	5
25	Risks of newly onset hemorrhagic stroke in patients with neovascular age-related macular degeneration. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1277-1285	2.6	5
24	Incidence, prevalence and prescription patterns of antipsychotic medications use in Asia and US: A cross-nation comparison with common data model. <i>Journal of Psychiatric Research</i> , 2020 , 131, 77-84	5.2	5
23	Does renal dysfunction modify the effect of intravenous thrombolysis for acute ischemic stroke within 4.5 hours of onset? A multicenter observational study. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2015 , 24, 673-9	2.8	4
22	Quetiapine-induced absence seizures in a dementia patient. <i>Geriatrics and Gerontology International</i> , 2016 , 16, 1168-1171	2.9	4
21	Workload of pharmacists and the performance of pharmacy services. <i>PLoS ONE</i> , 2020 , 15, e0231482	3.7	3
20	Methotrexate-induced pancytopenia in a patient with ectopic pregnancy. <i>Archives of Medical Science</i> , 2018 , 14, 475-476	2.9	3
19	A retrospective study on the usage of cough and cold medications in viral respiratory tract infections in Taiwanese children. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 36-42	2.6	3
18	Comparative risk of venous thromboembolism between total knee and hip replacement: a 10-year nationwide population-based study in Taiwan. <i>Journal of Thrombosis and Haemostasis</i> , 2013 , 11, 1930-2	15.4	3
17	Metabolic events associated with the use of antipsychotics in children, adolescents and young adults: a multinational sequence symmetry study. <i>European Child and Adolescent Psychiatry</i> , 2020 , 1	5.5	3
16	Real-world evidence of population differences in allopurinol-related severe cutaneous adverse reactions in East Asians: A population-based cohort study. <i>Clinical and Translational Science</i> , 2021 , 14, 1002-1014	4.9	3
15	Home-Time as a Surrogate Measure for Functional Outcome After Stroke: A Validation Study. <i>Clinical Epidemiology</i> , 2020 , 12, 617-624	5.9	2
14	Effectiveness of denosumab for fracture prevention in real-world postmenopausal women with osteoporosis: a retrospective cohort study <i>Osteoporosis International</i> , 2022 , 33, 1155	5.3	2
13	Comparative safety of antipsychotic medications in elderly stroke survivors: A nationwide claim data and stroke registry linkage cohort study. <i>Journal of Psychiatric Research</i> , 2021 , 139, 159-166	5.2	2

The incidence of symptomatic venous thromboembolism following hip fractures with or without surgery in Taiwan. <i>Clinical Trials and Regulatory Science in Cardiology</i> , 2015 , 12, 6-11		1
Detecting Potential Adverse Drug Reactions Using a Deep Neural Network Model (Preprint)		1
Risk of age-related macular degeneration in aspirin users and non-aspirin users: A population-based cohort study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 178-188	2.6	1
Trends in coagulation factor replacement therapy and medical costs in patients with haemophilia in Taiwan: A population-based, 15-year analysis. <i>Haemophilia</i> , 2021 , 27, e187-e193	3.3	1
Assessing the effect of oral activated vitamin D on overall survival in hemodialysis patients: a landmark analysis. <i>BMC Nephrology</i> , 2018 , 19, 309	2.7	1
Risk of Incident Epilepsy After a Middle Cerebral Artery Territory Infarction <i>Frontiers in Neurology</i> , 2022 , 13, 765969	4.1	1
Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. <i>Epidemiology and Psychiatric Sciences</i> , 2021 , 30, e65	5.1	O
The use of activated vitamin D and risks of hospitalization for infection and amputation in incident hemodialysis patients in Taiwan: a nationwide population-based cohort study. <i>BMC Nephrology</i> , 2020 , 21, 331	2.7	Ο
Comparative cardiometabolic risk of antipsychotics in children, adolescents and young adults. European Child and Adolescent Psychiatry, 2021 , 30, 769-783	5.5	O
No better solution for antipsychotic treatment with regard to long-term safety and effectiveness. <i>Evidence-Based Mental Health</i> , 2015 , 18, 17	11.1	
Not all aspirin products have equivalent antiplatelet efficacy-Aspirin formulated with magnesium stearate is less effective in preventing ischemic stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1570-1578	2.6	
Response to Iraqi and Hughes. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 242-3	5.6	
	Detecting Potential Adverse Drug Reactions Using a Deep Neural Network Model (Preprint) Risk of age-related macular degeneration in aspirin users and non-aspirin users: A population-based cohort study in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 178-188 Trends in coagulation factor replacement therapy and medical costs in patients with haemophilia in Taiwan: A population-based, 15-year analysis. <i>Haemophilia</i> , 2021, 27, e187-e193 Assessing the effect of oral activated vitamin D on overall survival in hemodialysis patients: a landmark analysis. <i>BMC Nephrology</i> , 2018, 19, 309 Risk of Incident Epilepsy After a Middle Cerebral Artery Territory Infarction <i>Frontiers in Neurology</i> , 2022, 13, 765969 Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e65 The use of activated vitamin D and risks of hospitalization for infection and amputation in incident hemodialysis patients in Taiwan: a nationwide population-based cohort study. <i>BMC Nephrology</i> , 2020, 21, 331 Comparative cardiometabolic risk of antipsychotics in children, adolescents and young adults. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 769-783 No better solution for antipsychotic treatment with regard to long-term safety and effectiveness. <i>Evidence-Based Mental Health</i> , 2015, 18, 17 Not all aspirin products have equivalent antiplatelet efficacy-Aspirin formulated with magnesium stearate is less effective in preventing ischemic stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1570-1578	Detecting Potential Adverse Drug Reactions Using a Deep Neural Network Model (Preprint) Risk of age-related macular degeneration in aspirin users and non-aspirin users: A population-based cohort study in Taiwan. Pharmacoepidemiology and Drug Safety, 2021, 30, 178-188 2.6 Trends in coagulation factor replacement therapy and medical costs in patients with haemophilia in Taiwan: A population-based, 15-year analysis. Haemophilia, 2021, 27, e187-e193 Assessing the effect of oral activated vitamin D on overall survival in hemodialysis patients: a landmark analysis. BMC Nephrology, 2018, 19, 309 Risk of Incident Epilepsy After a Middle Cerebral Artery Territory Infarction Frontiers in Neurology, 2022, 13, 765969 Cardiovascular and metabolic risk of antipsychotics in children and young adults: a multinational self-controlled case series study. Epidemiology and Psychiatric Sciences, 2021, 30, e65 The use of activated vitamin D and risks of hospitalization for infection and amputation in incident hemodialysis patients in Taiwan: a nationwide population-based cohort study. BMC Nephrology, 2020, 21, 331 Comparative cardiometabolic risk of antipsychotics in children, adolescents and young adults. European Child and Adolescent Psychiatry, 2021, 30, 769-783 No better solution for antipsychotic treatment with regard to long-term safety and effectiveness. Evidence-Based Mental Health, 2015, 18, 17 Not all aspirin products have equivalent antiplatelet efficacy-Aspirin formulated with magnesium stearate is less effective in preventing ischemic stroke. Pharmacoepidemiology and Drug Safety, 2020, 29, 1570-1578