

Mireille Vasseur-Cognet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/939493/publications.pdf>

Version: 2024-02-01

39
papers

2,171
citations

304743

22
h-index

315739

38
g-index

41
all docs

41
docs citations

41
times ranked

3337
citing authors

#	ARTICLE	IF	CITATIONS
1	Lifespan prolonging mechanisms and insulin upregulation without fat accumulation in long-lived reproductives of a higher termite. <i>Communications Biology</i> , 2022, 5, 44.	4.4	27
2	Termite graveyards. Hidden geochemical patches?. <i>Soil Biology and Biochemistry</i> , 2022, 170, 108678.	8.8	3
3	Complex regulatory role of DNA methylation in caste- and age-specific expression of a termite. <i>Open Biology</i> , 2022, 12, .	3.6	6
4	Lkb1 suppresses amino acid-driven gluconeogenesis in the liver. <i>Nature Communications</i> , 2020, 11, 6127.	12.8	21
5	Synergies Between Division of Labor and Gut Microbiomes of Social Insects. <i>Frontiers in Ecology and Evolution</i> , 2020, 7, .	2.2	20
6	Interactome Screening Identifies the ER Luminal Chaperone Hsp47 as a Regulator of the Unfolded Protein Response Transducer IRE1 α . <i>Molecular Cell</i> , 2018, 69, 238-252.e7.	9.7	127
7	AXIN deficiency in human and mouse hepatocytes induces hepatocellular carcinoma in the absence of β -catenin activation. <i>Journal of Hepatology</i> , 2018, 68, 1203-1213.	3.7	78
8	Growth factor receptor binding protein 14 inhibition triggers insulin α -induced mouse hepatocyte proliferation and is associated with hepatocellular carcinoma. <i>Hepatology</i> , 2017, 65, 1352-1368.	7.3	17
9	The orphan nuclear receptor COUP-TFII coordinates hypoxia-independent proangiogenic responses in hepatic stellate cells. <i>Journal of Hepatology</i> , 2017, 66, 754-764.	3.7	19
10	The role of the glucose-sensing transcription factor carbohydrate-responsive element-binding protein pathway in termite queen fertility. <i>Open Biology</i> , 2016, 6, 160080.	3.6	8
11	The role of chicken ovalbumin upstream promoter transcription factor II in the regulation of hepatic fatty acid oxidation and gluconeogenesis in newborn mice. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2015, 308, E868-E878.	3.5	7
12	Hypothalamic ventromedial COUP-TFII protects against hypoglycemia-associated autonomic failure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4333-4338.	7.1	13
13	The Transcription Factor Encyclopedia. <i>Genome Biology</i> , 2012, 13, R24.	9.6	103
14	COUP-TFII Controls Mouse Pancreatic β -Cell Mass through GLP-1- β -Catenin Signaling Pathways. <i>PLoS ONE</i> , 2012, 7, e30847.	2.5	25
15	Glucose-Dependent Regulation of NR2F2 Promoter and Influence of SNP-rs3743462 on Whole Body Insulin Sensitivity. <i>PLoS ONE</i> , 2012, 7, e35810.	2.5	9
16	Rere controls retinoic acid signalling and somite bilateral symmetry. <i>Nature</i> , 2010, 463, 953-957.	27.8	103
17	The Nutritional Induction of COUP-TFII Gene Expression in Ventromedial Hypothalamic Neurons Is Mediated by the Melanocortin Pathway. <i>PLoS ONE</i> , 2010, 5, e13464.	2.5	8
18	The MODY1 Gene for Hepatocyte Nuclear Factor 4 α and a Feedback Loop Control COUP-TFII Expression in Pancreatic Beta Cells. <i>Molecular and Cellular Biology</i> , 2008, 28, 4588-4597.	2.3	21

#	ARTICLE	IF	CITATIONS
19	The Transcription Factor COUP-TFII Is Negatively Regulated by Insulin and Glucose via Foxo1- and ChREBP-Controlled Pathways. <i>Molecular and Cellular Biology</i> , 2008, 28, 6568-6579.	2.3	35
20	Apc Tumor Suppressor Gene Is the "Zonation-Keeper" of Mouse Liver. <i>Developmental Cell</i> , 2006, 10, 759-770.	7.0	460
21	Essential Role of Chicken Ovalbumin Upstream Promoter-Transcription Factor II in Insulin Secretion and Insulin Sensitivity Revealed by Conditional Gene Knockout. <i>Diabetes</i> , 2005, 54, 1357-1363.	0.6	42
22	Conditional hepatocarcinogenesis in mice expressing SV 40 early sequences. <i>Cancer Letters</i> , 2005, 229, 107-114.	7.2	16
23	Loss of the anaphase-promoting complex in quiescent cells causes unscheduled hepatocyte proliferation. <i>Genes and Development</i> , 2004, 18, 88-98.	5.9	86
24	The Adapter Protein ZIP Binds Grb14 and Regulates Its Inhibitory Action on Insulin Signaling by Recruiting Protein Kinase C η . <i>Molecular and Cellular Biology</i> , 2002, 22, 6959-6970.	2.3	41
25	Expression of COUP-TFII in metabolic tissues during development. <i>Mechanisms of Development</i> , 2002, 119, 109-114.	1.7	35
26	A tamoxifen-inducible chimeric Cre recombinase specifically effective in the fetal and adult mouse liver. <i>Hepatology</i> , 2002, 35, 1072-1081.	7.3	64
27	Glucose Regulation of Gene Transcription. <i>Journal of Biological Chemistry</i> , 2000, 275, 31555-31558.	3.4	236
28	Chicken Ovalbumin Upstream Promoter-Transcription Factor II, a New Partner of the Glucose Response Element of the L-type Pyruvate Kinase Gene, Acts as an Inhibitor of the Glucose Response. <i>Journal of Biological Chemistry</i> , 1999, 274, 28385-28394.	3.4	48
29	Negative cyclic AMP response elements in the promoter of the L-type pyruvate kinase gene. <i>FEBS Letters</i> , 1999, 459, 9-14.	2.8	18
30	La combinaison des deux inducteurs C/EBP β et RXR/PPAR γ 2 dĂ©termine la diffĂ©renciation des fibroblastes en adipocytes.. <i>Medecine/Sciences</i> , 1995, 11, 625.	0.2	0
31	Trans-acting factors involved in adipogenic differentiation. <i>Current Opinion in Genetics and Development</i> , 1993, 3, 238-245.	3.3	55
32	CCAAT/enhancer binding protein alpha (C/EBP alpha) undifferentiated protein: a developmentally regulated nuclear protein that binds to the C/EBP alpha gene promoter.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 7312-7316.	7.1	32
33	Elements responsible for hormonal control and tissue specificity of L-type pyruvate kinase gene expression in transgenic mice.. <i>Molecular and Cellular Biology</i> , 1992, 12, 4852-4861.	2.3	53
34	Positive and negative regulation of gene expression by insulin and glucagon: The model of L-type pyruvate kinase gene. <i>Biochimie</i> , 1991, 73, 41-45.	2.6	10
35	Transfection of hepatic genes into adult rat hepatocytes in primary culture and their tissue-specific expression. <i>FEBS Journal</i> , 1989, 180, 289-294.	0.2	42
36	Proteins binding to the liver-specific pyruvate kinase gene promoter. <i>Journal of Molecular Biology</i> , 1989, 209, 205-219.	4.2	155

#	ARTICLE	IF	CITATIONS
37	Structure of the rat L-type pyruvate kinase gene. <i>Journal of Molecular Biology</i> , 1987, 196, 11-25.	4.2	72
38	Regulation of genes for glycolytic enzymes in cultured rat hepatoma cell lines. <i>FEBS Journal</i> , 1987, 169, 237-243.	0.2	32
39	Tissue-specific heterogeneity of the 3'-untranslated region of L-type pyruvate kinase mRNAs. <i>FEBS Journal</i> , 1986, 158, 33-41.	0.2	22