

# Daniel Mamah

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9396139/publications.pdf>

Version: 2024-02-01

36  
papers

1,159  
citations

430874

18  
h-index

395702

33  
g-index

37  
all docs

37  
docs citations

37  
times ranked

2054  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anterior thalamic radiation integrity in schizophrenia: A diffusion-tensor imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2010, 183, 144-150.	1.8	146
2	Resting state functional connectivity of five neural networks in bipolar disorder and schizophrenia. <i>Journal of Affective Disorders</i> , 2013, 150, 601-609.	4.1	125
3	Structural analysis of the basal ganglia in schizophrenia. <i>Schizophrenia Research</i> , 2007, 89, 59-71.	2.0	124
4	Basal Ganglia Shape Abnormalities in the Unaffected Siblings of Schizophrenia Patients. <i>Biological Psychiatry</i> , 2008, 64, 111-120.	1.3	66
5	Subcortical neuromorphometry in schizophrenia spectrum and bipolar disorders. <i>NeuroImage: Clinical</i> , 2016, 11, 276-286.	2.7	59
6	Basal ganglia and thalamic morphology in schizophrenia and bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2014, 223, 75-83.	1.8	58
7	Three genetic“environmental networks for human personality. <i>Molecular Psychiatry</i> , 2021, 26, 3858-3875.	7.9	58
8	Decomposition of brain diffusion imaging data uncovers latent schizophrenias with distinct patterns of white matter anisotropy. <i>NeuroImage</i> , 2015, 120, 43-54.	4.2	44
9	Prevalence and characteristics of psychotic-like experiences in Kenyan youth. <i>Psychiatry Research</i> , 2012, 196, 235-242.	3.3	42
10	Hippocampal Shape and Volume Changes with Antipsychotics in Early Stage Psychotic Illness. <i>Frontiers in Psychiatry</i> , 2012, 3, 96.	2.6	42
11	White matter integrity in schizophrenia and bipolar disorder: Tract- and voxel-based analyses of diffusion data from the Connectom scanner. <i>NeuroImage: Clinical</i> , 2019, 21, 101649.	2.7	39
12	Functional Connectivity of Cognitive Brain Networks in Schizophrenia during a Working Memory Task. <i>Frontiers in Psychiatry</i> , 2017, 8, 294.	2.6	33
13	Characterizing psychosis risk traits in Africa: A longitudinal study of Kenyan adolescents. <i>Schizophrenia Research</i> , 2016, 176, 340-348.	2.0	29
14	Classes of Psychotic Experiences in Kenyan Children and Adolescents. <i>Child Psychiatry and Human Development</i> , 2013, 44, 452-459.	1.9	28
15	Counterpoint. Early intervention for psychosis risk syndromes: Minimizing risk and maximizing benefit. <i>Schizophrenia Research</i> , 2021, 227, 10-17.	2.0	28
16	Validation of a modified version of the PRIME screen for psychosis-risk symptoms in a non-clinical Kenyan youth sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 380-387.	3.1	25
17	The WERCAP Screen and the WERC Stress Screen: psychometrics of self-rated instruments for assessing bipolar and psychotic disorder risk and perceived stress burden. <i>Comprehensive Psychiatry</i> , 2014, 55, 1757-1771.	3.1	25
18	A survey of psychosis risk symptoms in Kenya. <i>Comprehensive Psychiatry</i> , 2012, 53, 516-524.	3.1	23

#	ARTICLE	IF	CITATIONS
19	Tract-based analysis of white matter integrity in psychotic and nonpsychotic bipolar disorder. <i>Journal of Affective Disorders</i> , 2017, 209, 124-134.	4.1	21
20	Pulmonary Embolism After ECT. <i>Journal of ECT</i> , 2005, 21, 39-40.	0.6	19
21	Regional cortical thinning in young adults with schizophrenia but not psychotic or non-psychotic bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 16.	2.2	15
22	Psychotic-like experiences among 9,564 Kenyan adolescents and young adults. <i>Psychiatry Research</i> , 2021, 302, 113994.	3.3	15
23	Knowledge of psychiatric terms and concepts among Kenyan youth: Analysis of focus group discussions. <i>Transcultural Psychiatry</i> , 2013, 50, 515-531.	1.6	14
24	Utility of Washington Early Recognition Center Self-Report Screening Questionnaires in the Assessment of Patients with Schizophrenia and Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2016, 7, 149.	2.6	14
25	Subcomponents of brain T2* relaxation in schizophrenia, bipolar disorder and siblings: A Gradient Echo Plural Contrast Imaging (GEPCI) study. <i>Schizophrenia Research</i> , 2015, 169, 36-45.	2.0	10
26	The psychometric properties of the Washington Early Recognition Center Affectivity and Psychosis (WERCAP) screen in adults in the Kenyan context: Towards combined large scale community screening for affectivity and psychosis. <i>Psychiatry Research</i> , 2019, 282, 112569.	3.3	10
27	Personality Traits as Markers of Psychosis Risk in Kenya: Assessment of Temperament and Character. <i>Schizophrenia Bulletin Open</i> , 2020, 1, sgaa051.	1.7	10
28	Full speed ahead on indicated prevention of psychosis. <i>World Psychiatry</i> , 2021, 20, 223-224.	10.4	7
29	Basal ganglia shape features differentiate schizoaffective disorder from schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2021, 317, 111352.	1.8	5
30	Longitudinal and cross-sectional validation of the WERCAP screen for assessing psychosis risk and conversion. <i>Schizophrenia Research</i> , 2022, 241, 201-209.	2.0	5
31	The prevalence of binge eating disorder and associated psychiatric and substance use disorders in a student population in Kenya – towards a public health approach. <i>BMC Psychiatry</i> , 2022, 22, 122.	2.6	5
32	Socio-demographic, economic and mental health problems were risk factors for suicidal ideation among Kenyan students aged 15 plus. <i>Journal of Affective Disorders</i> , 2022, 302, 74-82.	4.1	4
33	Prevalence and perception of substance abuse and associated economic indicators and mental health disorders in a large cohort of Kenyan students: towards integrated public health approach and clinical management. <i>BMC Psychiatry</i> , 2022, 22, 191.	2.6	4
34	Diagnosis and Classification of the Schizophrenia Spectrum Disorders. , 2011, , 45-83.		3
35	Neurocognition in Kenyan youth at clinical high risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 25, 100198.	1.3	2
36	A population-based survey of autistic traits in Kenyan adolescents and young adults. <i>South African Journal of Psychiatry</i> , 2022, 28, 1694.	0.4	1