

# Minjia Meng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/9396776/minjia-meng-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

102  
papers

2,028  
citations

25  
h-index

40  
g-index

103  
ext. papers

2,681  
ext. citations

6.5  
avg, IF

5.45  
L-index

#	Paper	IF	Citations
102	Freezing-assisted preparation of self-cleaning, high-flux photocatalytic nanocomposite membranes for enhanced degradation of antibiotic activity. <i>Journal of Materials Science</i> , <b>2022</b> , 57, 598-617	4.3	0
101	Fabrication of silver vanadate quantum dots/reduced graphene oxide/graphitic carbon nitride Z-scheme heterostructure modified polyvinylidene fluoride self-cleaning membrane for enhancing photocatalysis and mechanism insight.. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 614, 677-689	9.3	4
100	A deep insight for TBBPA imprinting on PVP-assisted separation membrane: Elucidation of detailed chemical transition in membrane preparation and imprinting process. <i>Chemical Engineering Journal</i> , <b>2022</b> , 436, 135024	14.7	0
99	Molecularly imprinted polydopamine coated CdTe@SiO <sub>2</sub> as a ratiometric fluorescent probe for ultrafast and visual p-nitrophenol monitoring. <i>Microchemical Journal</i> , <b>2022</b> , 172, 106899	4.8	4
98	Tailor-made double-face imprinted membrane with ultra-high specific surface area asymmetric structure through a connective method of dip-coating and delayed phase inversion for selective adsorption of cadmium ion. <i>Separation and Purification Technology</i> , <b>2022</b> , 280, 119865	8.3	1
97	Design of self-cleaning molecularly imprinted membrane with antibacterial ability for high-selectively separation of ribavirin. <i>Journal of Membrane Science</i> , <b>2022</b> , 642, 119994	9.6	7
96	Fabrication of mixed matrix membranes blending with the TiO <sub>2</sub> /Bi <sub>2</sub> O <sub>3</sub> Cl 2D/2D heterojunction for photocatalytic degradation of tetracycline. <i>Applied Surface Science</i> , <b>2022</b> , 574, 151549	6.7	4
95	UiO-66-NH <sub>2</sub> as a novel ultrahigh-selective adsorbent superior to molecularly imprinted polymers for the adsorption of artesunate. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2022</b> , 644, 128830	5.1	0
94	PVDF-based molecularly imprinted ratiometric fluorescent test paper with improved visualization effect for catechol monitoring. <i>Microchemical Journal</i> , <b>2022</b> , 178, 107369	4.8	0
93	Fluid-Induced Piezoelectric Field Enhancing Photocatalytic Hydrogen Evolution Reaction on g-C <sub>3</sub> N <sub>4</sub> /LiNbO <sub>3</sub> /PVDF Membrane. <i>Nano Energy</i> , <b>2022</b> , 107429	17.1	0
92	SiO <sub>2</sub> -coated molecularly imprinted sensor based on Si quantum dots for selective detection of catechol in river water. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 10, 106850	6.8	3
91	Magnetic induced fabrication of core-shell structure Fe <sub>3</sub> O <sub>4</sub> @TiO <sub>2</sub> photocatalytic membrane: enhancing photocatalytic degradation of tetracycline and antifouling performance. <i>Journal of Environmental Chemical Engineering</i> , <b>2021</b> , 106666	6.8	2
90	Modulating depth of 1,2-propanediol oxidation over La(III) doped MCM-41 supported binary Pd and Bi nanoparticles for selective production of C <sub>3</sub> carbonyl compounds. <i>Applied Surface Science</i> , <b>2021</b> , 554, 149528	6.7	0
89	Synergistic interaction of Z-scheme 2D/3D g-CN/BiOI heterojunction and porous PVDF membrane for greatly improving the photodegradation efficiency of tetracycline. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 586, 335-348	9.3	31
88	Irregular dot array nanocomposite molecularly imprinted membranes with enhanced antibacterial property: Synergistic promotion of selectivity, rebinding capacity and flux. <i>Chemical Engineering Journal</i> , <b>2021</b> , 405, 126716	14.7	22
87	Upper surface imprinted membrane prepared by magnetic guidance phase inversion method for highly efficient and selective separation of Artemisinin. <i>Chemical Engineering Journal</i> , <b>2021</b> , 405, 126899	14.7	11
86	Biomimetic design and synthesis of visible-light-driven g-CN nanotube @polydopamine/NiCo-layered double hydroxides composite photocatalysts for improved photocatalytic hydrogen evolution activity. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 584, 464-473	9.3	21

85	Rationally constructing of a novel 2D/2D WO <sub>3</sub> /Pt/g-CN Schottky-Ohmic junction towards efficient visible-light-driven photocatalytic hydrogen evolution and mechanism insight. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 586, 576-587	9.3	23
84	A multi-functional photothermal-catalytic foam for cascade treatment of saline wastewater. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 16510-16521	13	9
83	Molecularly Imprinted Fluorescent Sensors Based on Nitrogen-Doped CDs for Highly Selective Detection of Aspirin. <i>Nano</i> , <b>2021</b> , 16, 2150019	1.1	2
82	Nature-mimicking fabrication of antifouling photocatalytic membrane based on Ti/BiOI and polydopamine for synergistically enhanced photocatalytic degradation of tetracycline. <i>Korean Journal of Chemical Engineering</i> , <b>2021</b> , 38, 442-453	2.8	4
81	A novel mixed matrix polysulfone membrane for enhanced ultrafiltration and photocatalytic self-cleaning performance. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 599, 178-189	9.3	9
80	LDHs-based 3D modular foam with double metal-fluorine interaction for efficiently promoting peroxymonosulfate activation in water pollutant control. <i>Chemical Engineering Journal</i> , <b>2021</b> , 425, 131541	14.7	4
79	Nitrogen defect engineering and E-conjugation structure decorated g-C <sub>3</sub> N <sub>4</sub> with highly enhanced visible-light photocatalytic hydrogen evolution and mechanism insight. <i>Chemical Engineering Journal</i> , <b>2021</b> , 425, 131844	14.7	14
78	Fluorescent polydopamine based molecularly imprinted sensor for ultrafast and selective detection of p-nitrophenol in drinking water.. <i>Mikrochimica Acta</i> , <b>2021</b> , 189, 25	5.8	3
77	Fabrication of Bi <sub>2</sub> WO <sub>6</sub> /In <sub>2</sub> O <sub>3</sub> photocatalysts with efficient photocatalytic performance for the degradation of organic pollutants: Insight into the role of oxygen vacancy and heterojunction. <i>Advanced Powder Technology</i> , <b>2020</b> , 31, 2890-2900	4.6	12
76	Multiple-functional molecularly imprinted nanocomposite membranes for high-efficiency selective separation applications: An imitated core-shell TiO <sub>2</sub> @PDA-based MIMs design. <i>Composites Part B: Engineering</i> , <b>2020</b> , 198, 108123	10	21
75	Synergy between van der waals heterojunction and vacancy in ZnIn <sub>2</sub> S <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> 2D/2D photocatalysts for enhanced photocatalytic hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , <b>2020</b> , 277, 119254	21.8	148
74	Antifouling molecularly imprinted membranes for pretreatment of milk samples: Selective separation and detection of lincomycin. <i>Food Chemistry</i> , <b>2020</b> , 333, 127477	8.5	23
73	Bidirectional molecularly imprinted membranes for selective recognition and separation of prymethamine: A double-faced loading strategy. <i>Journal of Membrane Science</i> , <b>2020</b> , 601, 117917	9.6	51
72	One-pot synthesis of HMF from carbohydrates over acid-base bi-functional carbonaceous catalyst supported on halloysite nanotubes. <i>Cellulose</i> , <b>2020</b> , 27, 3037-3054	5.5	28
71	Stable, regenerable and 3D macroporous Pd (II)-imprinted membranes for efficient treatment of electroplating wastewater. <i>Separation and Purification Technology</i> , <b>2020</b> , 235, 116220	8.3	11
70	Fabrication of Graphene Oxide Supported AcidBase Bifunctional MetalOrganic Frameworks as Efficient Catalyst for Glucose to 5-Hydroxymethylfurfural Conversion. <i>Energy Technology</i> , <b>2020</b> , 8, 190117	17.5	13
69	A controllable floating pDA-PVDF bead for enhanced decomposition of H <sub>2</sub> O <sub>2</sub> and degradation of dyes. <i>Chemical Engineering Journal</i> , <b>2020</b> , 385, 123907	14.7	31
68	Spinel copperIron-oxide magnetic nanoparticles with cooperative Cu(I) and Cu(II) sites for enhancing the catalytic transformation of 1,2-propanediol to lactic acid under anaerobic conditions. <i>Catalysis Science and Technology</i> , <b>2020</b> , 10, 8094-8107	5.5	4

67	Study of enhanced photocatalytic performance mechanisms towards a new binary-Bi heterojunction with spontaneously formed interfacial defects. <i>Applied Surface Science</i> , <b>2020</b> , 532, 14741-14752	6.7	10
66	Recent Progresses on the Adsorption and Separation of Ions by Imprinting Routes. <i>Separation and Purification Reviews</i> , <b>2020</b> , 49, 265-293	7.3	7
65	Nitrogen-doped hydrogenated TiO <sub>2</sub> modified with CdS nanorods with enhanced optical absorption, charge separation and photocatalytic hydrogen evolution. <i>Chemical Engineering Journal</i> , <b>2020</b> , 384, 123275-123285	14.7	134
64	Adsorption for perfluorooctanoic acid with graphitic-phase carbon nitride and its HPLC fluorescence determination. <i>Canadian Journal of Chemical Engineering</i> , <b>2020</b> , 98, 394-403	2.3	2
63	Recent advances in ion-imprinted membranes: separation and detection via ion-selective recognition. <i>Environmental Science: Water Research and Technology</i> , <b>2019</b> , 5, 1626-1653	4.2	37
62	Bimetallic Au/Ag decorated TiO <sub>2</sub> nanocomposite membrane for enhanced photocatalytic degradation of tetracycline and bactericidal efficiency. <i>Applied Surface Science</i> , <b>2019</b> , 487, 1008-1017	6.7	52
61	Development of composite membranes with irregular rod-like structure via atom transfer radical polymerization for efficient oil-water emulsion separation. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 533, 278-286	9.3	54
60	Fabrication of magnetic quantum dots modified Z-scheme Bi <sub>2</sub> O <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> photocatalysts with superior hydroxyl radical productivity for the degradation of rhodamine B. <i>Applied Surface Science</i> , <b>2019</b> , 493, 458-469	6.7	33
59	Synthesis of Novel High Flux Thin-Film Nanocomposite Nanofiltration Membranes Containing GO/BiO <sub>2</sub> via Interfacial Polymerization. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 22324-22333	3.9	18
58	Changing conventional blending photocatalytic membranes (BPMs): Focus on improving photocatalytic performance of Fe <sub>3</sub> O <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> /PVDF membranes through magnetically induced freezing casting method. <i>Chemical Engineering Journal</i> , <b>2019</b> , 365, 405-414	14.7	119
57	Synthesis and Evaluation of Acid-base Bi-functional MOFs Catalyst Supported on PVDF Membrane for Glucose Dehydration to 5-HMF. <i>ChemistrySelect</i> , <b>2019</b> , 4, 13182-13190	1.8	6
56	Selective recognition of salicylic acid employing new fluorescent imprinted membrane functionalized with poly(amidoamine) (PAMAM)-encapsulated Eu(TTA) <sub>3</sub> phen. <i>Journal of Luminescence</i> , <b>2019</b> , 208, 24-32	3.8	10
55	Facile preparation of antifouling g-C <sub>3</sub> N <sub>4</sub> /Ag <sub>3</sub> PO <sub>4</sub> nanocomposite photocatalytic polyvinylidene fluoride membranes for effective removal of rhodamine B. <i>Korean Journal of Chemical Engineering</i> , <b>2019</b> , 36, 236-247	2.8	29
54	Antibacterial, high-flux and 3D porous molecularly imprinted nanocomposite sponge membranes for cross-flow filtration of emodin from analogues. <i>Chemical Engineering Journal</i> , <b>2019</b> , 360, 483-493	14.7	47
53	Porous nanocomposite membranes based on functional GO with selective function for lithium adsorption. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 4432-4442	3.6	7
52	Preparation and Performance of Visible-Light-Driven Bi <sub>2</sub> O <sub>3</sub> /ZnS Heterojunction Functionalized Porous CA Membranes for Effective Degradation of Rhodamine B. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2018</b> , 215, 1701061	1.6	6
51	Halloysite Nanotubes Templated Acid-Base Bi-functional Hollow Polymeric Solids for Selective Conversion of Cellulose to 5-Hydroxymethylfurfural. <i>ChemistrySelect</i> , <b>2018</b> , 3, 5950-5959	1.8	9
50	Bioinspired synthesis of SiO <sub>2</sub> /pDA-based nanocomposite-imprinted membranes with sol-gel imprinted layers for selective adsorption and separation applications. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 15775-15783	3.6	11

49	Construction and comparison of BSA-stabilized functionalized GQD composite fluorescent probes for selective trypsin detection. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 17718-17724	3.6	4
48	Preparation of High Surface Area Oxidized Activated Carbon from Peanut Shell and Application for the Removal of Organic Pollutants and Heavy Metal Ions. <i>Water, Air, and Soil Pollution</i> , <b>2018</b> , 229, 1	2.6	12
47	Facile synthesis of hierarchical porous solid catalysts with acid-base bifunctional active sites for the conversion of cellulose to 5-hydroxymethylfurfural. <i>New Journal of Chemistry</i> , <b>2018</b> , 42, 18084-18095	3.6	13
46	Green Synthesis of Acid-Base Bi-functional UiO-66-Type Metal-Organic Frameworks Membranes Supported on Polyurethane Foam for Glucose Conversion. <i>ChemistrySelect</i> , <b>2018</b> , 3, 9378-9387	1.8	13
45	Bioinspired Synthesis of Janus Nanocomposite-Incorporated Molecularly Imprinted Membranes for Selective Adsorption and Separation Applications. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2018</b> , 6, 9104-9112	8.3	27
44	Facile synthesis of imprinted submicroparticles blend polyvinylidene fluoride membranes at ambient temperature for selective adsorption of methyl p-hydroxybenzoate. <i>Korean Journal of Chemical Engineering</i> , <b>2017</b> , 34, 600-608	2.8	2
43	Cu submicroparticles catalyzed reduction of 3-nitro-4-methoxyacetanilide to 3-amino-4-methoxyacetanilide in water. <i>Canadian Journal of Chemical Engineering</i> , <b>2017</b> , 95, 1562-1568	2.3	
42	Molecularly imprinted nanocomposite membranes based on GO/PVDF blended membranes with an organic-inorganic structure for selective separation of norfloxacin. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 14966-14976	3.6	5
41	Fabrication of submicro-sized imprinted spheres attached polypropylene membrane using two-dimensional molecular imprinting method for targeted separation. <i>Adsorption Science and Technology</i> , <b>2017</b> , 35, 162-177	3.6	3
40	Bioinspired synthesis of high-performance nanocomposite imprinted membrane by a polydopamine-assisted metal-organic method. <i>Journal of Hazardous Materials</i> , <b>2017</b> , 323, 663-673	12.8	60
39	Fouling Resistant CA/PVA/TiO <sub>2</sub> Imprinted Membranes for Selective Recognition and Separation Salicylic Acid from Waste Water. <i>Frontiers in Chemistry</i> , <b>2017</b> , 5, 2	5	24
38	A molecularly imprinted polymer placed on the surface of graphene oxide and doped with Mn(II)-doped ZnS quantum dots for selective fluorometric determination of acrylamide. <i>Mikrochimica Acta</i> , <b>2017</b> , 185, 48	5.8	14
37	Fabrication of highly selective molecularly imprinted membranes for the selective adsorption of methyl salicylate from salicylic acid. <i>RSC Advances</i> , <b>2016</b> , 6, 91659-91668	3.7	9
36	A modeling study by response surface methodology (RSM) on Sr(II) ion dynamic adsorption optimization using a novel magnetic ion imprinted polymer. <i>RSC Advances</i> , <b>2016</b> , 6, 54679-54692	3.7	16
35	Bio-inspired synthesis of molecularly imprinted nanocomposite membrane for selective recognition and separation of artemisinin. <i>Journal of Applied Polymer Science</i> , <b>2016</b> , 133, n/a-n/a	2.9	15
34	Synthesis of a Ni(II) ion imprinted polymer based on macroporous mesoporous silica with enhanced dynamic adsorption capacity: optimization by response surface methodology. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 3821-3832	3.6	10
33	Highly effective surface molecularly imprinted polymer for the solid-phase extraction of dihydroquercetin from Prunella feather Fruit sample. <i>Separation Science and Technology</i> , <b>2016</b> , 51, 917-928	2.5	6
32	Selective separation of phenol from salicylic acid effluent over molecularly imprinted polystyrene nanospheres composite alumina membranes. <i>Chemical Engineering Journal</i> , <b>2016</b> , 286, 622-631	14.7	21

31	Highly selective, regenerated ion-sieve microfiltration porous membrane for targeted separation of Li <sup>+</sup> . <i>Journal of Porous Materials</i> , <b>2016</b> , 23, 1411-1419	2.4	18
30	Monodisperse magnetic ion imprinted polymeric microparticles prepared by RAFT polymerization based on Fe <sub>3</sub> O <sub>4</sub> @meso-SiO <sub>2</sub> nanospheres for selective solid-phase extraction of Cu(II) in water samples. <i>RSC Advances</i> , <b>2015</b> , 5, 52369-52381	3.7	12
29	Preparation of a Two-Dimensional Ion-Imprinted Polymer Based on a Graphene Oxide/SiO <sub>2</sub> Composite for the Selective Adsorption of Nickel Ions. <i>Langmuir</i> , <b>2015</b> , 31, 8841-51	4	35
28	Accelerating the design of multi-component nanocomposite imprinted membranes by integrating a versatile metal-organic methodology with a mussel-inspired secondary reaction platform. <i>Green Chemistry</i> , <b>2015</b> , 17, 3338-3349	10	53
27	A hierarchical porous bowl-like PLA@MSNs-COOH composite for pH-dominated long-term controlled release of doxorubicin and integrated nanoparticle for potential second treatment. <i>Biomacromolecules</i> , <b>2015</b> , 16, 1131-45	6.9	29
26	Preparation of core-shell ion imprinted nanoparticles via photoinitiated polymerization at ambient temperature for dynamic removal of cobalt in aqueous solution. <i>RSC Advances</i> , <b>2015</b> , 5, 85691-85704	3.7	18
25	Synthesis of hydrophilic surface ion-imprinted polymer based on graphene oxide for removal of strontium from aqueous solution. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 1287-1297	13	77
24	Thermal-responsive ion-imprinted polymer based on magnetic mesoporous silica SBA-15 for selective removal of Sr(II) from aqueous solution. <i>Colloid and Polymer Science</i> , <b>2015</b> , 293, 109-123	2.4	25
23	Magnetic Molecularly Imprinted Polymer Beads Obtained by Suspension Polymerization for the Adsorption of 2,4,6-Trichlorophenol from an Aqueous Solution in a Fixed-Bed Column. <i>Adsorption Science and Technology</i> , <b>2015</b> , 33, 321-336	3.6	3
22	Fabrication of ordered microporous styrene-acrylonitrile copolymer blend imprinted membranes for selective adsorption of phenol from salicylic acid using breath figure method. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	2
21	Fabrication of a novel cellulose acetate imprinted membrane assisted with chitosan-wrapped multi-walled carbon nanotubes for selective separation of salicylic acid from industrial wastewater. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	15
20	Bio-inspired adhesion: fabrication and evaluation of molecularly imprinted nanocomposite membranes by developing a Bio-glue-imprinted methodology. <i>RSC Advances</i> , <b>2015</b> , 5, 46146-46157	3.7	9
19	Fabrication of new cellulose acetate blend imprinted membrane assisted with ionic liquid ([BMIM]Cl) for selective adsorption of salicylic acid from industrial wastewater. <i>Separation and Purification Technology</i> , <b>2015</b> , 145, 63-74	8.3	39
18	Selective oxidation of 1,2-propanediol to lactic acid catalyzed by hydroxyapatite-supported Pd and Ag nanoparticles. <i>RSC Advances</i> , <b>2015</b> , 5, 106918-106929	3.7	16
17	Synthesis of novel ion-imprinted polymers by two different RAFT polymerization strategies for the removal of Cs(I) from aqueous solutions. <i>RSC Advances</i> , <b>2015</b> , 5, 12517-12529	3.7	14
16	A simple and sensitive surface molecularly imprinted polymers based fluorescence sensor for detection of Cyhalothrin. <i>Talanta</i> , <b>2014</b> , 125, 14-23	6.2	35
15	Preparation of composite-imprinted alumina membrane for effective separation of p-hydroxybenzoic acid from its isomer using Box-Behnken design-based statistical modeling. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	5
14	Surface molecularly imprinted polymers based on yeast prepared by atom transfer radical emulsion polymerization for selective recognition of ciprofloxacin from aqueous medium. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	12

13	Luminescence functionalization of porous silica nanospheres by YVO <sub>4</sub> :Eu <sup>3+</sup> for the efficient recognition of Erythrotoxin in aqueous media. <i>Analytical Methods</i> , <b>2014</b> , 6, 915-923	3.2	3
12	Introduction of an ordered porous polymer network into a ceramic alumina membrane via non-hydrolytic sol-gel methodology for targeted dynamic separation. <i>RSC Advances</i> , <b>2014</b> , 4, 38630-38642	3.7	3
11	Preparation, characterization, and adsorption performance of p-hydroxybenzoic acid imprinted polymer and selective catalysis of toluene to para-chlorotoluene. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	5
10	Selective adsorption and degradation of rhodamine B with modified titanium dioxide photocatalyst. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	22
9	An ion-imprinted functionalized SBA-15 adsorbent synthesized by surface imprinting technique via reversible addition-fragmentation chain transfer polymerization for selective removal of Ce(III) from aqueous solution. <i>Journal of Hazardous Materials</i> , <b>2014</b> , 278, 134-43	12.8	49
8	Synthesis, characterization, and adsorption properties of a Ce(III)-imprinted polymer supported by mesoporous SBA-15 matrix by a surface molecular imprinting technique. <i>Canadian Journal of Chemistry</i> , <b>2014</b> , 92, 257-266	0.9	12
7	Molecularly imprinted Cyclodextrin/Kaoline particles for the selective recognition and binding of bisphenol A. <i>Canadian Journal of Chemical Engineering</i> , <b>2014</b> , 92, 720-728	2.3	3
6	Optimization of surface imprinted layer attached poly(vinylidene fluoride) membrane for selective separation of salicylic acid from acetylsalicylic acid using central composite design. <i>Chemical Engineering Journal</i> , <b>2013</b> , 231, 132-145	14.7	49
5	Fabrication and evaluation of temperature responsive molecularly imprinted sorbents based on surface of yeast via surface-initiated AGET ATRP. <i>Applied Surface Science</i> , <b>2013</b> , 287, 211-217	6.7	24
4	A new molecularly imprinted polymer prepared by surface imprinting technique for selective adsorption towards kaempferol. <i>Polymer Bulletin</i> , <b>2012</b> , 68, 1039-1052	2.4	20
3	Selective Adsorption of Methylparaben by Submicrosized Molecularly Imprinted Polymer: Batch and Dynamic Flow Mode Studies. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2012</b> , 51, 14915-14924	2.9	49
2	An ultrasensitive PVDF-based molecularly imprinted fluorescent test strip for the rapid and off-line detection of 4-NP with improved anti-coffee ring effect. <i>Journal of Materials Chemistry C</i> ,	7.1	2
1	Dot-matrix-initiated molecularly imprinted nanocomposite membranes for selective recognition: a high-efficiency separation system with an anti-oil fouling layer. <i>Environmental Science: Nano</i> ,	7.1	5