

Vincent J Hetherington

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/9397973/publications.pdf>

Version: 2024-02-01

16
papers

189
citations

1307366

7
h-index

1125617

13
g-index

16
all docs

16
docs citations

16
times ranked

226
citing authors

#	ARTICLE	IF	CITATIONS
1	Survey research in podiatric medicine: An analysis of the reporting of response rates and non-response bias. <i>Foot</i> , 2019, 40, 92-97.	0.4	10
2	Effect of repeated cycles of steam sterilization on the integrity of cannulated surgical screws. <i>Foot</i> , 2019, 39, 88-91.	0.4	1
3	A Novel Thermochromic Liquid Crystal Fabric Design for the Early Detection of High-Risk Foot Complications. <i>Journal of the American Podiatric Medical Association</i> , 2017, 107, 200-207.	0.2	9
4	Foot Temperature Trends in Normal, Diabetic, and Neuropathic Foot Populations. <i>Journal of the American Podiatric Medical Association</i> , 2016, 106, 5-5.	0.2	1
5	Lecture Capture. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 491-498.	0.2	7
6	Assessment Plan for Student Academic Achievement. <i>Journal of the American Podiatric Medical Association</i> , 2012, 102, 529-534.	0.2	0
7	Prediction of Plantar Shear Stress Distribution by Artificial Intelligence Methods. <i>Journal of Biomechanical Engineering</i> , 2009, 131, 091007.	0.6	15
8	Forefoot plantar shear stress distribution in hallux valgus patients. <i>Gait and Posture</i> , 2009, 30, 257-259.	0.6	31
9	Qualitative Histological Evaluation of Photooxidized Bovine Osteochondral Grafts in Rabbits: A Pilot Study. <i>Journal of Foot and Ankle Surgery</i> , 2007, 46, 223-229.	0.5	2
10	Immunogenicity of unprocessed and photooxidized bovine and human osteochondral grafts in collagen-sensitive mice. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 32.	0.8	6
11	Immunologic testing of xeno-derived osteochondral grafts using peripheral blood mononuclear cells from healthy human donors. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 36.	0.8	7
12	Enhancement of the fixation of pyrolytic carbon implants by using atomic oxygen texturing. <i>Journal of Foot and Ankle Surgery</i> , 2004, 43, 16-19.	0.5	4
13	Effect of a diode laser on wound healing by using diabetic and nondiabetic mice. <i>Journal of Foot and Ankle Surgery</i> , 2004, 43, 214-220.	0.5	47
14	Evaluation of fibrocartilage regeneration and bone response at full-thickness cartilage defects in articulation with pyrolytic carbon or cobalt-chromium alloy hemiarthroplasties. , 1998, 41, 534-540.		23
15	Retrospective assessment of antibiotic and tourniquet use in an ambulatory surgery center. <i>Journal of Foot and Ankle Surgery</i> , 1997, 36, 55-62.	0.5	10
16	Mechanical and histological fixation of hydroxylapatite-coated pyrolytic carbon and titanium alloy implants: A report of short-term results. <i>Journal of Applied Biomaterials: an Official Journal of the Society for Biomaterials</i> , 1995, 6, 243-248.	1.1	16